



## A CURATED COLLECTION INTUITIVE. INNOVATIVE. EXCLUSIVE.

For more than two decades we have honed our expertise and perfected our designs.

Ever evolving, adapting, exceeding expectations – we are dedicated to creating fittings, fixtures, furniture and accessories of form, function and beauty for every bath space.

Sourcing the finest materials, skilled craftsmanship, and time-honored manufacturing techniques, we offer distinctive collections from Modern and Contemporary to Classic and Traditional.

British Style.
European Design.
Distinctive Character.



## OUR COLLECTIONS

From the quintessentially British, to the sleek and modern, we are proud to offer a range of exquisitely designed products to suit all bathroom requirements.







TAOS 24



HEIR 46



UNION 64



MPRO



WISP 106



WALDORF 124



BELGRAVIA 144




DARBY 164



LEYDEN 182



BEREA 200



SHOWERING 216





**BATHTUBS** 

234



270

**RESSA SPA TOILETS** 

246

302







BATH FURNITURE



**BASINS** 



**UNDERMOUNT BASINS** 310



DRAINS, WASTE & **OVERFLOWS** 

316



320

ROUGHS




**KWC** 338



CHAMBORD 348



SPARE PARTS 368



COMPLIANCE, WARRANTY, TERMS & CONDITIONS

#### **COMPANY DIRECTORY**

#### Forte Brands

393 Fortune Boulevard Milford, MA 01757

Main: 508-381-0433 Toll Free: 844-992-8371 Fax: 508-381-6068

crosswaterlondon.com

General inquiries: info@fortebrands.com

Order and shipping inquiries: orders@fortebrands.com

Marketing and collateral inquiries:

marketing @fortebrands.com

Replacement requests and technical inquiries:

technical@fortebrands.com

inquiries:

returns@fortebrands.com

RGA requests and return

## FINISH TECHNOLOGY

#### PVD (Physical Vapor Deposition)

PVD coating processes deposit a layer of high-density material that's only a few microns thick. Once applied, the coating is nearly impossible to remove, and won't wear off on its own. PVD finishes are state of the art.

#### **Powdercoat**

Dry metallic powder is applied electrostatically and cured in an oven at a very high temperature to set the coating. This method forms an extremely tough finish. Powdercoated surfaces do not have a protective coating. If not properly cared for, the surface can become scratched or chipped. It is extremely important that abrasives and chemicals do not come into contact with the finish.

#### Electroplate

This finishing process employs electrical current to coat the faucet with metal. This allows the finish to be resistant to corrosion and wear, and contributes to the product's overall durability.

#### Immersion plate

Immersion plating, also known as chemical or auto-catalytic plating, is a non-electro plating method that involves several simultaneous reactions in an aqueous solution which occur without the use of external electrical power. This process creates a high-quality and very durable finish.

Finish	Finish code	Description	Production method	Collection(s) available	Warranty
Unlacquered Brass	В	Raw brass is polished and left uncoated to naturally patina over time. A rich, living finish which can be left to gently tarnish or polished to restore its brilliance.	Living finish	UNION	No Warranty
Brushed Brass	BB	A warm brass finish,machine brushed for an even texture.	PVD	Heir, MPRO	Limited Lifetime
Brushed Black Chrome	BBC	Chrome is chemically darkened then hand brushed and finished.	Electroplated	UNION	Limited Lifetime
Brushed Gold	BG	A heavy coating of gold is applied, then hand- relieved to achieve a subtle, sophisticated texture.	PVD	Taos	Limited Lifetime
Brushed Nickel	BN	A heavy coating of nickel is applied then hand-relieved to achieve a subtle, sophisticated texture.	Electroplated	UNION	Limited Lifetime
Graphite	GR	A carbon-like coating that mimics the look and feel of forged steel.	PVD	Fenmore	Limited Lifetime
Matte Black	MB	Brass is polished, then a hard-wearing, durable, matte black coating is applied.	Immersion-plated	MPRO	Limited Lifetime
Matte Black	MB	Black powdercoating is cured using a high-heat process that creates a very durable, 'skin-like' finish.	Powdercoated	Taos	Limited Lifetime
Polished Chrome	PC, C or CP	A hard-wearing, highly polished finish, with a slightly cool tone.	Electroplated	All except Heir	Limited Lifetime
Polished Nickel	PN	A durable, highly -polished finish with a warm tone.	PVD	Heir, Berea, Darby, Leyden, Taos	Limited Lifetime
Polished Nickel	PN	A rich, sophisticated finish with a warm tone. This finish deepens over time, but can easily be restored to it's original luster	Electroplated	Belgravia, Waldorf	Limited Lifetime
Satin Nickel (Stainless)	SN, S or V	A heavy coating of nickel is applied, then hand relieved to achieve a subtle, sophisticated texture.' This finish is slightly more matte than BN.	PVD	Taos, MPRO, Wisp, Darby, Leyden, Berea	Limited Lifetime




## FENMORE











#### COASTAL CHARM, ENGINEERED EXCELLENCE

With a nod to coastal holiday homes, Fenmore merges engineering and elegance.

The coining detail evokes days spent sailing the open waters. The softened geometric lines of the handle and high neck spout make Fenmore a true standout, summoning a sense of calm, strength, and refinement.



#### AVAILABLE FINISHES





#### FENMORE SINGLE-HOLE BASIN FAUCET

Solid brass construction

Kerox ceramic disc cartridge

Push drain assembly included

Spout reach: 5"

Spout swivel: No


4" cover plate available (sold separately)

IAPMO approved; Massachusetts code (pending)

Polished Chrome **28-01-PC \$610** Graphite **28-01-GR \$720** 







#### FENMORE WIDESPREAD BASIN FAUCET

Solid brass construction

Flühs quarter-turn ceramic disc cartridge

Push drain assembly included

Spout reach: 5-11/16"


Spout swivel: No

IAPMO approved; Massachusetts code (pending)

Polished Chrome 28-08-PC \$850
Graphite 28-08-GR \$990







#### NEW!

#### FENMORE WALL-MOUNT BASIN FAUCET

Solid brass construction

Flühs quarter-turn ceramic disc cartridge

Push drain assembly sold separately

Spout reach: 9"

IAPMO-listed; Massachusetts code

& WaterSense (pending)

 $Required \ rough \ sold \ separately: WWM-RGH$ 

AVAILABLE Q4 2025

Polished Chrome **28-10-PC \$510** Graphite **28-10-GR \$740** 



#### **REQUIRED ROUGH**

Rough for 3-hole wall-mount basin faucet



WWM-RGH \$350

See page 326 for detailed information

#### **RECOMMENDED WASTES**

Basin push drain with overflow

Polished Chrome

US-BSW0117C \$130

\$200

Graphite

US-BSW0117GR


Basin push drain without overflow
Polished Chrome

US-BSW0101C \$130
Graphite

US-BSW0101GR

See page 320 for detailed information

\$200



#### FENMORE FLOOR-MOUNT TUB FILLER WITH HANDSHOWER

Solid brass construction

Kerox ceramic disc

Single-function handshower with vacuum breaker and 60" hose

Spout reach: 9"

Height to spout: 35-7/8"

Spout swivel: Yes


Tub filler flow rate: 5.0 GPM


Handshower flow rate: 1.75 GPM

IAPMO and Massachusetts code (pending)

 $\mathsf{Rough}\,\mathsf{Included}$ 

Polished Chrome **28-05-PC \$2420** Graphite **28-05-GR \$2880** 





#### FENMORE THERMOSTATIC VALVE TRIM

Temperature control only; volume control(s) sold separately

Required rough features Vernet thermostatic cartridge Integral shut-off return valve with filters to prevent cross flow.

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Flow rate: 12 GPM at 45 PSI

IAPMO approved; Massachusetts code (pending)

#### Required rough sold separately: TH-RGH

Polished Chrome **28-16-T-PC \$460** Graphite **28-16-T-GR \$550** 

#### **REQUIRED ROUGH**

3/4" thermostatic valve rough **TH-RGH** \$580



Extension kit:

Polished Chrome 9Q1172CP-PC \$140

See page 333 for detailed information


#### **TEMPERATURE CONTROL ONLY**

This valve is a mixer only and requires separate volume control(s).

See page 336 for detailed information







#### FENMORE VOLUME CONTROL OR DIVERTER TRIM

Trims are compatible with roughs for the volume control, two-way and three-way diverters

Volume control controls on/off and volume functions for a single component in a shower system

Diverter alternates water flow between two or three water outlets Note: When used with diverter trim, diverters do not start, stop or control water flow

Volume control features Flühs quarterturn ceramic disc cartridge

Diverters feature Kerox diverter cartridge

IAPMO approved; Massachusetts code (pending)

#### Required rough (sold separately):

VC-RGH - Volume control or DIV-RGH - Two-way diverter or 3DV-RGH - Three-way diverter


Polished Chrome **28-17-T-PC \$350** Graphite **28-17-T-GR \$440** 

# REQUIRED ROUGH 3/4" Volume control rough VC-RGH \$170 or 3/4" Two-way diverter rough DIV-RGH \$290 or 1/2" Three-way diverter rough 3DV-RGH \$230 Extension kit: 5T1C0319NT + 5P0C0582NT \$50 See page 336 for detailed information







#### With VC-RGH, Volume control rough



#### With DIV-RGH, 2 function diverter



With 3DV-RGH, 3 function diverter



## FENMORE SINGLE-FUNCTION THERMOSTATIC VALVE TRIM WITH VOLUME CONTROL

Single integrated volume control for 1 water outlet

Required rough features Vernet thermostatic cartridge and Flühs volume control cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 10-12 GPM at 45 PSI

IAPMO approved; Massachusetts code (pending)

#### Required rough sold separately: TH1-RGH

Polished Chrome 28-19-T-PC \$630 Graphite 28-19-T-GR \$750

## 1FUNCTION A - Volume control B - Temperature



#### **REQUIRED ROUGH**

Single Outlet thermostatic valve rough TH1-RGH \$580





Extension kit:

Polished Chrome 9Q242000CP \$250

See page 331 for detailed information







## FENMORE DUAL-CONTROL THERMOSTATIC VALVE TRIM WITH VOLUME CONTROL AND DIVERTER

Integrated volume control/diverter for 2 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left$ 

Flow rate: 12 GPM at 45 PSI

IAPMO approved; Massachusetts code (pending)


#### $Required \ rough \ sold \ separately: TH2-RGH$

Polished Chrome **28-20-T-PC \$630** Graphite **28-20-T-GR \$750** 

#### 2 FUNCTIONS, NON-SHARED

A - Volume control / two-way diverter

B - Temperature





#### **REQUIRED ROUGH**

Dual-control thermostatic valve rough **TH2-RGH** \$630




Extension kit:

Polished Chrome 9Q242000CP \$250

See page 332 for detailed information





#### FENMORE PRESSURE BALANCE TRIM WITH DIVERTER

Two water outlets

Diverter alternates water flow between 2 outlets: tub spout/shower head, tub spout/handshower or shower head/handshower

Kerox pressure-balance cartridge

Pressure-balance cartridge maintains constant temperature in response to changes to hot and cold supply

Flow rate: 3-5 GPM at 45 PSI

IAPMO approved; Massachusetts code (pending)

#### $Required \ rough \ sold \ separately: PBTS-RGH$

 Polished Chrome
 28-14P-T-PC
 \$400

 Graphite
 28-14P-T-GR
 \$490

## 2 FUNCTIONS, NON-SHARED

- Pressure balance diverter
- Volume control mixer



#### REQUIRED ROUGH

Pressure-balance shower valve with diverter rough PBTS-RGH \$350




Extension kit:

5T1C0319NT + 5P0C0582NT

\$50

See page 335 for detailed information





#### FENMORE PRESSURE BALANCE VALVE TRIM

One water outlet

Kerox pressure-balance cartridge

Pressure-balance cartridge maintains constant temperature in response to changes to hot and cold supply

Flow rate: 3-5 GPM at 45 PSI

IAPMO approved; Massachusetts code (pending)

#### $Required \ rough \ sold \ separately: PBS-RGH$

Polished Chrome **28-15P-T-PC \$380** Graphite **28-15P-T-GR \$460** 


#### 1FUNCTION

Volume control mixer



#### **REQUIRED ROUGH**

Pressure-balance shower valve rough






5T1C0319NT + 5P0C0582NT

\$50

 $\underline{\mathsf{See}\;\mathsf{page}\;334}\;\mathsf{for}\;\mathsf{detailed}\;\mathsf{information}$ 





#### FENMORE VOLUME CONTROL OR DIVERTER TRIM

Trims are compatible with roughs for the volume control, two-way and three-way diverters

Volume control controls on/off and volume functions for a single component in a shower system

Diverter alternates water flow

between two or three water outlets

#### Note: When used with diverter trim, diverters do not start, stop or control water flow

Volume control features Flühs quarter-

turn ceramic disc cartridge

Diverters feature Kerox diverter cartridge

IAPMO approved; Massachusetts code (pending)

#### Required rough (sold separately):

VC-RGH - Volume control or DIV-RGH - Two-way diverter or 3DV-RGH - Three-way diverter

Polished Chrome **28-17-T-PC \$350**Graphite **28-17-T-GR \$440** 


## REQUIRED ROUGH 3/4" Volume control rough VC-RGH \$170 or 3/4" Two-way diverter rough DIV-RGH \$290 or 1/2" Three-way diverter rough 3DV-RGH \$230 Extension kit: 5T1CO319NT + 5P0C0582NT \$50






#### With VC-RGH, Volume control rough


See page 336 for detailed information



#### With DIV-RGH, 2 function diverter



#### With 3DV-RGH, 3 function diverter



19

#### MODERN 8" RAIN HEAD

Solid brass Single rain spray

7-7/8" diameter

EasyClean anti-limescale nozzles

Swivel: Yes

Flow rate: 1.75 GPM

Inlet connection: G 1/2" (compatible with 1/2" NPT)

IAPMO listed. Massachusetts code approved approved

Polished Chrome US-PRO200C US-PRO200GR Graphite

\$320 \$440



#### MODERN 12" RAIN HEAD

Solid brass

Single rain spray

11-3/4" diameter

EasyClean anti-limescale nozzles

Swivel: Yes

Flow rate: 1.75 GPM

Inlet connection: G 1/2" (compatible with 1/2" NPT)

IAPMO listed. Massachusetts code approved approved

Polished Chrome US-PRO300C Graphite

US-PRO300GR

\$610 \$810



#### MODERN 13" SHOWER ARM AND FLANGE

Solid brass Projection: 13"

Inlet connection: 1/2" NPT male

IAPMO listed

Polished Chrome SH13-ARM-PC  ${\sf Graphite}$ 

SH13-ARM-GR

\$150 \$170



#### MODERN 18" SHOWER ARM AND FLANGE

Solid brass

Projection: 18"


Inlet connection: 1/2" NPT male

IAPMO listed

Polished Chrome US-FH695C Graphite

US-FH695GR

\$200 \$230



#### MULTI-FUNCTION SHOWER HEAD WITH ARM AND 5 DECORATIVE ARM FLANGES

Includes head, arm and flange

Five spray functions - Wide pattern, wide patterns plus soft center, wide pattern plus pulsing center, soft center massage and hard center massage

4-1/4" diameter

EasyClean anti-limescale nozzles

Swivel: Yes

Trims include Darby, Leyden, Modern, Taos and Traditional

Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT male

IAPMO and Massachusetts code (pending)

Polished Chrome

Graphite

SH04-PC


\$210

\$260

\$380

\$580

SH04-GR



#### Trims included:













#### **ELEMENTS 8-JET SHOWER HEAD**

Solid brass

Adjustable spray - wide to narrow rain

3-1/2" diameter

Anti-limescale nozzles

Swivel: Yes

Flow rate: 1.75 GPM


Inlet connection: 1/2" NPT

IAPMO listed, Massachusetts code approved

Polished Chrome US-SH08C Graphite

US-SH08GR







#### MODERN SHOWER ARM AND FLANGE WITH 5 DECORATIVE ARM FLANGES

Solid brass


Projection: 5-1/2"


Trims include Darby, Leyden, Modern, Taos and Traditional

Inlet connection: 1/2" NPT male

Polished Chrome SH04-ARM-PC \$120 SH04-ARM-GR \$150 Graphite









Trims included:









#### FENMORE HANDSHOWER WITH WALL OUTLET/PORT

Single-spray

EasyClean anti-limescale nozzles

60" metal hose


Wall bracket includes vacuum breaker

Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT

IAPMO and Massachusetts code (pending)

Polished Chrome **28-07-PC \$490** Graphite **28-07-GR \$580** 



#### FENMORE WALL TUB SPOUT

Solid brass

Spout reach: 6-1/2"

Inlet connection size: 1/2" NPT


IAPMO listed

Available while supplies last

 Polished Chrome
 28-WTS-PC
 \$260

 Graphite
 28-WTS-GR
 \$320







#### SVELTE 3 HANDSHOWER RAIL SET

Set includes: Modern single-function handshower, 59" hose, Svelte slide rail and Modern wall outlet

Single-function spray

Handshower includes vacuum

breaker and flow restrictor

27-1/2" adjustable bar with bracket

60" metal hose included

Flow rate: 1.75 GPM


Inlet connection: 1/2" NPT

 $\mathsf{CSA}\ \mathsf{approved}$ 

 Polished Chrome
 US-HSS02336C
 \$580

 Graphite
 US-HSS02336GR
 \$690







#### FENMORE PAPER HOLDER

 Polished Chrome
 28-58-PC
 \$150

 Graphite
 28-58-GR
 \$170



#### FENMORE ROBE HOOK

 Polished Chrome
 28-51-PC
 \$120

 Graphite
 28-51-GR
 \$150



#### FENMORE HAND TOWEL BAR

 Polished Chrome
 28-60-PC
 \$200

 Graphite
 28-60-GR
 \$230



#### FENMORE 18" TOWEL BAR

 Polished Chrome
 28-65-PC
 \$230

 Graphite
 28-65-GR
 \$280



#### FENMORE 24" TOWEL BAR

 Polished Chrome
 28-67-PC
 \$260

 Graphite
 28-67-GR
 \$320





## TAOS









#### ESSENTIAL. PURE. FORM.


Inspired by the mid-century modern classic, Eero Saarinen's Tulip table;
Taos embodies a simplistic and organic elegance. With arching, structural curves
and clean lines, Taos takes center stage with a heightened yet soft aesthetic.



#### AVAILABLE FINISHES











#### TAOS SINGLE-HOLE BASIN FAUCET (TOP LEVER)

Kerox ceramic disc	cartridge	
Push drain assembly	included	
Spout reach: 5-3/4"		
Spout swivel: No		
4" cover plate availa	ble (sold separately)	
IAPMO-listed;; Mas & WaterSense (pend		
Polished Chrome	17-04-PC 17-04-PN	\$540 \$660

17-04-SN

17-04-MB

17-04-BG

Satin Nickel

Matte Black


Brushed Gold

\$660

\$660

\$660





#### TAOS SINGLE-HOLE BASIN FAUCET

Solid brass construction

Kerox ceramic disc cartridge

Push drain assembly included

Spout reach: 5-3/4"

Spout swivel: No

4" cover plate available (sold separately)

Massachusetts code approved,


IAPMO listed & WaterSense compliant

Polished Chrome	17-01-PC	\$590
Polished Nickel	17-01-PN	\$700
Satin Nickel	17-01-SN	\$700
Matte Black	17-01-MB	\$700
Brushed Gold	17-01-BG	\$700









#### TAOS WIDESPREAD BASIN FAUCET

Solid brass construction

Flühs quarter-turn ceramic disc cartridges

Push drain assembly included

Spout reach: 5-1/2"

Spout swivel: No

Massachusetts code approved,


IAPMO listed & WaterSense compliant

Polished Chrome	17-08-PC	\$710
Polished Nickel	17-08-PN	\$850
Satin Nickel	17-08-SN	\$850
Matte Black	17-08-MB	\$850
Brushed Gold	17-08-BG	\$850









#### TAOS WIDESPREAD BASIN FAUCET (HIGH SPOUT)

Solid brass construction

Flühs quarter-turn ceramic disc cartridges Push drain assembly included Spout reach:4"


Spout swivel: No

IAPMO-listed; Massachusetts code & WaterSense (pending)

Polished Chrome	17-09-PC	\$710
Polished Nickel	17-09-PN	\$850
Satin Nickel	17-09-SN	\$850
Matte Black	17-09-MB	\$850
Brushed Gold	17-09-BG	\$850







#### NEW!

#### TAOS WALL-MOUNT BASIN FAUCET

Solid brass construction

Flühs quarter-turn ceramic disc cartridges

Push drain assembly sold separately

Spout reach: 9-1/2"

IAPMO-listed; Massachusetts code

& WaterSense (pending)

#### $Required \ rough \ sold \ separately: WWM-RGH$

#### **AVAILABLE Q1 2026**

Polished Chrome	17-10-PC	\$410
Polished Nickel	17-10-PN	\$580
Satin Nickel	17-10-SN	\$580
Matte Black	17-10-MB	\$580
Brushed Gold	17-10-BG	\$580



#### **REQUIRED ROUGH**

Rough for 3-hole wallmount basin faucet





WWM-RGH \$400

See page 324 for detailed information

#### **RECOMMENDED WASTES** Basin push drain without overflow Basin push drain with overflow Polished Chrome US-BSW0101C \$150 Polished Chrome Matte Black US-BSW0117C \$150 US-BSW0101MB \$230 Matte Black Brushed Brass US-BSW0117MB US-BSW0101BB \$230 \$230 Brushed Brass Satin Nickel US-BSW0117BB US-BSW0101V \$230 \$230 Satin Nickel US-BSW0117V \$230 See page 318 for detailed information







#### TAOS FLOOR-MOUNT TUB FILLER WITH HANDSHOWER

Solid brass construction

Kerox ceramic disc cartridge

Single-function handshower with

vacuum breaker and 60" hose

Spout reach: 9"

Height to spout: 33-3/4" - 35-7/8"

Spout swivel: Yes

Tub filler flow rate: 7 GPM

Handshower flow rate: 1.75 GPM


Massachusetts code approved & IAPMO listed

#### $Rough \, included \,$

Polished Chrome	17-05-PC	\$2190
Polished Nickel	17-05-PN	\$2620
Satin Nickel	17-05-SN	\$2620
Matte Black	17-05-MB	\$2620
Brushed Gold	17-05-BG	\$2620







#### TAOS DECK-MOUNT TUB FAUCET WITH HANDSHOWER TRIM

Solid brass construction

Flühs quarter-turn ceramic disc cartridges

Single-function handshower with vacuum breaker and 60" hose

Spout reach: 9"

Spout swivel: No

Tub filler flow rate: 11 GPM

Handshower flow rate: 1.75 GPM

Massachusetts code approved & IAPMO listed

Required rough sold separately: DTHS-S-RGH

 Polished Chrome
 17-03-T-PC
 \$1320

 Polished Nickel
 17-03-T-PN
 \$1610

 Satin Nickel
 17-03-T-SN
 \$1610






#### **REQUIRED ROUGH**

Deck tub set with handshower rough DTHS-S-RGH \$460



See page 337 for detailed information





#### TAOS THERMOSTATIC VALVE TRIM

Temperature control only; volume control(s) sold separately

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 45 PSI

Massachusetts code approved & IAPMO listed

#### Required rough sold separately: TH-RGH

Polished Chrome	17-16-T-PC	\$400
Polished Nickel	17-16-T-PN	\$490
Satin Nickel	17-16-T-SN	\$490
Matte Black	17-16-T-MB	\$490
Brushed Gold	17-16-T-BG	\$490

#### **REQUIRED ROUGH**

3/4" thermostatic valve rough

TH-RGH \$580



#### ${\sf Extension}\, kit:$

 Polished Chrome
 9Q1172CP-PC
 \$140

 Polished Nickel
 9Q1172RN-PN
 \$140

 Satin Nickel
 9Q1172AP-SN
 \$140

 Matte Black
 9Q1172MB
 \$140

See page 333 for detailed information


#### **TEMPERATURE CONTROL ONLY**

This valve is a mixer only and requires separate volume control(s).

See page 338 for detailed information







#### TAOS VOLUME CONTROL OR DIVERTER TRIM

Trim is compatible with roughs for the volume control, two-way and three-way diverters.

Volume control controls on/off and volume functions

for a single component in a shower system

Diverters alternate water flow between

two or three water outlets.

### Note: Diverters do not start, stop or control water flow

Volume control features Flühs quarter-

turn ceramic disc cartridge

Diverters feature Kerox diverter cartridge

Massachusetts code approved & IAPMO listed

#### Required rough (sold separately):

VC-RGH - Volume control or DIV-RGH - Two-way diverter or 3DV-RGH - Three-way diverter


Polished Chrome	17-17-T-PC	\$290
Polished Nickel	17-17-T-PN	\$350
Satin Nickel	17-17-T-SN	\$350
Matte Black	17-17-T-MB	\$350
Brushed Gold	17-17-T-BG	\$350









#### With VC-RGH, Volume control rough



#### With DIV-RGH, 2 function diverter



With 3DV-RGH, 3 function diverter



# TAOS SINGLE-FUNCTION THERMOSTATIC VALVE TRIM WITH VOLUME CONTROL

Single integrated volume control for 1 water outlet

Required rough features Vernet thermostatic cartridge and Flühs volume control cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow


Flow rate: 10-12 GPM at 45 PSI

Massachusetts code approved & IAPMO listed

#### Required rough sold separately: TH1-RGH


Polished Chrome	17-19-T-PC	\$580
Polished Nickel	17-19-T-PN	\$690
Satin Nickel	17-19-T-SN	\$690
Matte Black	17-19-T-MB	\$690
Brushed Gold	17-19-T-BG	\$690

# REQUIRED ROUGH Single Outlet thermostatic valve rough TH1-RGH \$580 Extension kit: Polished Chrome 9Q242000CP \$250 Polished Nickel 9Q242000RN \$250 Satin Nickel 9Q242000RN \$250 Matte Black 9Q242000RN \$250 See page 331 for detailed information









# TAOS DUAL-CONTROL THERMOSTATIC VALVE TRIM WITH VOLUME CONTROL AND DIVERTER

Integrated volume control/diverter for 2 water outlets
Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 45 PSI


Massachusetts code approved & IAPMO listed

#### Required rough sold separately: TH2-RGH

Polished Chrome	17-20-T-PC	\$580
Polished Nickel	17-20-T-PN	\$690
Satin Nickel	17-20-T-SN	\$690
Matte Black	17-20-T-MB	\$690
Brushed Gold	17-20-T-BG	\$690


# Polished Nickel Satin Nickel Matte Black Poul-control thermostatic valve rough TH2-RGH Sequence of the polished Nickel Polis

See page 332 for detailed information









#### TAOS PRESSURE-BALANCE TRIM WITH DIVERTER

#### Two water outlets

Diverter alternates water flow between 2 outlets: tub spout/shower head, tub spout/handshower or shower head/handshower

Kerox pressure-balance cartridge

Pressure-balance cartridge maintains constant

temperature in response to changes to hot and cold supply

Flow rate: 3-5 GPM at 45 PSI

Massachusetts code approved & IAPMO listed

#### $Required \ rough \ sold \ separately: PBTS-RGH$

Polished Chrome	17-14P-T-PC	\$320
Polished Nickel	17-14P-T-PN	\$380
Satin Nickel	17-14P-T-SN	\$380
Matte Black	17-14P-T-MB	\$380
Brushed Gold	17-14P-T-BG	\$380


# REQUIRED ROUGH Pressure-balance shower valve with diverter rough PBTS-RGH \$350 Extension kit: 5T1C0319NT + 5P0C0582NT \$50 See page 335 for detailed information

# 2 FUNCTIONS, NON-SHARED

- Pressure balance diverter
- Volume control mixer







#### TAOS PRESSURE-BALANCE VALVE TRIM

One water outlet

Kerox pressure-balance cartridge

Pressure-balance cartridge maintains constant

temperature in response to changes

Flow rate: 3-5 GPM at 45 PSI

to hot and cold supply

Massachusetts code approved & IAPMO listed

#### Required rough sold separately: PBS-RGH

Polished Chrome	17-15P-T-PC	\$290
Polished Nickel	17-15P-T-PN	\$350
Satin Nickel	17-15P-T-SN	\$350
Matte Black	17-15P-T-MB	\$350
Brushed Gold	17-15P-T-BG	\$350

#### 1FUNCTION

Volume control mixer



#### **REQUIRED ROUGH**

Pressure-balance shower valve rough

PBS-RGH \$320




5T1C0319NT + 5P0C0582NT

\$50

See page 334 for detailed information





#### TAOS VOLUME CONTROL OR DIVERTER TRIM

Trim is compatible with roughs for the volume control, two-way and three-way diverters.

Volume control controls on/off and volume functions for a single component in a shower system

Diverters alternate water flow between two or three water outlets.

## Note: Diverters do not start, stop or control water flow

Volume control features Flühs quarterturn ceramic disc cartridge

Diverters feature Kerox diverter cartridge

Massachusetts code approved & IAPMO listed

#### Required rough (sold separately):

VC-RGH - Volume control or DIV-RGH - Two-way diverter or 3DV-RGH - Three-way diverter


Polished Chrome	17-17-T-PC	\$290
Polished Nickel	17-17-T-PN	\$350
Satin Nickel	17-17-T-SN	\$350
Matte Black	17-17-T-MB	\$350
Brushed Gold	17-17-T-BG	\$350

# REQUIRED ROUGH 3/4" Volume control rough VC-RGH \$170 or 3/4" Two-way diverter rough DIV-RGH \$290 or 1/2" Three-way diverter rough 3DV-RGH \$230 Extension kit: 5T1C0319NT+5P0C0582NT \$50 See page 336 for detailed information







#### With VC-RGH, Volume control rough



#### With DIV-RGH, 2 function diverter



With 3DV-RGH, 3 function diverter



#### MODERN 8" RAIN HEAD

Solid brass
Single rain spray
7-7/9" diameter
EasyClean anti-limescale nozzles
Swivel: Yes
Flow rate: 1.75 GPM
Inlet connection: G 1/2" (compatible with 1/2" NPT)
IAPMO listed, Massachusetts code approved

 Polished Chrome
 US-PRO200C
 \$320

 Polished Nickel
 US-PRO200N
 \$440

 Satin Nickel
 US-PRO200V
 \$440

 Matte Black
 US-PRO200MB
 \$440

 Brushed Gold
 US-PRO200BG
 \$440



#### MODERN 12" RAIN HEAD

Solid brass
Single rain spray
11-3/4" diameter
EasyClean anti-limescale nozzles
Swivel: Yes
Flow rate: 1.75 GPM
Inlet connection: G 1/2" (compatible with 1/2" NPT)

IAPMO listed, Massachusetts code approved

 Polished Chrome
 US-PRO300C
 \$610

 Polished Nickel
 US-PRO300N
 \$810

 Satin Nickel
 US-PRO300V
 \$810

 Matte Black
 US-PRO300MB
 \$810

 Brushed Gold
 US-PRO300BG
 \$810




#### MODERN 13" SHOWER ARM AND FLANGE

Solid brass	Polished Chrome	SH13-ARM-PC	\$150
Projection: 13"	Polished Nickel	SH13-ARM-PN	\$170
Inlet connection: 1/2" NPT male	Satin Nickel	US-FH684V	\$170
IAPMO listed	Matte Black	US-FH684MB	\$170
	Brushed Gold	SH13-ARM-BG	\$170



#### MODERN 18" SHOWER ARM AND FLANGE

Solid brass	Polished Chrome	US-FH695C	\$200
Projection: 18"	Polished Nickel	US-FH695N	\$230
Inlet connection: ½" NPT male	Satin Nickel Matte Black Brushed Gold	US-FH695V	\$230
IAPMO listed		US-FH695MB US-FH695BG	\$230 \$230



#### MULTI-FUNCTION SHOWER HEAD WITH ARM AND 5 DECORATIVE ARM FLANGES

Includes head, arm and flange

Five spray functions - Wide pattern, wide patterns plus soft center, wide pattern plus pulsing center, soft center massage and hard center massage

4-1/4" diameter

EasyClean anti-limescale nozzles

Swivel: Yes

Trims include Darby, Leyden, Modern, Taos and Traditional

Flow rate: 1.75 GPM


Inlet connection: 1/2" NPT male

IAPMO and Massachusetts code (pending)

Polished Chrome	SH04-PC	\$210
Polished Nickel	SH04-PN	\$260
Satin Nickel	SH04-SN	\$260
Matte Black	SH04-MB	\$260
Brushed Gold	SH04-BG	\$260









Trims included:









#### **ELEMENTS 8-JET SHOWER HEAD**

Solid brass

Adjustable spray - wide to narrow rain

3-1/2" diameter

Anti-limescale nozzles

Swivel: Yes

Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT

IAPMO listed, Massachusetts code approved

Polished Chrome US-SH08C \$380 Polished Nickel US-SH08N \$460 Satin Nickel US-SH08S \$460 Matte Black US-SH08MB \$460 \$580\* Brushed Gold US-SH08BG







\*6 WEEK LEAD TIME

#### MODERN SHOWER ARM AND FLANGE WITH 5 DECORATIVE ARM FLANGES

Solid brass

Projection: 5-1/2"

Trims include Darby, Leyden, Modern, Taos and Traditional

Inlet connection: 1/2" NPT male

Polished Chrome	SH04-ARM-PC	\$120
Polished Nickel	SH04-ARM-PN	\$150
Satin Nickel	SH04-ARM-SN	\$150
Matte Black	SH04-ARM-MB	\$150
Brushed Gold	SH04-ARM-BG	\$150


#### Trims included:











#### SVELTE 3 HANDSHOWER RAIL SET

Set includes: Modern single-function handshower, 59" hose, Svelte slide rail and Modern wall outlet

Single-function spray

Handshower includes vacuum breaker and flow restrictor

27-1/2" adjustable bar with bracket

60" metal hose included

Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT

 ${\sf CSA}$  approved

 Polished Chrome
 US-HSS02336C
 \$580

 Polished Nickel
 US-HSS02336PN
 \$690


 Satin Nickel
 US-HSS02336V
 \$690

 Matte Black
 US-HSS02336MB
 \$690

 Brushed Gold
 US-HSS02336BG
 \$690







# TAOS HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

Single spray

Handshower features EasyClean

anti-limescale nozzles

 $Handshower includes \ vacuum$ 


breaker and flow restrictor

Flow rate: 1.75 GPM

Massachusetts code approved, IAPMO listed

& CEC compliant

Polished Chrome	17-07-PC	\$460
Polished Nickel	17-07-PN	\$610
Satin Nickel	17-07-SN	\$610
Matte Black	17-07-MB	\$610
Brushed Gold	17-07-BG	\$610







#### TAOS WALL TUB SPOUT

00	lid	brass


_		
Snout	reach:	7"

Inlet connection size: 1/2" NPT

#### Available while supplies last

Polished Chrome	17-WTS-PC	\$230
Polished Nickel	17-WTS-PN	\$290
Satin Nickel	17-WTS-SN	\$290
Matte Black	17-WTS-MB	\$290
Brushed Gold	17-WTS-BG	\$290





#### TAOS PAPER HOLDER / TOWEL RING

Polished Chrome	17-58-PC	\$120
Polished Nickel	17-58-PN	\$140
Satin Nickel	17-58-SN	\$140
Matte Black	17-58-MB	\$140
Brushed Gold	17-58-BG	\$140



#### TAOS ROBE HOOK

Polished Chrome	17-51-PC	\$90
Polished Nickel	17-51-PN	\$120
Satin Nickel	17-51-SN	\$120
Matte Black	17-51-MB	\$120
Brushed Gold	17-51-BG	\$120



#### TAOS 7" TOWEL BAR

17-59-PC	\$130
17-59-PN	\$150
17-59-SN	\$150
17-59-MB	\$150
17-59-BG	\$150
	17-59-PN 17-59-SN 17-59-MB





#### TAOS 18" TOWEL BAR

Polished Chrome	17-65-PC	\$150
Polished Nickel	17-65-PN	\$170
Satin Nickel	17-65-SN	\$170
Matte Black	17-65-MB	\$170
Brushed Gold	17-65-BG	\$170

Note: Bar cannot be cut



#### TAOS 24" TOWEL BAR

Polished Chrome	17-66-PC	\$170
Polished Nickel	17-66-PN	\$210
Satin Nickel	17-66-SN	\$210
Matte Black	17-66-MB	\$210
Brushed Gold	17-66-BG	\$210

Note: Bar cannot be cut





# HEIR










# ORGANIC IN FORM. PRECISE IN DETAIL.

Heir is multi-faceted with a fresh attitude for today's modern bathroom. From base to spout, clean lines and sculpted columns breathe elegance and strength for everyday indulgence. Tactile. Brilliant. Heir sets a new standard for innovative and sensible luxury.

# AVAILABLE FINISHES





#### HEIR SINGLE-HOLE BASIN FAUCET

Solid brass construction

Kerox ceramic disc cartridge

Push drain assembly included

Spout reach: 5-1/8"

IAPMO listed

CEC compliant


 Brushed Brass
 18-01-BB
 \$820


 Polished Nickel
 18-01-PN
 \$820











#### HEIR WIDESPREAD BASIN FAUCET

Solid brass construction

Fluhs quarter-turn ceramic disc cartridge

Push drain assembly included

Spout reach: 6-3/4"

Spout swivel: Yes

IAPMO listed

CEC compliant

Brushed Brass 18-08-BB
Polished Nickel 18-08-PN


\$1420 \$1420











#### HEIR FLOOR-MOUNT THERMOSTATIC TUB FILLER WITH HANDSHOWER

Solid brass construction

Vernet thermostatic cartridge

Single-function handshower with

vacuum breaker and 60" hose

Spout reach: 9"

Height to spout: 35-1/4"

Spout swivel: Yes

Tub filler flow rate: 5.0 GPM

Handshower flow rate: 1.75 GPM

IAPMO listed

#### $Required \, rough \, sold \, separately: \, US-418 ROUGH$


Brushed Brass 18-05-BB \$3450 Polished Nickel 18-05-PN \$3450



#### **REQUIRED ROUGH**


Rough for floor-mount single-hole tub filler


\$350 US-418ROUGH














#### HEIR 1000 THERMOSTATIC VALVE TRIM

Single integrated volume control for 1 water outlet

Required rough features Vernet thermostatic cartridge and Fluhs volume control cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 60 PSI

Available only with lever handles


IAPMO listed

#### Required rough sold separately: US-WLBP1000R

Brushed Brass 18-1000-T-BB \$690
Polished Nickel 18-1000-T-PN \$690


# REQUIRED ROUGH 1000 3/4" thermostatic rough with single integrated volume control US-WLBP1000R \$520 Extension kit: Brushed Brass US-EK101525BB \$250 Polished Nickel US-EK101525N \$250


See page 326 for detailed information











#### HEIR 1500 THERMOSTATIC VALVE TRIM

Integrated volume control/diverter for 2 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 11 GPM at 60 PSI

Available only with lever handles

IAPMO listed

#### $Required \ rough \ sold \ separately: US-WLBP1500R$

Brushed Brass 18-1500-T-BB \$690
Polished Nickel 18-1500-T-PN \$690

#### REQUIRED ROUGH

1500 3/4" thermostatic rough with volume control/diverter US-WLBP1500R \$630




Extension kit:

See page 327 for detailed information

#### 2 FUNCTIONS, NON-SHARED


A - Volume control / two-way diverter


B - Temperature











#### HEIR 2000 THERMOSTATIC VALVE TRIM

Two integrated volume controls for 2 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 13 GPM at 60 PSI

Available only with lever handles

IAPMO listed

#### $Required \ rough \ sold \ separately: US-WLBP2000R$

Brushed Brass 18-2000-T-BB \$810
Polished Nickel 18-2000-T-PN \$810

#### **REQUIRED ROUGH**

2000 3/4" thermostatic rough with two integrated volume controls

US-WLBP2000R \$690

Extension kit:


Brushed Brass US-EK2000BB \$460

Polished Nickel US-EK2000N \$460

See page 328 for detailed information


#### 2 FUNCTIONS, SHARED


- A Volume control
- B Temperature
- C Volume control











# HEIR 2500 THERMOSTATIC VALVE TRIM WITH INTEGRATED VOLUME CONTROL/THREE-WAY DIVERTER

Integrated volume control/3-way diverter for 3 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 60 PSI

Available only with lever handles


IAPMO listed

#### Required rough sold separately: US-WLBP2500R

Brushed Brass 18-2500-T-BB \$690
Polished Nickel 18-2500-T-PN \$690





See page 329 for detailed information











#### HEIR 3000 THERMOSTATIC VALVE TRIM

Integrated volume control and volume control/2-way diverter for 3 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 60 PSI

Available only with lever handles


IAPMO listed

#### Required rough sold separately: US-WLBP3000R

Brushed Brass 18-3000-T-BB \$810 Polished Nickel 18-3000-T-PN \$810

#### **REQUIRED ROUGH**

3000 3/4" thermostatic rough with integrated volume control/ two-way diverter US-WLBP3000R \$750




Extension kit:

Brushed Brass US-EK2000BB \$460 Polished Nickel US-EK2000N \$460

See page 330 for detailed information


#### 3 FUNCTIONS, 2 OUTLETS SHARED


- A Volume control / two-way diverter
- B Temperature
- C Volume control











#### HEIR THERMOSTATIC VALVE TRIM

## Temperature control only; volume control(s) sold separately

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 45 PSI

IAPMO listed

#### $Required \ rough \ sold \ separately: TH-RGH$

Brushed Brass **18-16-T-BB \$580** Polished Nickel **18-16-T-PN \$580** 

# REQUIRED ROUGH 3/4" thermostatic valve rough TH-RGH \$580 Extension kit: Brushed Brass 9Q1172BB \$140 Polished Nickel 9Q1172RN-PN \$140 See page 333 for detailed information


#### **TEMPERATURE CONTROL ONLY**

This valve is a mixer only and requires separate volume control(s).

See page 338 for detailed information







#### HEIR VOLUME CONTROL OR DIVERTER TRIM

Trims are compatible with roughs for the volume control, two-way and three-way diverters

Volume control controls on/off and volume functions for a single component in a shower system

Diverter alternates water flow between two or three water outlets

## Note: When used with diverter trim, diverters do not start, stop or control water flow

Volume control features Flühs quarter-turn ceramic disc cartridge

Diverters feature Kerox diverter cartridge

IAPMO listed

#### Required rough (sold separately):


VC-RGH - Volume control **or DIV-RGH** - Two-way diverter **or 3DV-RGH** - Three-way diverter

Brushed Brass 18-17-T-BB \$380
Polished Nickel 18-17-T-PN \$380









#### MODERN 8" RAIN HEAD

Solid brass Single rain spray 7-7/8" diameter EasyClean anti-limescale nozzles Swivel: Yes

Flow rate: 1.75 GPM

Inlet connection: G 1/2" (compatible with 1/2" NPT) IAPMO listed, Massachusetts code approved

Brushed Brass US-PRO200BB \$440 Polished Nickel US-PRO200N \$440

\$810

\$810



#### MODERN 12" RAIN HEAD

Swivel: Yes


IAPMO listed

Flow rate: 1.75 GPM

US-PRO300BB Solid brass Brushed Brass Polished Nickel US-PRO300N Single rain spray

11-3/4" diameter EasyClean anti-limescale nozzles





#### MODERN 13" SHOWER ARM AND FLANGE

Inlet connection: G 1/2" (compatible with 1/2" NPT) IAPMO listed, Massachusetts code approved

Solid brass Brushed Brass SH13-ARM-BB \$170 Projection: 13" Polished Nickel SH13-ARM-PN \$170 Inlet connection: 1/2" NPT male



#### MODERN 18" SHOWER ARM AND FLANGE

Brushed Brass SH18-ARM-BB \$230 Solid brass Polished Nickel US-FH695N \$230 Projection: 18" Inlet connection: ½" NPT male IAPMO listed



# MULTI-FUNCTION SHOWER HEAD WITH ARM AND 5 DECORATIVE ARM FLANGES

Includes head, arm and flange

Five spray functions - Wide pattern, wide patterns plus soft center, wide pattern plus pulsing center, soft center massage and hard center massage

4-1/4" diameter

EasyClean anti-limescale nozzles

Swivel: Yes

Trims include Darby, Leyden, Modern, Taos and Traditional


Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT male

IAPMO and Massachusetts code (pending)

Brushed Brass SH04-BB \$260
Polished Nickel SH04-PN \$260





Trims included:











#### **ELEMENTS 8-JET SHOWER HEAD**

Solid brass

Adjustable spray - wide to narrow rain

3-1/2" diameter

Anti-limescale nozzles

Swivel: Yes

Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT

IAPMO listed, Massachusetts code approved

 Brushed Brass
 US-SH08BB
 \$580

 Polished Nickel
 US-SH08N
 \$460







# MODERN SHOWER ARM AND FLANGE WITH 5 DECORATIVE ARM FLANGES

Solid brass


Projection: 5-1/2"


Trims include Darby, Leyden, Modern, Taos and Traditional

Inlet connection: 1/2" NPT male

Brushed Brass SH04-ARM-BB \$150
Polished Nickel SH04-ARM-PN \$150















#### HEIR HANDSHOWER RAIL SET

Set includes handshower, hose and slide rail

Single-function spray

 $Handshower\ features\ Easy Clean$ 

anti-limescale nozzles

Handshower includes vacuum

breaker and flow restrictor

29-3/4" adjustable bar with bracket

Flow rate: 1.75 GPM

IAPMO listed

Wall outlet is included

Brushed Brass 18-31-BB \$920
Polished Nickel 18-31-PN \$920



#### HEIR HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

Single spray

EasyClean anti-limescale nozzles

60" metal hose

Wall bracket includes vacuum breaker


Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT male

IAPMO listed

Brushed Brass 18-36-BB \$490

Polished Nickel 18-36-PN \$490



#### **HEIR WALL TUB SPOUT**

Solid brass construction

Spout reach: 7-3/4"

Inlet connection: 1/2" NPT female

IAPMO listed

Available while supplies last

Brushed Brass 18-WTS-BB \$490 Polished Nickel 18-WTS-PN \$490



#### HEIR PAPER HOLDER

 Brushed Brass
 18-58-BB
 \$260

 Polished Nickel
 18-58-PN
 \$260



#### HEIR ROBE HOOK

 Brushed Brass
 18-51-BB
 \$170

 Polished Nickel
 18-51-PN
 \$170



#### **HEIR TOWEL RING**

Brushed Brass 18-55-BB \$230
Polished Nickel 18-55-PN \$230



#### HEIR 24" TOWEL BAR

 Brushed Brass
 18-66-BB
 \$400

 Polished Nickel
 18-66-PN
 \$400





# UNION









## PRECISION BRASSWARE, CAST IN ITALY


Inspired by iconic industrial forms and renowned Italian artisanry, UNION sets a new standard for contemporary brassware engineering, style and performance.

Each component is precision-machined, cast, polished and perfected to offer an elevated bathing experience.


Born of innovation. Built to eclipse expectation.



## AVAILABLE FINISHES









#### UNION SINGLE-HOLE BASIN FAUCET

Solid brass construction

Kerox ceramic disc cartridge

Spout reach: 5-1/8"

Spout swivel: No

Massachusetts code approved,

IAPMO listed & ADA compliant

Push drain assembly included

 Polished Chrome
 US-UN110DPC\_LV
 \$1140


 Unlacquered Brass
 US-UN110DPB\_LV
 \$1140


 Brushed Black Chrome
 US-UN110DPBBC\_LV
 \$1470

 Brushed Nickel
 US-UN110DPBN\_LV
 \$1470









#### UNION WALL-MOUNT SINGLE-HOLE BASIN FAUCET

Solid brass construction

Kerox ceramic disc cartridge

Spout reach: 8"

Massachusetts code approved, IAPMO listed & ADA compliant

Rough included

Push drain assembly sold separately

 Polished Chrome
 US-UN111WNC\_LV
 \$1310

 Unlacquered Brass
 US-UN111WNB\_LV
 \$1310

 Brushed Black Chrome
 US-UN111WNBBC\_LV
 \$1810

 Brushed Nickel
 US-UN111WNBN\_LV
 \$1810



#### **RECOMMENDED WASTE**

#### Basin push drain with overflow

 Polished Chrome
 US-BSW0117C
 \$150


 Unlacquered Brass
 US-BSW906B
 \$230

 Brushed Black Chrome
 US-BSW906BBC
 \$230

 Brushed Nickel
 US-BSW906BN
 \$230

See page 318 for detailed information





#### UNION VESSEL FAUCET

Solid brass construction

Kerox ceramic disc cartridge

Spout reach: 6-1/4"

Spout swivel: No

Massachusetts code approved, IAPMO listed & ADA compliant

Push drain assembly sold separately

Polished Chrome	US-UN112DNC_LV	\$1140
Unlacquered Brass	US-UN112DNB_LV	\$1140
Brushed Black Chrome	US-UN112DNBBC_LV	\$1470
Brushed Nickel	US-UN112DNBN LV	\$1470



#### **RECOMMENDED WASTE**

#### Basin push drain with overflow

 Polished Chrome
 US-BSW0117C
 \$150

 Unlacquered Brass
 US-BSW906B
 \$230


 Brushed Black Chrome
 US-BSW906BBC
 \$230


 Brushed Nickel
 US-BSW906BN
 \$230

See page 318 for detailed information









#### UNION WIDESPREAD BASIN FAUCET WITH LEVER HANDLES

Solid brass construction

Flühs quarter-turn ceramic disc cartridges

Spout reach: 6-1/4"

Spout swivel: No

Massachusetts code approved & IAPMO listed

Push drain assembly included

 Polished Chrome
 US-UN135DPC\_LV
 \$1710

 Unlacquered Brass
 US-UN135DPB\_LV
 \$1710


 Brushed Black Chrome
 US-UN135DPBBC\_LV
 \$1990


 Brushed Nickel
 US-UN135DPBN\_LV
 \$1990














#### UNION WALL-MOUNT WIDESPREAD BASIN FAUCET TRIM WITH LEVER HANDLES

Solid brass construction
Flühs quarter-turn ceramic disc cartridges

Spout reach: 9" - 9-3/4"

Spout swivel: No

Massachusetts code approved & IAPMO listed

Push drain assembly sold separately

Required rough sold separately: US-130ROUGH

 Polished Chrome
 US-UN131WNC\_LV
 \$1140

 Unlacquered Brass
 US-UN131WNB\_LV
 \$1140

 Brushed Black Chrome
 US-UN131WNBBC\_LV
 \$1310

 Brushed Nickel
 US-UN131WNBN\_LV
 \$1310

\$400





#### **REQUIRED ROUGH**

Rough for three-hole wall-mount basin faucet

US-130ROUGH
Extension Kit:

US-130ROUGH-EXT \$120

See page 324 for detailed information

#### RECOMMENDED WASTE

#### Basin push drain with overflow

Polished Chrome
US-BSW0117C \$150

\$230


Unlacquered Brass US-BSW906B Brushed Black Chrome
US-BSW906BBC


Brushed Nickel
US-BSW906BN

\$230

\$230

See page 318 for detailed information





#### UNION FLOOR-MOUNT TUB FILLER

Solid brass construction

Flühs quarter-turn ceramic disc cartridges

Single-function handshower with vacuum breaker and 60" hose

Spout reach: 9"

Height to spout: 32-1/2"

Spout swivel: Yes

Tub filler flow rate: 10 GPM

Handshower flow rate: 1.75 GPM

Massachusetts code approved,

IAPMO listed & WaterSense compliant

 $Required \, rough \, sold \, separately: US-399 ROUGH$ 

 $Optional \ floor\ plate\ sold\ separately: US-UNPLATE$ 

 Polished Chrome
 US-UN399TFC\_LV
 \$4920

 Unlacquered Brass
 US-UN399TFB\_LV
 \$4920

 Brushed Black Chrome
 US-UN399TFBBC\_LV
 \$6560


 Brushed Nickel
 US-UN399TFBN\_LV
 \$6560


# REQUIRED ROUGH Rough for floor-mount tub filler US-399ROUGH \$460 See page 325 for detailed information












#### UNION FLOOR PLATE FOR FLOOR-MOUNT TUB FILLER

Optional floor plate for use with Union floor-mount tub filler  $\,$ 

Size: 16-3/8" x 6"		
Polished Chrome	US-UNPLATEC	\$920
Unlacquered Brass	US-UNPLATEB	\$920
Brushed Black Chrome	US-UNPLATEBBC	\$1240
Brushed Nickel	US-UNPLATEBN	\$1240







#### UNION 1000 THERMOSTATIC VALVE TRIM

Single integrated volume control for 1 water outlet

Required rough features Vernet thermostatic cartridge and Flühs volume control cartridge


The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 60 PSI

#### $Required \, rough \, sold \, separately: US-WLBP1000R$

Polished Chrome	US-UNTH2HC_LVRND	\$1140
Unlacquered Brass	US-UNTH2HB_LVRND	\$1140
Brushed Black Chrome	US-UNTH2HBBC_LVRND	\$1470
Brushed Nickel	US-UNTH2HBN_LVRND	\$1470






#### **REQUIRED ROUGH**


1000 3/4" thermostatic rough with single integrated volume control US-WLBP1000R \$520

Extension Kit:

Polished Chrome **US-EK101525C** 

See page 326 for detailed information





#### UNION 1500 THERMOSTATIC VALVE TRIM

Integrated volume control/diverter for 2 water outlets

Required rough features Vernet thermostatic cartridge


The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 11 GPM at 60 PSI

#### $Required \ rough \ sold \ separately: US-WLBP1500R$

Polished Chrome	US-UNTH2HC_LVRND	\$1140
Unlacquered Brass	US-UNTH2HB_LVRND	\$1140
Brushed Black Chrome	US-UNTH2HBBC_LVRND	\$1470
Brushed Nickel	US-UNTH2HBN_LVRND	\$1470





#### **REQUIRED ROUGH**


1500 3/4" thermostatic rough with integrated volume control/diverter for independent two-outlet use


US-WLBP1500R **\$630** 

Extension Kit:

Polished Chrome US-EK101525C \$200

See page 327 for detailed information





#### UNION 2000 THERMOSTATIC VALVE TRIM

Two integrated volume controls for 2 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 13 GPM at 60 PSI

#### $Required \ rough \ sold \ separately: US-WLBP2000R$

Polished Chrome	US-UNTH3HC_LV	\$1610
Unlacquered Brass	US-UNTH3HB_LV	\$1610
Brushed Black Chrome	US-UNTH3HBBC_LV	\$2070
Brushed Nickel	US-UNTH3HBN_LV	\$2070

#### ONE OF 2 FUNCTIONS, SHARED A - Volume control B - Temperature C - Volume control TWOON




#### **REQUIRED ROUGH**

2000 3/4" thermostatic rough with two integrated volume controls US-WLBP2000R \$690

Extension Kit:

Polished Chrome US-EK2000C See page 328 for detailed information



#### UNION 2500 THERMOSTATIC VALVE TRIM

Integrated volume control/two-way diverter for 3 water outlets

Required rough features Vernet thermostatic cartridge


The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 60 PSI

#### $Required \ rough \ sold \ separately: US-WLBP2500R$

Polished Chrome	US-UNTH2HC_RND	\$1140
Unlacquered Brass	US-UNTH2HB_RND	\$1140
Brushed Black Chrome	US-UNTH2HBBC_RND	\$1470
Brushed Nickel	US-UNTH2HBN RND	\$1470






#### REQUIRED ROUGH


2500 3/4" thermostatic rough with single integrated volume control/three-way diverter

US-WLBP2500R \$750 Extension Kit:

Polished Chrome US-EK101525C \$200

 $\underline{\text{See page 329}} \text{ for detailed information}$ 





#### UNION 3000 THERMOSTATIC VALVE TRIM

Integrated volume control and volume control/ two-way diverter for 3 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 60 PSI

#### $Required \, rough \, sold \, separately: US-WLBP3000R$

Polished Chrome	US-UNTH3HC_LV	\$1610
Unlacquered Brass	US-UNTH3HB_LV	\$1610
Brushed Black Chrome	US-UNTH3HBBC_LV	\$2070
Brushed Nickel	US-UNTH3HBN_LV	\$2070

# REQUIRED ROUGH 3000 3/4" thermostatic rough with integrated volume control and volume control/two-way diverter US-WLBP3000R \$750 Extension Kit: Polished Chrome US-EK2000C \$290 See page 330 for detailed information





OUTLET TWO ON

OUTLET THREE ON









#### UNION THERMOSTATIC VALVE TRIM

Temperature control only; volume control(s) sold separately

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 45 PSI

IAPMO listed

#### $Required \ rough \ sold \ separately: TH-RGH$

Polished Chrome	US-UNTHC_LV	\$810
Unlacquered Brass	US-UNTHB_LV	\$810
Brushed Black Chrome	US-UNTHBBC_LV	\$1040
Brushed Nickel	US-UNTHBN_LV	\$1040

#### **TEMPERATURE CONTROL ONLY**

This valve is a mixer only and requires separate volume control(s).

See page 338 for detailed information





3/4" thermostatic rough

TH-RGH \$580


Extension Kit:


Polished Chrome 9Q1172CP-PC

See page 333 for detailed information

\$140







#### UNION VOLUME CONTROL OR DIVERTER TRIM

Trims are compatible with roughs for the volume control, two-way and three-way diverters  $\,$ 

Volume control controls on/off and volume functions for a single component in a shower system

Diverter alternates water flow between two or three water outlets Note: When used with diverter trim, diverters do not start, stop or control water flow

Volume control features Flühs quarter-turn ceramic disc cartridge

Diverters feature Kerox diverter cartridge

#### Required rough (sold separately):

VC-RGH - Volume control

or

**DIV-RGH** - Two-way diverter


or


3DV-RGH - Three-way diverter

Polished Chrome	US-UNVCDIVC_LV	\$400
Unlacquered Brass	US-UNVCDIVB_LV	\$400
Brushed Black Chrome	US-UNVCDIVBBC_LV	\$550
Brushed Nickel	US-UNVCDIVBN_LV	\$550









#### UNION PRESSURE-BALANCE VALVE TRIM

One water outlet

Kerox pressure-balance cartridge

Pressure-balance cartridge maintains constant temperature in response to changes to hot and cold supply

Flow rate: 3-5 GPM at 45 PSI

 $Required \ rough \ sold \ separately: PBS-RGH$ 

Note: This product will be discontinued when sold through

Polished Chrome	US-UNPBSC_LV	\$640
Unlacquered Brass	US-UNPBSB_LV	\$640
Brushed Nickel	US-UNPBSBN_LV	\$820
Brushed Black Chrome	US-UNPBSBBC_LV	\$820



With temperature control




#### **REQUIRED ROUGH**


Pressure-balance rough PBS-RGH



Extension kit: **5T1C0319NT + 5P0C0582NT** \$50

See page 334 for detailed information





## UNION EXPOSED THERMOSTATIC SHOWER WITH RAIN HEAD AND HANDSHOWER

Solid brass

Available with 10" shower head

Vernet thermostatic cartridge and Flühs volume control cartridge

Shower head features EasyClean nozzles

Single-function handshower with vacuum breaker and 60" hose

Shower head swivel: Yes

Height: 41-3/4"

Projection: 21-5/8"

Shower head flow rate: 1.75 GPM


Handshower flow rate: 1.75 GPM


Inlet supply spread: 5-5/8" - 6-1/4"

IAPMO and Massachusetts code (pending)

Polished Chrome	US-UN820C	\$5520
Unlacquered Brass	US-UN820B	\$5520
Brushed Black Chrome	US-UN820BBC	\$7250
Brushed Nickel	US-UN820BN	\$7250







#### UNION 5-5/8" SHOWER HEAD

Solid brass

Single rain spray

5-5/8" diameter

EasyClean anti-limescale nozzles

Swivel: Yes

Flow rate: 1.75 GPM


Inlet connection size: G 1/2" (compatible with 1/2" NPT)

 ${\it Massachusetts\ code\ approved,\ IAPMO\ listed,}$ 

 $CEC\ compliant\ \&\ WaterSense\ compliant$ 

Polished Chrome	US-MA150C	\$690
Unlacquered Brass	US-MA150B	\$690
Brushed Black Chrome	US-MA150BBC	\$920
Brushed Nickel	US-MA150BN	\$920











#### UNION 10" SHOWER HEAD

Solid brass

Single rain spray

9-7/8" diameter

EasyClean anti-limescale nozzles

Swivel: Yes

Flow rate: 2.0 GPM

Inlet connection size: G 1/2" (compatible with 1/2" NPT)

Massachusetts code approved, IAPMO listed,

CEC compliant & WaterSense compliant

Polished Chrome	US-MA250C	\$780
Unlacquered Brass	US-MA250B	\$780
Brushed Black Chrome	US-MA250BBC	\$1130
Brushed Nickel	US-MA250RN	\$1130




#### UNION 15-3/4" SHOWER ARM AND FLANGE

Solid brass

Projection: 15-3/4"

Inlet connection: 1/2" NPT

Polished Chrome	US-SH400C	\$320
Unlacquered Brass	US-SH400B	\$320
Brushed Black Chrome	US-SH400BBC	\$550
Brushed Nickel	US-SH400RN	\$550



#### **ELEMENTS 8-JET SHOWER HEAD**

Solid brass

Adjustable spray - wide to narrow rain

3-1/2" diameter

Anti-limescale nozzles

Swivel: Yes

Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT

IAPMO listed, Massachusetts code approved


 Polished Chrome
 US-SH08C
 \$380

 Unlacquered Brass
 US-SH08B
 \$380

 Brushed Black Chrome
 US-SH08BBC
 \$580\*

 Brushed Nickel
 US-SH08BN
 \$460







#### \*6 WEEK LEAD TIME

### MODERN SHOWER ARM AND FLANGE WITH 5 DECORATIVE ARM FLANGES

Solid brass

Projection: 5-1/2"

Trims include Darby, Leyden,

Modern, Taos and Traditional†


Inlet connection: 1/2" NPT male

 Polished Chrome
 SH04-ARM-PC
 \$120

 Unlaquered Brass
 US-PRO664B
 \$150\*

 Brushed Black Chrome
 US-PRO664BBC
 \$150\*

 Brushed Nickel
 SH04-ARM-SN
 \$150















<sup>&</sup>lt;sup>†</sup> Applicable for Polished Chrome and Brushed Nickel only. Unlacquered Brass and Brushed Black Chrome only come with the round flange shown.

<sup>\*6</sup> WEEK LEAD TIME

#### UNION HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

Single-spray

EasyClean anti-limescale nozzles

60" metal hose


Wall bracket includes vacuum breaker

Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT

Polished Chrome	US-UN964C	\$660
Unlacquered Brass	US-UN964B	\$660
Brushed Black Chrome	US-UN964BBC	\$820
Brushed Nickel	US-UN964BN	\$820





#### UNION WALL TUB SPOUT


Solid brass

Spout reach: 9"

Inlet connection: 1/2" NPT

Polished Chrome	US-UN0370WC	\$520
Unlacquered Brass	US-UN0370WB	\$520
Brushed Black Chrome	US-UN0370WBBC	\$750
Brushed Nickel	US-UN0370WBN	\$750





#### UNION PAPER HOLDER

Polished Chrome	US-UN029C	\$320
Unlacquered Brass	US-UN029B	\$320
${\sf Brushed}\;{\sf Black}\;{\sf Chrome}$	US-UN029BBC	\$440
Brushed Nickel	US-UN029BN	\$440



#### UNION ROBE HOOK

Polished Chrome	US-UN022C	\$150
Unlacquered Brass	US-UN022B	\$150
Brushed Black Chrome	US-UN022BBC	\$180
Brushed Nickel	US-UN022BN	\$180



#### UNION 9" TOWEL HOLDER

Polished Chrome	US-UN013C	\$320
Unlacquered Brass	US-UN013B	\$320
Brushed Black Chrome	US-UN013BBC	\$440
Brushed Nickel	US-UN013BN	\$440





#### UNION 20" TOWEL BAR

Polished Chrome	US-UN023C	\$480
Unlacquered Brass	US-UN023B	\$480
Brushed Black Chrome	US-UN023BBC	\$600
Brushed Nickel	US-UN023BN	\$600





#### UNION WALL-MOUNT SOAP DISPENSER

Polished Chrome	US-UN011C	\$440
Unlacquered Brass	US-UN011B	\$440
Brushed Black Chrome	US-UN011BBC	\$550
Brushed Nickel	US-UN011BN	\$550



#### UNION WALL-MOUNT TOILET BRUSH AND HOLDER

Polished Chrome	US-UN025C	\$820
Unlacquered Brass	US-UN025B	\$820
Brushed Black Chrome	US-UN025BBC	\$930
Brushed Nickel	US-UN025BN	\$930





Design: Sophie Goineau Design Project: Inland Lane Residence, Malibu Photography: Virtually Here Studios

## **M**PRO









ICONIC DEFINITION.
VERSATILE STYLE.

Combining superb function with precision design and finishes, MPRO meets the demand of today's modern bathroom.



#### AVAILABLE FINISHES









#### MPRO SINGLE-HOLE BASIN FAUCET

Solid brass construction

Kerox ceramic disc cartridge

Push drain assembly included

Spout reach: 4-5/8"

Spout swivel: No

Massachusetts code approved, IAPMO listed,

ADA compliant, CEC compliant

& WaterSense compliant

Polished Chrome	US-PRO110DPC	\$480
Matte Black	US-PRO110DPMB	\$660
Brushed Brass	US-PRO110DPBB	\$660
Satin Nickel	US-PRO110DPV	\$660














#### MPRO WIDESPREAD BASIN FAUCET

Solid brass construction

Flühs quarter-turn ceramic disc cartridges

Push drain assembly included

Spout reach: 5-1/4"

Spout swivel: Yes

Massachusetts code approved, IAPMO listed, CEC compliant


Polished Chrome	US-PRO135DPC	\$850
Matte Black	US-PRO135DPMB	\$990
Brushed Brass	US-PRO135DPBB	\$990
Satin Nickel	US-PRO135DPV	\$990











#### MPRO WALL-MOUNT SINGLE-LEVER BASIN FAUCET TRIM

Solid brass construction

Kerox ceramic disc cartridge

Right-hand mixer handle (handle orientation cannot be changed)

Push drain assembly sold separately

Spout reach: 5-1/2" or 8-5/8" (two spouts are included)

Spout swivel: No

Massachusetts code approved, IAPMO listed, ADA compliant, CEC compliant & WaterSense compliant

#### Required rough sold separately: US-120ROUGH

Polished Chrome	US-PRO120WNC	\$350
Matte Black	US-PRO120WNMB	\$460
Brushed Brass	US-PRO120WNBB	\$460
Satin Nickel	US-PRO120WNV	\$460







Basin push drain without overflow





#### **REQUIRED ROUGH**

#### Rough for single-lever wall-mount basin faucet



Polished Chrome	US-120ROUGH-C	\$290
Matte Black	US-120ROUGH-MB	\$350
Brushed Brass	US-120ROUGH-BB	\$350
Satin Nickel	US-120ROUGH-V	\$350

See page 324 for detailed information

#### **RECOMMENDED WASTES**

#### Basin push drain with overflow

Polished Chrome	
US-BSW0117C	\$150
Matte Black	
US-BSW0117MB	\$230
Brushed Brass	
US-BSW0117BB	\$230
Satin Nickel	
LIS_RSWO117V	\$230









#### Polished Chrome US-BSW0101C \$150 Matte Black US-BSW0101MB \$230

Brushed Brass US-BSW0101BB \$230 Satin Nickel

US-BSW0101V \$230

See page 318 for detailed information





#### MPRO WALL-MOUNT WIDESPREAD BASIN FAUCET TRIM

Solid brass construction

Flühs quarter-turn ceramic disc cartridges

Push drain assembly sold separately

Spout reach: 8-5/8"

Spout swivel: No

Massachusetts code approved, IAPMO listed,

ADA compliant & CEC compliant

#### Required rough sold separately:

#### US-130ROUGH-2

Polished Chrome	US-PRO130WNC-2	\$410
Matte Black	US-PRO130WNMB-2	\$580
Brushed Brass	US-PRO130WNBB-2	\$580
Satin Nickel	US-PRO130WNV-2	\$580





Basin push drain without overflow





#### **REQUIRED ROUGH**

Rough for 3-hole wall-mount basin faucet

US-130ROUGH-2 \$400

Extension Kit:

US-130ROUGH-EXT \$120

See page 324 for detailed information

#### **RECOMMENDED WASTES**

#### Basin push drain with overflow

Polished Chrome US-BSW0117C \$150 Matte Black

US-BSW0117MB \$230

Brushed Brass US-BSW0117BB \$230

Satin Nickel US-BSW0117V \$230

Polished Chrome


US-BSW0101C \$150 Matte Black US-BSW0101MB \$230


Brushed Brass US-BSW0101BB \$230


Satin Nickel

US-BSW0101V \$230

See page 318 for detailed information







#### MPRO FLOOR-MOUNT THERMOSTATIC TUB FILLER WITH HANDSHOWER

Solid brass construction

Vernet thermostatic cartridge

 ${\it Single-function\ handshower\ with}$ 

vacuum breaker and 60" hose

Spout reach: 9-3/8"

Height to spout: 34-1/2"

Spout swivel: Yes

Tub filler flow rate: 5.0 GPM

Handshower flow rate: 1.75 GPM

Massachusetts code approved, IAPMO listed

& CEC compliant

#### $Required \ rough \ sold \ separately: US-418ROUGH$

 Polished Chrome
 US-PRO418TFC
 \$2530

 Matte Black
 US-PRO418TFMB
 \$3220


 Brushed Brass
 US-PRO418TFBB
 \$3220

 Satin Nickel
 US-PRO418TFV
 \$3220

#### **REQUIRED ROUGH**

Rough for floor-mount single-hole tub filler


US-418ROUGH \$350











#### MPRO 1000 THERMOSTATIC VALVE TRIM

Single integrated volume control for 1 water outlet

Required rough features Vernet thermostatic cartridge and Flühs volume control cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 60 PSI

Massachusetts code approved, IAPMO listed & ADA compliant

#### $Required \, rough \, sold \, separately: US-WLBP1000R$


 Polished Chrome
 US-PRO1000RC
 \$460

 Matte Black
 US-PRO1000RMB
 \$580

 Brushed Brass
 US-PRO1000RBB
 \$580


 Satin Nickel
 US-PRO1000RV
 \$580


# REQUIRED ROUGH 1000 3/4" thermostatic rough with single integrated volume control US-WLBP1000R \$520 Extension kit: Polished Chrome US-EK101525C \$200 Matte Black US-EK101525MB \$250 Brushed Brass US-EK101525BB \$250 Satin Nickel US-EK101525V \$250 See page 326 for detailed information











#### MPRO 1500 THERMOSTATIC VALVE TRIM

Integrated volume control/diverter for 2 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 11 GPM at 60 PSI

Massachusetts code approved, IAPMO listed & ADA compliant

#### Required rough sold separately: US-WLBP1500R

 Polished Chrome
 US-PRO1500RC
 \$460

 Matte Black
 US-PRO1500RMB
 \$580

 Brushed Brass
 US-PRO1500RBB
 \$580

 Satin Nickel
 US-PRO1500RV
 \$580

## **REQUIRED ROUGH**1500 3/4" thermostatic rough

with volume control/diverter US-WLBP1500R \$630




 Polished Chrome
 US-EK101525C
 \$200

 Matte Black
 US-EK101525MB
 \$250

 Brushed Brass
 US-EK101525BB
 \$250

 Satin Nickel
 US-EK101525V
 \$250


See page 327 for detailed information














#### MPRO 2000 THERMOSTATIC VALVE TRIM

Two integrated volume controls for 2 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 13 GPM at 60 PSI

Massachusetts code approved, IAPMO listed & ADA compliant

#### $Required \, rough \, sold \, separately: \, US-WLBP2000R$


 Polished Chrome
 US-PRO2000RC
 \$490

 Matte Black
 US-PRO2000RMB
 \$630

 Brushed Brass
 US-PRO2000RBB
 \$630


 Satin Nickel
 US-PRO2000RV
 \$630


#### **REQUIRED ROUGH** 2000 3/4" thermostatic rough with two integrated volume controls US-WLBP2000R \$690 Extension kit: Polished Chrome US-EK2000C \$290 Matte Black US-EK2000MB \$460 Brushed Brass US-EK2000BB \$460 Satin Nickel US-EK2000V \$460 See page 328 for detailed information











#### MPRO 2500 THERMOSTATIC VALVE TRIM

Integrated volume control/three-way diverter for 3 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 60 PSI IAPMO listed & ADA compliant

#### Required rough sold separately: US-WLBP2500R

 Polished Chrome
 US-PRO2500RC
 \$460

 Matte Black
 US-PRO2500RMB
 \$580

 Brushed Brass
 US-PRO2500RBB
 \$580

 Satin Nickel
 US-PRO2500RV
 \$580

#### REQUIRED ROUGH

2500 3/4" thermostatic rough with integrated volume control/ 3-way diverter US-WLBP2500R \$750

3-WEBI 2500K 47.

#### Extension kit:

 Polished Chrome
 US-EK101525C
 \$200

 Matte Black
 US-EK101525MB
 \$250

 Brushed Brass
 US-EK101525BB
 \$250

 Satin Nickel
 US-EK101525V
 \$250


See page 329 for detailed information


# 3 FUNCTIONS, NON-SHARED A - Volume control/ three-way diverter B - Temperature











#### MPRO 3000 THERMOSTATIC VALVE TRIM

Integrated volume control and volume control/ two-way diverter for 3 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 60 PSI

Massachusetts code approved, IAPMO listed & ADA compliant

#### $Required \, rough \, sold \, separately: US-WLBP3000R$


 Polished Chrome
 US-PRO3000RC
 \$490

 Matte Black
 US-PRO3000RMB
 \$630

 Brushed Brass
 US-PRO3000RBB
 \$630


 Satin Nickel
 US-PRO3000RV
 \$630

#### **REQUIRED ROUGH** 3000 3/4" thermostatic rough with integrated volume control/ 2-way diverter US-WLBP3000R \$750 Extension kit: Polished Chrome US-EK2000C \$290 Matte Black US-EK2000MB \$460 Brushed Brass US-EK2000BB \$460 Satin Nickel US-EK2000V \$460 See page 330 for detailed information









#### MPRO 1701 HORIZONTAL THERMOSTATIC ROUGH AND VALVE TRIM WITH HANDSHOWER

Set includes rough valve and trim with handshower

#### Trim includes a hose and elbow which are required for installation and must be on site for installation

Integrated volume control/diverter for 2 water outlets

Rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Built-in service stops

Flow rate: 11 GPM at 60 PSI

Handshower flow rate: 1.75 GPM

Rough-in depth minimum: 3"

Rough-in depth maximum: 4"

Massachusetts code approved & IAPMO listed

Note: Icons etched on the backplate are for handshower and tub spout as standard. Backplate with icons for handshower and shower head is available upon request (US-PRO1738).

Polished Chrome US-PRO1701RSETC \$1270 Matte Black US-PRO1701RSETMB \$1610 **Brushed Brass** US-PRO1701RSETBB \$1610 Satin Nickel US-PRO1701RSETV \$1610

#### **REQUIRED ROUGH (CANNOT BE PURCHASED SEPARATELY)**

1501 3/4" thermostatic rough with volume control/ diverter for integrated handshower outlet

US-WLBP1501R \$630

Extension Kit:


Polished Chrome US-EK101525C

Satin Nickel US-EK101525V \$250





- A Volume control/ three-way diverter
- B Temperature
- C Integrated handshower







#### Standard backplate (bathtub, handshower)







#### Optional backplate (shower head, handshower)









#### MODERN 8" RAIN HEAD

Solid brass
Single rain spray
7-7/8" diameter
EasyClean anti-limescale nozzles
Swivel: Yes
Flow rate: 1.75 GPM
Inlet connection: G 1/2" (compatible with 1/2" NPT)

IAPMO listed, Massachusetts code approved

 Polished Chrome
 US-PRO200C
 \$320

 Matte Black
 US-PRO200MB
 \$440

 Brushed Brass
 US-PRO200BB
 \$440

 Satin Nickel
 US-PRO200V
 \$440



#### MODERN 12" RAIN HEAD

Solid brass
Single rain spray
11-3/4" diameter
EasyClean anti-limescale nozzles
Swivel: Yes
Flow rate: 1.75 GPM
Inlet connection: G 1/2" (compatible with 1/2" NPT)


IAPMO listed, Massachusetts code approved

 Polished Chrome
 US-PRO300C
 \$610

 Matte Black
 US-PRO300MB
 \$810

 Brushed Brass
 US-PRO300BB
 \$810

 Satin Nickel
 US-PRO300V
 \$810




#### MODERN 13" SHOWER ARM AND FLANGE

Solid brass	Polished Chrome	SH13-ARM-PC	\$150
Projection: 13"	Matte Black	US-FH684MB	\$170
Inlet connection: 1/2" NPT male	Brushed Brass	SH13-ARM-BB	\$170
IAPMO listed	Satin Nickel	US-FH684V	\$170



#### MODERN 18" SHOWER ARM AND FLANGE

Solid brass Projection: 18"	Polished Chrome Matte Black	US-FH695C US-FH695MB	\$200 \$230
Inlet connection: ½" NPT male	Brushed Brass	SH18-ARM-BB	\$230
IAPMO listed	Satin Nickel	US-FH695V	\$230



#### MULTI-FUNCTION SHOWER HEAD WITH ARM AND 5 DECORATIVE ARM FLANGES

Includes head, arm and flange

Five spray functions - Wide pattern, wide patterns plus soft center, wide pattern plus pulsing center, soft center massage and hard center massage

4-1/4" diameter

EasyClean anti-limescale nozzles

Swivel: Yes

Trims include Darby, Leyden, Modern, Taos and Traditional

Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT male

IAPMO and Massachusetts code (pending)

Polished Chrome SH04-PC \$210 Matte Black SH04-MB \$260 Brushed Brass SH04-BB \$260 Satin Nickel SH04-SN \$260




















#### **ELEMENTS 8-JET SHOWER HEAD**

Solid brass

Adjustable spray - wide to narrow rain

3-1/2" diameter

Anti-limescale nozzles

Swivel: Yes

Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT

IAPMO listed, Massachusetts code approved

Polished Chrome Matte Black **Brushed Brass** Satin Nickel

US-SH08C \$380 \$460 US-SH08MB US-SH08BB \$580 US-SH08S \$460







#### MODERN SHOWER ARM AND FLANGE WITH 5 DECORATIVE ARM FLANGES

Solid brass

Projection: 5-1/2"

Trims include Darby, Leyden, Modern, Taos and Traditional

Inlet connection: 1/2" NPT male

Polished Chrome SH04-ARM-PC \$120 \$150 Matte Black SH04-ARM-MB **Brushed Brass** SH04-ARM-BB \$150 Satin Nickel SH04-ARM-SN \$150

#### Trims included:













#### **SVELTE 3 HANDSHOWER RAIL SET**

Set includes: Modern single-function handshower, 59" hose, Svelte slide rail and Modern wall outlet

Single-function spray

Handshower includes vacuum breaker and flow restrictor

27-1/2" adjustable bar with bracket

60" metal hose included

Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT


CSA approved

 Polished Chrome
 US-HSS02336C
 \$580

 Matte Black
 US-HSS02336MB
 \$690

 Brushed Brass
 US-HSS02336BB
 \$690

 Satin Nickel
 US-HSS02336V
 \$690



#### MODERN ROUND HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

Single-spray

EasyClean anti-limescale nozzles

60" decorative metal hose

Wall bracket includes vacuum breaker

Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT male

Massachusetts code approved, IAPMO

listed & WaterSense compliant


 Polished Chrome
 US-PRO965C
 \$350

 Matte Black
 US-PRO965MB
 \$460

 Brushed Brass
 US-PRO965BB
 \$460

 Satin Nickel
 US-PRO965V
 \$460









#### MPRO WALL TUB SPOUT

Solid brass

Spout reach: 8"

Includes both round and square flanges

Inlet connection: 1/2" NPT female

Massachusetts code approved & IAPMO listed

 Polished Chrome
 US-PRO0370WC
 \$350


 Matte Black
 US-PRO0370WMB
 \$440

 Brushed Brass
 US-PRO0370WBB
 \$440

 Satin Nickel
 US-PRO0370WSN
 \$440

 Polished Nickel
 US-PRO0370WPN
 \$440







#### MPRO PAPER HOLDER

Polished Chrome	US-PRO029C	\$140
Matte Black	US-PRO029MB	\$170
Brushed Brass	US-PRO029BB	\$170
Satin Nickel	US-PRO029V	\$170



#### MPRO ROBE HOOK

Polished Chrome	US-PRO022C	\$90
Matte Black	US-PRO022MB	\$120
Brushed Brass	US-PRO022BB	\$120
Satin Nickel	US-PRO022SN	\$120



#### MPRO TOWEL HOLDER

Polished Chrome	US-PRO013C	\$150
Matte Black	US-PRO013MB	\$210
Brushed Brass	US-PRO013BB	\$210
Satin Nickel	US-PRO013V	\$210



#### MPRO TOWEL BAR

Polished Chrome	US-PRO024C	\$210
Matte Black	US-PRO024MB	\$260
Brushed Brass	US-PRO024BB	\$260
Satin Nickel	US-PRO024V	\$260





# WISP









# MINIMALIST LINES. MAXIMUM IMPACT.

The Wisp Collection combines a sleek profile with luxuriously smooth finishes, that creates a crisp and cohesive bathroom design.

Contemporary, yet simplistically elegant.



# **AVAILABLE FINISHES**





# WISP SINGLE-HOLE BASIN FAUCET

Solid brass construction

Kerox ceramic disc cartridge

Push drain assembly included

Spout reach: 4-3/4"

Spout swivel: No

Massachusetts code approved,

IAPMO listed, ADA compliant & CEC compliant


Polished Chrome US-WP110DPC \$480 Satin Nickel US-WP110DPV \$660














# WISP WIDESPREAD BASIN FAUCET

Solid brass construction

Flühs quarter-turn ceramic disc cartridges
Push drain assembly included
Spout reach: 6-3/4"

Spout swivel: Yes

IAPMO listed


 Polished Chrome
 US-WP130DPC
 \$850

 Satin Nickel
 US-WP130DPV
 \$990









# WISP WALL-MOUNT SINGLE-LEVER BASIN FAUCET TRIM

Solid brass construction

Kerox ceramic disc cartridge

Right-hand mixer handle

(handle orientation cannot be changed)

Push drain assembly sold separately

Spout reach: 7"

Spout swivel: No

Massachusetts code approved, IAPMO listed, ADA compliant, CEC compliant

& WaterSense compliant

# $Required \ rough \ sold \ separately: US-120 ROUGH$

US-WP120WNC Polished Chrome \$350 Satin Nickel US-WP120WNV \$460











# **REQUIRED ROUGH**

Rough for wall-mount basin faucet Polished Chrome US-120ROUGH-C

\$290

Satin Nickel

US-120ROUGH-V \$350

See page 324 for detailed information

# **RECOMMENDED WASTES**

Basin push drain with overflow

Polished Chrome US-BSW0117C \$150 Satin Nickel

US-BSW0117V \$230

See page 318 for detailed information




Basin push drain without overflow

Polished Chrome US-BSW0101C \$150 Satin Nickel

US-BSW0101V \$230





# WISP FLOOR-MOUNT THERMOSTATIC TUB FILLER WITH HANDSHOWER

Solid brass construction

Vernet thermostatic cartridge

 ${\it Single-function\ handshower\ with}$ 

vacuum breaker and 60" hose

Spout reach: 9-3/8"

Height to spout: 34-1/2"

Spout swivel: Yes

Tub filler flow rate: 5.0 GPM

Handshower flow rate: 1.75 GPM

IAPMO listed

# $Required \ rough \ sold \ separately: US-418ROUGH$


 Polished Chrome
 US-WP425TFC
 \$2530

 Satin Nickel
 US-WP425TFV
 \$3220





# REQUIRED ROUGH Rough for floor-mount single-lever tub filler US-418ROUGH \$350 See page 325 for detailed information



## WISP 1000 THERMOSTATIC VALVE TRIM

Single integrated volume control for 1 water outlet

Required rough features Vernet thermostatic cartridge and Flühs volume control cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 60 PSI


Massachusetts code approved, IAPMO listed & ADA compliant


# Required rough sold separately: US-WLBP1000R

 Polished Chrome
 US-WP1000RC
 \$460


 Satin Nickel
 US-WP1000RV
 \$580











## WISP 1500 THERMOSTATIC VALVE TRIM

Integrated volume control/diverter for 2 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 11 GPM at 60 PSI

Massachusetts code approved, IAPMO listed & ADA compliant

# Required rough sold separately: US-WLBP1500R

 Polished Chrome
 US-WP1500RC
 \$460

 Satin Nickel
 US-WP1500RV
 \$580


# 2 FUNCTIONS, NON-SHARED A - Volume control / two-way diverter B - Temperature








# REQUIRED ROUGH 1500 3/4" thermostatic rough with integrated volume control/diverter for independent two-outlet use US-WLBP1500R \$630 Extension Kit: Polished Chrome US-EK101525C \$200 Satin Nickel US-EK101525V \$250 See page 327 for detailed information





## WISP 2000 THERMOSTATIC VALVE TRIM

Two integrated volume controls for 2 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 13 GPM at 60 PSI

Massachusetts code approved, IAPMO listed & ADA compliant

# $Required \, rough \, sold \, separately: \, US-WLBP2000R$

US-WP2000RC Polished Chrome \$490 Satin Nickel US-WP2000RV \$630

# **REQUIRED ROUGH**

2000 3/4" thermostatic rough with two integrated volume controls

US-WLBP2000R \$690

Extension Kit:

Polished Chrome US-EK2000C Satin Nickel US-EK2000V


\$460

\$290

See page 328 for detailed information

# 2 FUNCTIONS, SHARED


- A Volume control
- B Temperature
- C Volume control











## WISP 2500 THERMOSTATIC VALVE TRIM

Integrated volume control/three-way diverter for 3 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow


Flow rate: 12 GPM at 60 PSI

IAPMO listed

# Required rough sold separately: US-WLBP2500R

 Polished Chrome
 US-WP2500RC
 \$460


 Satin Nickel
 US-WP2500RV
 \$580








# REQUIRED ROUGH 2500 3/4" thermostatic rough with single integrated volume control/three-way diverter US-WLBP2500R \$750 Extension Kit: Polished Chrome US-EK101525C \$200 Satin Nickel US-EK101525V \$250 See page 329 for detailed information





## WISP 3000 THERMOSTATIC VALVE TRIM

Integrated volume control and volume control/ two-way diverter for 3 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 60 PSI Massachusetts code approved, IAPMO listed & ADA compliant

# Required rough sold separately: US-WLBP3000R

Polished Chrome US-WP3000RC \$490 Satin Nickel US-WP3000RV \$630

#### **REQUIRED ROUGH**

3000 3/4" thermostatic rough with integrated volume control and volume control/two-way diverter

US-WLBP3000R \$750


Extension Kit:

Polished Chrome US-EK2000C \$290 Satin Nickel US-EK2000V \$460

See page 330 for detailed information

# 3 FUNCTIONS, 2 OUTLETS SHARED


- A Volume control / two-way diverter
- B Temperature
- C Volume control











# WISP 1701 HORIZONTAL THERMOSTATIC VALVE ROUGH AND TRIM WITH HANDSHOWER

Set includes rough valve and trim with handshower

Integrated volume control/diverter for 2 water outlets

Rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Built-in service stops

Flow rate: 11 GPM at 60 PSI

Handshower flow rate: 1.75 GPM

Rough-in depth minimum: 3"

Rough-in depth maximum: 4"

IAPMO listed

# Trim includes a hose and elbow which are required for installation and must be on site for installation

**Note:** Icons etched on the backplate are for handshower and tub spout as standard. Backplate with icons for handshower and shower head is available upon request (US-PRO1738).

 Polished Chrome
 US-WP1701RSETC
 \$1270

 Satin Nickel
 US-WP1701RSETV
 \$1610

# REQUIRED ROUGH (CANNOT BE PURCHASED SEPARATELY)

 $1501\,3/4$ " thermostatic rough with volume control/diverter for integrated handshower outlet

US-WLBP1501R \$630


Extension Kit:

Polished Chrome **US-EK101525C \$200** Satin Nickel **US-EK101525V \$250** 



# 2 FUNCTIONS, NON-SHARED

- A Volume control / two-way diverter
- B Temperature
- C Integrated handshower







# Standard backplate (bathtub, handshower)







#### Optional backplate (shower head, handshower)









## MODERN 8" RAIN HEAD

Solid brass
Single rain spray
7-7/8" diameter
EasyClean anti-limescale nozzles
Swivel: Yes
Flow rate: 1.75 GPM
Inlet connection: G 1/2" (compatible with 1/2" NPT)
IAPMO listed, Massachusetts code approved

 Polished Chrome
 US-PRO200C
 \$320

 Satin Nickel
 US-PRO200V
 \$440




# MODERN 12" RAIN HEAD

Solid brass
Single rain spray
11-3/4" diameter
EasyClean anti-limescale nozzles
Swivel: Yes
Flow rate: 1.75 GPM
Inlet connection: G 1/2" (compatible with 1/2" NPT)
IAPMO listed, Massachusetts code approved

 Polished Chrome
 US-PRO300C
 \$610


 Satin Nickel
 US-PRO300V
 \$810



# MODERN 13" SHOWER ARM AND FLANGE

Solid brass
Projection: 13"
Inlet connection: 1/2" NPT male
IAPMO listed


Polished Chrome SH13-ARM-PC \$150 Satin Nickel US-FH684V \$170



# MODERN 18" SHOWER ARM AND FLANGE

Solid brass
Projection: 18"
Inlet connection: ½" NPT male
IAPMO listed

Polished Chrome US-FH695C \$200 Satin Nickel US-FH695V \$230



# MULTI-FUNCTION SHOWER HEAD WITH ARM AND 5 DECORATIVE ARM FLANGES

Includes head, arm and flange

Five spray functions - Wide pattern, wide patterns plus soft center, wide pattern plus pulsing center, soft center massage and hard center massage

4-1/4" diameter

EasyClean anti-limescale nozzles

Swivel: Yes

Trims include Darby, Leyden, Modern, Taos and Traditional


Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT male

IAPMO and Massachusetts code (pending)

Polished Chrome Satin Nickel SH04-PC SH04-SN \$210 \$260





Trims included:











# **ELEMENTS 8-JET SHOWER HEAD**

Solid brass

Adjustable spray - wide to narrow rain

3-1/2" diameter

Anti-limescale nozzles

Swivel: Yes

Flow rate: 1.75 GPM


Inlet connection: 1/2" NPT

IAPMO listed, Massachusetts code approved

 Polished Chrome
 US-SH08C
 \$380

 Satin Nickel
 US-SH08S
 \$460







# MODERN SHOWER ARM AND FLANGE WITH 5 DECORATIVE ARM FLANGES

Solid brass


Projection: 5-1/2"

Trims include Darby, Leyden, Modern, Taos and Traditional

Inlet connection: 1/2" NPT male

Polished Chrome SH04-ARM-PC \$120 Satin Nickel SH04-ARM-SN \$150





Trims included:











# **SVELTE 3 HANDSHOWER RAIL SET**

Set includes: Modern single-function handshower, 59" hose, Svelte slide rail and Modern wall outlet

Single-function spray

Handshower includes vacuum

breaker and flow restrictor

27-1/2" adjustable bar with bracket

60" decorative metal hose included

Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT

CSA listed

US-HSS02336C Polished Chrome \$580 Satin Nickel US-HSS02336V \$690



# MODERN ROUND HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

Single-spray

EasyClean anti-limescale nozzles

60" metal hose

Wall bracket includes vacuum breaker

Flow rate: 1.75

Inlet connection: 1/2" NPT male

Massachusetts code approved, IAPMO

listed & WaterSense compliant


Polished Chrome Satin Nickel

US-PRO965C

US-PRO965V

\$350 \$460









# WISP WALL TUB SPOUT

Solid brass


Spout reach: 8"

Inlet supply: 1/2" NPT male

IAPMO listed

US-WP0370WC Polished Chrome \$380 Satin Nickel US-WP0370WV \$490







# MPRO PAPER HOLDER

 Polished Chrome
 US-PRO029C
 \$140

 Satin Nickel
 US-PRO029V
 \$170



# MPRO ROBE HOOK

 Polished Chrome
 US-PRO022C
 \$90

 Satin Nickel
 US-PRO022SN
 \$120



# MPRO TOWEL HOLDER

 Polished Chrome
 US-PRO013C
 \$150

 Satin Nickel
 US-PRO013V
 \$210



# MPRO 23" TOWEL BAR

 Polished Chrome
 US-PRO024C
 \$210

 Satin Nickel
 US-PRO024V
 \$260





# Waldorf










# EVOCATIVE. ENDURING. ELEGANT.

A modern interpretation of Art Deco excellence, Waldorf blends geometric intricacy with softened lines for a striking profile. Expertly designed in Europe and displaying the highest level of quality and aesthetics, the Waldorf collection represents the ultimate in bathroom luxury.




# **AVAILABLE FINISHES**



# HANDLE OPTIONS





# WALDORF SINGLE-HOLE BASIN FAUCET

Solid brass construction

Flühs quarter-turn ceramic disc cartridges

Spout reach: 5-1/4"

Spout swivel: No

Massachusetts code approved,

IAPMO listed, CEC compliant

Pop-up drain assembly included


# Cross Handle

Polished Chrome US-WF110DPC \$1010
Polished Nickel US-WF110DPN \$1150









# WALDORF WIDESPREAD BASIN FAUCET

Solid brass construction

Flühs quarter-turn ceramic disc cartridges

Spout reach: 5-1/2"

Spout swivel: No

Massachusetts code approved,

IAPMO listed, CEC compliant

Pop-up drain assembly included

Cross Handle

Polished Chrome US-WF130DPC \$1140
Polished Nickel US-WF130DPN \$1280

Metal Lever

 Polished Chrome
 US-WF130DPC\_LS
 \$1140

 Polished Nickel
 US-WF130DPN\_LS
 \$1280

















# Cross Handles





# Lever Handles





# WALDORF WIDESPREAD BASIN FAUCET WITH TALL SPOUT

Solid brass construction

Flühs quarter-turn ceramic disc cartridges

Spout reach: 5-1/4"

Spout swivel: No

Massachusetts code approved, IAPMO listed, CEC compliant & WaterSense compliant

Pop-up drain assembly included

Cross Handle

 Polished Chrome
 US-WF135DPC
 \$1140

 Polished Nickel
 US-WF135DPN
 \$1310

Metal Lever

Polished Chrome US-WF135DPC\_LS \$1140
Polished Nickel US-WF135DPN\_LS \$1310













# Cross Handles



# Lever Handles



## WALDORF WALL-MOUNT BASIN FAUCET TRIM

Solid brass construction

Flühs quarter-turn ceramic disc cartridges

Spout reach: 5-1/2"

Spout swivel: No

Massachusetts code approved , IAPMO listed,

ADA compliant, CEC compliant

& WaterSense compliant

 $Required \ rough \ sold \ separately: US-130 ROUGH$ 

Push drain assembly sold separately

Cross Handle

\$920 Polished Chrome US-WF131WNC Polished Nickel \$1040 US-WF131WNN

Metal Lever

US-WF131WNC\_LS Polished Chrome \$920 Polished Nickel US-WF131WNN\_LS \$1040













# **REQUIRED ROUGH** Rough for three-hole wall-mount basin faucet US-130ROUGH \$400

Extension Kit:

US-130ROUGH-EXT \$120

See page 324 for detailed information

## **RECOMMENDED WASTES**

Basin push drain with overflow

Polished Chrome US-BSW0117C

Polished Nickel **US-BSW0117N** \$230



\$150

Basin push drain without overflow

Polished Chrome US-BSW0101C


\$150

Polished Nickel US-BSW0101N


\$230


See page 318 for detailed information

# Cross Handles



# Lever Handles





# WALDORF EXPOSED DECK-MOUNT TUB FAUCET WITH HANDSHOWER

Solid brass construction

Flühs quarter-turn ceramic disc cartridges

Single-function handshower with vacuum breaker and 60" hose

Spout reach: 7-5/8"

Spout swivel: No

Tub filler flow rate: 8.6 GPM

Handshower flow rate: 1.75 GPM

# For floor-mount installation use US-WF002PLATE floor pillar legs and plate, and AA002ROUGH

For wall-mount installation use US-BL004W wall unions

Massachusetts code approved, IAPMO listed & CEC compliant


 Polished Chrome
 US-WF422DC
 \$2070

 Polished Nickel
 US-WF422DN
 \$2300









# WALDORF FLOOR-STANDING PILLAR LEGS AND PLATE

Solid brass construction

Floor-mounting legs for Waldorf deck tub filler: US-WF422D

Height: 27-5/8"

Floor plate size: 11-3/4" x 6-3/4"


Required rough sold separately:

US-AA002ROUGH

Tub filler sold separately (US-WF422)

Polished Chrome US-WF002PLATEC \$1610
Polished Nickel US-WF002PLATEN \$1840





# SUPPORT FOR FLOOR-STANDING PILLAR LEGS (OPTIONAL)

Provides additional support

Distance from wall: 3-1/2" - 11"

Polished Chrome US-PLS002C \$550
Polished Nickel US-PLS002N \$630



# WALL UNIONS FOR EXPOSED TUB FILLER

Wall mounting unions for two-handle tub faucets

 ${\sf Solid}\ {\sf brass}$ 


1/2" NPT female

Massachusetts code approved & IAPMO listed

Polished Chrome US-BL004WC \$350
Polished Nickel US-BL004WN \$400











# WALDORF EXPOSED THERMOSTATIC SHOWER WITH 9" RAIN HEAD

Solid brass

Vernet thermostatic cartridge and Flühs volume control cartridge

9" shower head featuring air boost technology

Plug at the bottom of the thermostatic valve is removable for future addition of handshower or tub spout, if desired (volume control is required)

Shower head swivel: No

Height: 42-7/8"

Projection: 19-1/2"

Shower head flow rate: 1.75 GPM

Inlet supply spread: 7-7/8"

Massachusetts code approved & IAPMO listed

## Metal Lever

Polished Chrome US-WF\_SHOWERC\_LS \$2530
Polished Nickel US-WF\_SHOWERN\_LS \$2880




# **OPTIONAL RISERS**

46" height (to add 10" to overall height)

Polished Chrome US-BL\_RISERC10 \$580
Polished Nickel US-BL\_RISERN10 \$630





# WALDORF THERMOSTATIC SHOWER WITH 9" RAIN HEAD AND HANDSHOWER ON SLIDER

Solid brass

Vernet thermostatic cartridge and Flühs volume control cartridges

9" shower head featuring air boost technology

Single-function handshower with vacuum breaker and 60" hose

Shower head swivel: No

Height: 47-3/8"

Projection: 19-1/2"

Shower head flow rate: 1.75 GPM

Handshower flow rate: 1.75 GPM

Inlet supply spread: 7-7/8"

Massachusetts code approved & IAPMO listed

## Metal Lever (metal handshower)

Polished Chrome US-WF\_SLIDERC\_LS \$3680
Polished Nickel US-WF\_SLIDERN\_LS \$4260


# **OPTIONAL RISERS**


46" height (to add 10" to overall height)

Polished Chrome US-BL\_RISERC10 \$580
Polished Nickel US-BL\_RISERN10 \$630









# WALDORF EXPOSED THERMOSTATIC SHOWER WITH 9" RAIN HEAD AND TUB SPOUT

Solid brass

Vernet thermostatic cartridge and Flühs volume control cartridges

9" shower head featuring air boost technology

Shower head swivel: No

Height: 69-1/4"

Projection: 19-1/2"

Shower head flow rate: 1.75 GPM

Inlet supply spread: 7-7/8"

Massachusetts code approved & IAPMO listed

Metal Lever

Polished Chrome US-WF\_BSMC\_LS \$3220 Polished Nickel US-WF\_BSMN\_LS \$3680


# **OPTIONAL RISERS**


46" height (to add 10" to overall height)

Polished Chrome US-BL\_RISERC10 \$580 US-BL\_RISERN10 Polished Nickel \$630









## WALDORF 1000 THERMOSTATIC VALVE TRIM

Single integrated volume control for 1 water outlet

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow


Flow rate: 12 GPM at 60 PSI

Massachusetts code approved, IAPMO listed & ADA compliant

# Required rough sold separately: US-WLBP1000R

#### Metal Lever

US-WF1000RC\_LS Polished Chrome \$690 US-WF1000RN\_LS Polished Nickel \$810












# **REQUIRED ROUGH** 1000 3/4" thermostatic rough with single integrated volume control US-WLBP1000R \$520 Extension Kit: Polished Chrome US-EK101525C \$200 Polished Nickel US-EK101525N \$250

See page 326 for detailed information



## WALDORF 1500 THERMOSTATIC VALVE TRIM

Integrated volume control/diverter for 2 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 11 GPM at 60 PSI

Massachusetts code approved, IAPMO listed & ADA compliant

Required rough sold separately: US-WLBP1500R

#### Metal Lever

 Polished Chrome
 US-WF1500RC\_LS
 \$690

 Polished Nickel
 US-WF1500RN\_LS
 \$810

# REQUIRED ROUGH

1500 3/4" thermostatic rough with integrated volume control/diverter for independent two-outlet use

US-WLBP1500R **\$630** 

#### Extension Kit:


Polished Chrome **US-EK101525C \$200** Polished Nickel **US-EK101525N \$250** 

See page 327 for detailed information









## WALDORF 2000 THERMOSTATIC VALVE TRIM

Two integrated volume controls for 2 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 13 GPM at 60 PSI

Massachusetts code approved, IAPMO listed

 $Required \ rough \ sold \ separately: US-WLBP2000R$ 

#### Metal Lever

Polished Chrome US-WF2000RC\_LS \$1040 Polished Nickel US-WF2000RN\_LS \$1180

# **REQUIRED ROUGH**

2000 3/4" thermostatic rough with two integrated volume controls

US-WLBP2000R \$690

Extension Kit:


Polished Chrome US-EK2000C Polished Nickel US-EK2000N

\$290 \$460

See page 328 for detailed information


# 2 FUNCTIONS. **SHARED**

- A Volume control
- B Temperature
- C Volume control









## WALDORF 2500 THERMOSTATIC VALVE TRIM

Integrated volume control/three-way diverter for 3 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 60 PSI

Massachusetts code approved, IAPMO listed & ADA compliant


## Required rough sold separately: US-WLBP2500R

#### Cross Handle


 Polished Chrome
 US-WF2500RC
 \$690

 Polished Nickel
 US-WF2500RN
 \$810

# REQUIRED ROUGH 2500 3/4" thermostatic rough with single integrated volume control/three-way diverter US-WLBP2500R \$750 Extension Kit: Polished Chrome US-EK101525C \$200 Polished Nickel US-EK101525N \$250 See page 329 for detailed information







## WALDORF 3000 THERMOSTATIC VALVE TRIM

Integrated volume control and volume control/ two-way diverter for 3 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 60 PSI

Massachusetts code approved, IAPMO listed

# $Required \, rough \, sold \, separately: \, US-WLBP3000R$

#### Metal Lever


 Polished Chrome
 US-WF3000RC\_LS
 \$1040

 Polished Nickel
 US-WF3000RN\_LS
 \$1180

# REQUIRED ROUGH 3000 3/4" thermostatic rough with integrated volume control and volume control/two-way diverter US-WLBP3000R \$750 Extension Kit: Polished Chrome US-EK2000C \$290 Polished Nickel US-EK2000N \$460 See page 330 for detailed information




- A Volume control / two-way diverter
- B Temperature
- C Volume control









# ARCADE 9" AIR BOOST RAIN HEAD

Featuring air boost technology which infuses the water with air creating droplets that are dense but light and soft, while maintaining superior pressure

Single rain spray

9-1/4" diameter

Swivel: Yes

Flow rate: 1.75 GPM

Inlet connection: G 1/2" (compatible with 1/2" NPT)

Massachusetts code approved & IAPMO listed

Polished Chrome US-ARCV17C \$260 Polished Nickel US-ARCV17N \$350



## ARCADE 13" AIR BOOST RAIN HEAD

Featuring air boost technology which infuses the water with air creating droplets that are dense but light and soft, while maintaining superior pressure

Single rain spray

13" diameter

EasyClean anti-limescale nozzles

Swivel: Yes

Flow rate: 1.75 GPM

Inlet connection: G 1/2" (compatible with 1/2" NPT)

Massachusetts code approved & IAPMO listed

Polished Chrome Polished Nickel

US-ARCV60C **US-ARCV60N** 

\$490 \$630





Solid brass

Projection: 13"

Inlet connection: 1/2" NPT male


IAPMO listed

Polished Chrome Polished Nickel

US-BL685C

US-BL685N

\$160 \$200



# TRADITIONAL 18" SHOWER ARM AND FLANGE


Solid brass

Projection: 18-1/8"

Inlet connection: 1/2" NPT

Polished Chrome Polished Nickel

US-BL695C US-BL695N \$200 \$230



# MULTI-FUNCTION SHOWER HEAD WITH ARM AND 5 DECORATIVE ARM FLANGES

Includes head, arm and flange

Five spray functions - Wide pattern, wide patterns plus soft center, wide pattern plus pulsing center, soft center massage and hard center massage

4-1/4" diameter

EasyClean anti-limescale nozzles

Swivel: Yes

Trims include Darby, Leyden, Modern, Taos and Traditional

Flow rate: 1.75 GPM


Inlet connection: 1/2" NPT male

IAPMO and Massachusetts code (pending)

 Polished Chrome
 SH04-PC
 \$210

 Polished Nickel
 SH04-PN
 \$260





Trims included:











# **ELEMENTS 8-JET SHOWER HEAD**

Solid brass

Adjustable spray - wide to narrow rain

3-1/2" diameter

Anti-limescale nozzles

Swivel: Yes

Flow rate: 1.75 GPM


Inlet connection: 1/2" NPT

IAPMO listed, Massachusetts code approved

 Polished Chrome
 US-SH08C
 \$380

 Polished Nickel
 US-SH08N
 \$460







# MODERN SHOWER ARM AND FLANGE WITH 5 DECORATIVE ARM FLANGES

Solid brass


Projection: 5-1/2"

Trims include Darby, Leyden, Modern, Taos and Traditiona

Inlet connection: 1/2" NPT male

Polished Chrome SH04-ARM-PC \$120 Polished Nickel SH04-ARM-PN \$150





Trims included:











#### TRADITIONAL HANDSHOWER RAIL SET

Set includes handshower, hose, slide rail and wall outlet
Single-function spray
Handshower includes vacuum breaker and flow restrictor
24" adjustable bar with bracket
60" metal hose included
Flow rate: 1.75 GPM
Inlet connection: 1/2" NPT

#### Metal handshower

 Polished Chrome
 US-WF930C
 \$1150

 Polished Nickel
 US-WF930N
 \$1320




#### WALDORF HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

Single-spray
60" metal hose
Wall bracket includes vacuum breaker
Flow rate: 1.75 GPM
Inlet connection: 1/2" NPT male
Massachusetts code approved & IAPMO listed

Metal handshower

Polished Chrome US-WF964C \$490
Polished Nickel US-WF964N \$580



#### WALDORF WALL TUB SPOUT

Solid brass

Spout reach: 7-1/2"


Inlet connection size: 1/2" NPT female

Massachusetts code approved & IAPMO listed

 Polished Chrome
 US-WF0370WC
 \$380

 Polished Nickel
 US-WF0370WN
 \$440







## BELGRAVIA

• EST. 1899 •









# STUNNING & CLASSICALLY DESIGNED BRASSWARE

Exceptionally crafted, Belgravia lends a historic pedigree to traditional bathroom design. Precise detailing and inscribed indices set this collection apart, creating a bathroom that is period in style yet superior in function. Hand-polished across the entire range, Belgravia indulges the bathroom with stately style and sensibility.


Authentic luxury for discerning tastes.



#### **AVAILABLE FINISHES**



### HANDLE OPTIONS





\*Lever products include both White and Metal lever options

#### BELGRAVIA SINGLE-HOLE BASIN FAUCET

Solid brass construction

Flühs quarter-turn ceramic disc cartridges

Pop-up drain assembly included

Spout reach: 5"

Spout swivel: No

Massachusetts code approved, IAPMO listed, CEC compliant & WaterSense compliant

#### Cross Handle


Polished Chrome US-BL112DPC \$810
Polished Nickel US-BL112DPN \$920











#### **BELGRAVIA WIDESPREAD BASIN FAUCET**

Solid brass construction

Flühs quarter-turn ceramic disc cartridges

Pop-up drain assembly included

Spout reach: 4-1/2"

Spout swivel: No

Massachusetts code approved, IAPMO listed,

ADA compliant (Lever handle only),

CEC compliant & WaterSense compliant

#### Cross Handle

Polished Chrome US-BL130DPC \$1140 Polished Nickel US-BL130DPN \$1280

#### White Lever/Metal Lever (both included in box)

Polished Chrome US-BL130DPC\_L \$1140 US-BL130DPN\_L \$1280 Polished Nickel















#### Cross Handles



Metal Lever

#### Lever Handles



#### BELGRAVIA WIDESPREAD BASIN FAUCET WITH TALL SPOUT

Solid brass construction

Flühs quarter-turn ceramic disc cartridges

Pop-up drain assembly included

Spout reach: 5"

Spout swivel: No

Massachusetts code approved, IAPMO listed, CEC compliant & WaterSense compliant

#### Cross Handle

 Polished Chrome
 US-BL135DPC
 \$1140

 Polished Nickel
 US-BL135DPN
 \$1280

#### White Lever/Metal Lever (both included in box)

 Polished Chrome
 US-BL135DPC\_L
 \$1140

 Polished Nickel
 US-BL135DPN\_L
 \$1280













#### Cross Handles



#### $Lever\ Handles$



#### BELGRAVIA WALL-MOUNT BASIN FAUCET TRIM

Solid brass construction

Flühs quarter-turn ceramic disc cartridges

Push drain assembly sold separately

Spout reach: 6"

Spout swivel: No

Massachusetts code approved, IAPMO listed & CEC compliant

Required rough sold separately: US-130ROUGH

Cross Handle

Polished Chrome US-BL131WNC \$580 Polished Nickel US-BL131WNN \$670

White Lever/Metal Lever (both included in box)

Polished Chrome US-BL131WNC\_L Polished Nickel US-BL131WNN\_L \$670







Metal Lever



#### **REQUIRED ROUGH**

Rough for three-hole wall-mount basin faucet

US-130ROUGH

\$400

Extension Kit:

US-130ROUGH-EXT \$120

See page 324 for detailed information

#### **RECOMMENDED WASTES**

Basin push drain with overflow

Polished Chrome US-BSW0117C \$150

Polished Nickel US-BSW0117N \$230 Basin push drain without overflow

Polished Chrome US-BSW0101C


\$150

Polished Nickel US-BSW0101N \$230





See page 318 for detailed information

#### Cross Handles



#### Lever Handles





#### BELGRAVIA EXPOSED DECK-MOUNT TUB FAUCET WITH HANDSHOWER

Solid brass construction

Flühs quarter-turn ceramic disc cartridges

Single-function handshower with vacuum breaker and 60" hose

Spout reach: 6-1/2"

Spout swivel: No

Tub filler flow rate: 8.6 GPM

Handshower flow rate: 1.75 GPM

For floor-mount installation use US-BL002F floor pillar legs and A002ROUGH  $\,$ 

For wall-mount installation use US-BL004W wall unions

Massachusetts code approved, IAPMO listed & CEC compliant


#### Cross Handle with 1.75 GPM handshower

Polished Chrome US-BL422DC \$1960
Polished Nickel US-BL422DN \$2190









#### BELGRAVIA FLOOR-STANDING PILLAR LEGS

Floor-mounting legs for Belgravia deck tub filler US-BL422D

Solid brass

Height: 27-7/8"

Tub faucet sold separately (US-BL422D)


Massachusetts code approved & IAPMO listed

Required rough sold separately: US-AA002ROUGH

Tub Filler sold separately (US-BL422)

Polished Chrome US-BL002FC \$900
Polished Nickel US-BL002FN \$1040







#### SUPPORT FOR FLOOR-STANDING PILLAR LEGS (OPTIONAL)

Provides additional support

Distance from wall: 3-1/2" - 11"

 Polished Chrome
 US-PLS002C
 \$550

 Polished Nickel
 US-PLS002N
 \$630



#### WALL UNIONS FOR EXPOSED TUB FILLER

Wall mounting unions for two-handle tub faucets

Solid brass


1/2" NPT female

Massachusetts code approved & IAPMO listed

Polished Chrome US-BL004WC \$350
Polished Nickel US-BL004WN \$400











# BELGRAVIA

## BELGRAVIA EXPOSED THERMOSTATIC SHOWER SET WITH 9" RAIN HEAD

Solid brass

Vernet thermostatic cartridge and Flühs volume control cartridge

9" shower head featuring air boost technology

Plug at the bottom of the thermostatic valve is removable for future addition of handshower or tub spout, if desired (volume control is required)

Shower head swivel: No

Height: 42-7/8"

Projection: 19-3/4"

Shower head flow rate: 1.75 GPM

Inlet supply spread: 7-7/8"

Massachusetts code approved, IAPMO listed & ADA compliant


#### White Lever/Metal Lever (both included in box)

Polished Chrome US-BEL\_SHOWERC \$2880
Polished Nickel US-BEL\_SHOWERN \$3220

#### **OPTIONAL RISERS**


46" height (to add 10" to overall height)


Polished Chrome US-BL\_RISERC10 \$580
Polished Nickel US-BL\_RISERN10 \$630











## BELGRAVIA EXPOSED THERMOSTATIC SHOWER SET WITH 9" RAIN HEAD AND HANDSHOWER ON SLIDER

Solid brass

Vernet thermostatic cartridge and Flühs volume control cartridges

9" shower head featuring air boost technology

Single-function handshower with vacuum breaker and 60" hose

Shower head swivel: No

Height: 47"

Projection: 19-3/4"

Shower head flow rate: 1.75 GPM

Handshower flow rate: 1.75 GPM

Inlet supply spread: 7-7/8"

Massachusetts code approved, IAPMO listed & ADA compliant

#### White Lever/Metal Lever (both included in box)

Polished Chrome US-BEL\_SLIDERC \$3800
Polished Nickel US-BEL\_SLIDERN \$4260


#### **OPTIONAL RISERS**


46" height (to add 10" to overall height)

Polished Chrome US-BL\_RISERC10 \$580
Polished Nickel US-BL\_RISERN10 \$630









# BELGRAVIA

## BELGRAVIA EXPOSED THERMOSTATIC SHOWER SET WITH 9" RAIN HEAD AND TUB SPOUT

Solid brass

Vernet thermostatic cartridge and Flühs volume control cartridges

9" shower featuring air boost technology

Shower head swivel: No

Height: 62"

Projection: 19-3/4"

Shower head flow rate: 1.75 GPM

Inlet supply spread: 7-7/8"

Massachusetts code approved, IAPMO listed & ADA compliant


#### White Lever/Metal Lever (both included in box)

Polished Chrome US-BEL\_BSMC \$3450
Polished Nickel US-BEL\_BSMN \$3910

#### **OPTIONAL RISERS**


46" height (to add 10" to overall height)


Polished Chrome US-BL\_RISERC10 \$580
Polished Nickel US-BL\_RISERN10 \$630











#### BELGRAVIA 1000 THERMOSTATIC VALVE TRIM

Single integrated volume control for 1 water outlet

Required rough features Vernet thermostatic cartridge and Flühs volume control cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 60 PSI

Massachusetts code approved, IAPMO listed & ADA compliant

Required rough sold separately: US-WLBP1000R

White Lever/Metal Lever (both included in box)

Polished Chrome US-BL1000RC\_L \$790 Polished Nickel US-BL1000RN\_L

#### **REQUIRED ROUGH**

1000 3/4" thermostatic rough with single integrated volume control \$520


US-WLBP1000R

Extension Kit: Polished Chrome US-EK101525C

Polished Nickel US-EK101525N \$250

\$200

See page 326 for detailed information
















#### BELGRAVIA 1500 THERMOSTATIC VALVE TRIM

Integrated volume control/diverter for 2 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 11 GPM at 60 PSI

Massachusetts code approved, IAPMO listed & ADA compliant

Required rough sold separately: US-WLBP1500R

#### White Lever/Metal Lever (both included in box)

 Polished Chrome
 US-BL1500RC\_L
 \$790

 Polished Nickel
 US-BL1500RN\_L
 \$910

#### **REQUIRED ROUGH**

1500 3/4" thermostatic rough with integrated volume control/diverter for independent two-outlet use

US-WLBP1500R **\$630** 


Extension Kit:

Polished Chrome **US-EK101525C \$200** Polished Nickel **US-EK101525N \$250** 

See page 327 for detailed information

## 2 FUNCTIONS, NON-SHARED

- A Volume control / two-way diverter
- B Temperature






Metal Lever









# BELGRAVIA

#### BELGRAVIA 2000 THERMOSTATIC VALVE TRIM

Two integrated volume controls for 2 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 13 GPM at 60 PSI

Massachusetts code approved, IAPMO listed & ADA compliant

 $Required \, rough \, sold \, separately: \, US-WLBP2000R$ 

#### White Lever/Metal Lever (both included in box)

#### **REQUIRED ROUGH**

 $2000\ 3/4"\ thermostatic\ rough\ with$  two integrated volume controls

US-WLBP2000R \$690

Extension Kit:


Polished Chrome US-EK2000C
Polished Nickel US-EK2000N

\$290 \$460

See page 328 for detailed information

#### 2 FUNCTIONS, SHARED

- A Volume control
- B Temperature
- C Volume control
















#### BELGRAVIA 2500 THERMOSTATIC VALVE TRIM

Integrated volume control/three-way diverter for 3 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 60 PSI


Massachusetts code approved, IAPMO listed & ADA compliant

Required rough sold separately: US-WLBP2500R

#### Cross Handle


Polished Chrome US-BL2500RC \$790
Polished Nickel US-BL2500RN \$910

# REQUIRED ROUGH 2500 3/4" thermostatic rough with single integrated volume control/three-way diverter US-WLBP2500R \$750 Extension Kit: Polished Chrome US-EK101525C \$200 Polished Nickel US-EK101525N \$250 See page 329 for detailed information









# BELGRAVIA

#### BELGRAVIA 3000 THERMOSTATIC VALVE TRIM

Integrated volume control and volume control/ two-way diverter for 3 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 60 PSI

Massachusetts code approved, IAPMO listed & ADA compliant

 $Required \, rough \, sold \, separately: \, US-WLBP3000R$ 


#### White Lever/Metal Lever (both included in box)

# REQUIRED ROUGH 3000 3/4" thermostatic rough with integrated volume control and volume control/two-way diverter US-WLBP3000R \$750 Extension Kit: Polished Chrome US-EK2000C Polished Nickel US-EK2000N \$460

See page 330 for detailed information

#### 3 FUNCTIONS, 2 OUTLETS SHARED

- A Volume control / two-way diverter
- B Temperature
- C Volume control






Metal Lever







#### ARCADE 9" AIR BOOST RAIN HEAD

Featuring air boost technology which infuses the water with air creating droplets that are dense but light and soft, while maintaining superior pressure

Single rain spray

9-1/4" diameter

Swivel: Yes

Flow rate: 1.75 GPM

Inlet connection: G 1/2" (compatible with 1/2" NPT)

Massachusetts code approved & IAPMO listed





#### ARCADE 13" AIR BOOST RAIN HEAD

Featuring air boost technology which infuses the water with air creating droplets that are dense but light and soft, while maintaining superior pressure

Single rain spray

13" diameter

EasyClean anti-limescale nozzles

Swivel: Yes

Flow rate: 1.75 GPM

Inlet connection: G 1/2" (compatible with 1/2" NPT)

Massachusetts code approved & IAPMO listed

Polished Chrome Polished Nickel

US-ARCV60C **US-ARCV60N**  \$490 \$630



#### TRADITIONAL 13" SHOWER ARM AND FLANGE


Solid brass

Projection: 13"

Inlet connection: 1/2" NPT male

IAPMO listed

Polished Chrome US-BL685C \$160 Polished Nickel US-BL685N \$200




#### TRADITIONAL 18" SHOWER ARM AND FLANGE

Solid brass

Projection: 18-1/8"

Inlet connection: 1/2" NPT

Polished Chrome US-BL695C \$200 Polished Nickel US-BL695N \$230



#### MULTI-FUNCTION SHOWER HEAD WITH ARM AND 5 DECORATIVE ARM FLANGES

Includes head, arm and flange

Five spray functions - Wide pattern, wide patterns plus soft center, wide pattern plus pulsing center, soft center massage and hard center massage

4-1/4" diameter

EasyClean anti-limescale nozzles

Swivel: Yes

Trims include Darby, Leyden, Modern, Taos and Traditional


Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT male

IAPMO and Massachusetts code (pending)

Polished Chrome SH04-PC \$210 Polished Nickel SH04-PN \$260





Trims included:











#### **ELEMENTS 8-JET SHOWER HEAD**

Solid brass

Adjustable spray - wide to narrow rain

3-1/2" diameter

Anti-limescale nozzles

Swivel: Yes


Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT

IAPMO listed, Massachusetts code approved

Polished Chrome US-SH08C \$380 Polished Nickel US-SH08N \$460







#### MODERN SHOWER ARM AND FLANGE WITH 5 DECORATIVE ARM FLANGES

Solid brass


Projection: 5-1/2"

Trims include Darby, Leyden, Modern, Taos and Traditional

Inlet connection: 1/2" NPT male

Polished Chrome SH04-ARM-PC \$120 Polished Nickel SH04-ARM-PN \$150





Trims included:











#### BELGRAVIA HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

Single-spray

60" metal hose

Wall bracket includes vacuum breaker

Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT male

IAPMO listed and Massachusetts code approved

 Polished Chrome
 US-BL964C
 \$400

 Polished Nickel
 US-BL964N
 \$460





#### **BELGRAVIA WALL TUB SPOUT**

Solid brass


Spout reach: 7"

Inlet supply: 1/2" NPT female

Massachusetts code approved & IAPMO listed

Polished Chrome US-BL0370WC \$390
Polished Nickel US-BL0370WN \$450









# DARBY










# CLASSIC MEETS ART DECO IN A STATEMENT OF DISTINCTIVE LUXURY

Inspired by the columns of early-Renaissance concert harps, Darby's solid, barrel-shaped form and clean fluid lines echo Old World elegance with contemporary sophistication.



### **AVAILABLE FINISHES**







# DARBY

#### DARBY SINGLE-HOLE BASIN FAUCET

Solid brass construction

Kerox ceramic disc cartridge

Push drain assembly included

Spout reach: 5-1/2"

Spout swivel: No

4" cover plate available (sold separately)

Massachusetts code approved,

IAPMO listed & WaterSense compliant

 Polished Chrome
 15-01-PC
 \$540


 Polished Nickel
 15-01-PN
 \$660

 Satin Nickel
 15-01-SN
 \$660









## DARB

#### DARBY WIDESPREAD BASIN FAUCET

Solid brass construction

Flühs quarter-turn ceramic disc cartridges

Push drain assembly included

Spout reach: 5-1/2"

Spout swivel: No

Massachusetts code approved,

IAPMO listed & WaterSense compliant

 Polished Chrome
 15-08-PC
 \$710


 Polished Nickel
 15-08-PN
 \$850

 Satin Nickel
 15-08-SN
 \$850









#### DARBY FLOOR-MOUNT TUB FILLER WITH HANDSHOWER

Solid brass construction

Kerox ceramic disc cartridge

Single-function handshower with

vacuum breaker and 60" hose

Spout reach: 8-1/2"

Height to spout: 29-3/4" - 32"

Spout swivel: No

Tub filler flow rate: 6 GPM

Handshower flow rate: 1.75 GPM

Massachusetts code approved & IAPMO listed

 $Rough \, included \,$ 


 Polished Chrome
 15-05-PC
 \$2470

 Polished Nickel
 15-05-PN
 \$2930

 Satin Nickel
 15-05-SN
 \$2930







## DARB

#### DARBY DECK-MOUNT TUB FAUCET WITH HANDSHOWER TRIM

Solid brass construction

Flühs quarter-turn ceramic disc cartridges

1.75 GPM model handshower features

3 sprays (rain, aerated, massage)

Handshower includes vacuum breaker and 60" hose

Spout reach: 9-1/2"

Spout swivel: No

Tub filler flow rate: 13 GPM

Handshower flow rate: 1.75 GPM

Massachusetts code approved, IAPMO listed

& WaterSense compliant

#### $Required \ rough \ sold \ separately: DTHS-S-RGH$


Polished Chrome	15-03-T-PC	\$1380
Polished Nickel	15-03-T-PN	\$1640
Satin Nickel	15-03-T-SN	\$1640




# REQUIRED ROUGH Deck tub set with handshower rough DTHS-S-RGH \$460 See page 337 for detailed information









# DARBY

#### DARBY THERMOSTATIC VALVE TRIM

Temperature control only; volume control(s) sold separately

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 45 PSI


Massachusetts code approved & IAPMO listed

#### Required rough sold separately: TH-RGH

Polished Chrome	15-16-T-PC	\$400
Polished Nickel	15-16-T-PN	\$490
Satin Nickel	15-16-T-SN	\$490

#### **REQUIRED ROUGH**

3/4" thermostatic valve rough TH-RGH \$580



#### Extension kit:

Polished Chrome 9Q1172CP-PC \$140 Polished Nickel 9Q1172RN-PN \$140 9Q1172AP-SN \$140 Satin Nickel


See page 333 for detailed information

#### **TEMPERATURE CONTROL ONLY**

This valve is a mixer only and requires separate volume control(s).

See page 338 for detailed information





## DARB

#### DARBY VOLUME CONTROL OR DIVERTER TRIM

Trim is compatible with roughs for the volume control, two-way and three-way diverters

Volume control controls on/off and volume functions for a single component in a shower system

Diverters alternate water flow between two or three water outlets.

### Note: Diverters do not start, stop or control water flow.

Volume control features Flühs quarter-turn ceramic disc cartridge

Diverters feature Kerox diverter cartridge

Massachusetts code approved & IAPMO listed

#### Required rough (sold separately):

VC-RGH - Volume control or DIV-RGH - Two-way diverter or 3DV-RGH - Three-way diverter


Polished Chrome	15-17-T-PC	\$290
Polished Nickel	15-17-T-PN	\$350
Satin Nickel	15-17-T-SN	\$350









#### With VC-RGH valves, volume control



#### With DIV-RGH, 2 function diverter



#### With 3DV-RGH, 3 function diverter



# DARBY

## DARBY SINGLE-FUNCTION THERMOSTATIC VALVE TRIM WITH VOLUME CONTROL

Single integrated volume control for 1 water outlet

Required rough features Vernet thermostatic cartridge and Flühs volume control cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 10-12 GPM at 45 PSI

Massachusetts code approved & IAPMO listed


#### Required rough sold separately: TH1-RGH

 Polished Chrome
 15-19-T-PC
 \$580

 Polished Nickel
 15-19-T-PN
 \$690


 Satin Nickel
 15-19-T-SN
 \$690

# REQUIRED ROUGH Dual-control thermostatic valve rough TH1-RGH \$580 Extension kit: Polished Chrome 9Q242000CP \$250 Polished Nickel 9Q242000RN \$250 Satin Nickel 9Q242000AP \$250 See page 331 for detailed information









## ₹BY

## DARBY DUAL-CONTROL THERMOSTATIC VALVE TRIM WITH VOLUME CONTROL AND DIVERTER

Integrated volume control/diverter for 2 water outlets
Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 45 PSI

Massachusetts code approved & IAPMO listed


#### Required rough sold separately: TH2-RGH

 Polished Chrome
 15-20-T-PC
 \$580


 Polished Nickel
 15-20-T-PN
 \$690

 Satin Nickel
 15-20-T-SN
 \$690

# REQUIRED ROUGH Dual-control thermostatic valve rough TH2-RGH \$630 Extension kit: Polished Chrome 9Q242000CP \$250 Polished Nickel 9Q242000RN \$250 Satin Nickel 9Q242000AP \$250 See page 332 for detailed information







# DARBY

#### DARBY PRESSURE-BALANCE VALVE WITH DIVERTER TRIM

Two water outlets

Diverter alternates water flow between 2 outlets: tub spout/shower head, tub spout/handshower or shower head/handshower

Kerox pressure-balance cartridge

Pressure-balance cartridge maintains constant temperature in response to changes to hot and cold supply

Flow rate: 3-5 GPM at 45 PSI

Massachusetts code approved & IAPMO listed

#### $Required \ rough \ sold \ separately: PBTS-RGH$

Polished Chrome	15-14P-T-PC	\$320
Polished Nickel	15-14P-T-PN	\$380
Satin Nickel	15-14P-T-SN	\$380


# REQUIRED ROUGH Pressure-balance shower valve with diverter rough PBTS-RGH \$350 Extension kit: 5T1C0319NT + 5P0C0582NT \$50 See page 335 for detailed information

## 2 FUNCTIONS, NON-SHARED

- Two-way diverter
- Temperature







## DARB

#### DARBY PRESSURE-BALANCE VALVETRIM

One water outlet

Kerox pressure-balance cartridge

Pressure-balance cartridge maintains constant temperature in response to changes to hot and cold supply

Flow rate: 3-5 GPM at 45 PSI

Massachusetts code approved & IAPMO listed

#### $Required \ rough \ sold \ separately: PBS-RGH$

Polished Chrome	15-15P-T-PC	\$290
Polished Nickel	15-15P-T-PN	\$350
Satin Nickel	15-15P-T-SN	\$350


# REQUIRED ROUGH Pressure-balance shower valve rough PBS-RGH \$320 Extension kit: 5T1C0319NT + 5P0C0582NT \$50 See page 334 for detailed information



With temperature control







# DARBY

#### DARBY VOLUME CONTROL OR DIVERTER TRIM

Trim is compatible with roughs for the volume control, two-way and three-way diverters

Volume control controls on/off and volume functions for a single component in a shower system

Diverters alternate water flow between two or three water outlets.

### Note: Diverters do not start, stop or control water flow.

Volume control features Flühs quarter-turn ceramic disc cartridge

Diverters feature Kerox diverter cartridge

Massachusetts code approved & IAPMO listed

#### Required rough (sold separately):

VC-RGH - Volume control or DIV-RGH - Two-way diverter or 3DV-RGH - Three-way diverter


Polished Chrome	15-17-T-PC	\$290
Polished Nickel	15-17-T-PN	\$350
Satin Nickel	15-17-T-SN	\$350









#### With VC-RGH valves, volume control



#### With DIV-RGH, 2 function diverter



#### With 3DV-RGH, 3 function diverter



## DARB

#### MODERN 8" RAIN HEAD

Solid brass
Single rain spray
7-7/8" diameter
EasyClean anti-limescale nozzles
Swivel: Yes
Flow rate: 1.75 GPM

Inlet connection: G 1/2" (compatible with 1/2" NPT)
IAPMO listed, Massachusetts code approved

 Polished Chrome
 US-PRO200C
 \$320

 Polished Nickel
 US-PRO200N
 \$440

 Satin Nickel
 US-PRO200V
 \$440



#### MODERN 12" RAIN HEAD


Solid brass
Single rain spray
11-3/4" diameter
EasyClean anti-limescale nozzles
Swivel: Yes
Flow rate: 1.75 GPM
Inlet connection: G 1/2" (compatible with 1/2" NPT)

IAPMO listed, Massachusetts code approved

 Polished Chrome
 US-PRO300C
 \$610

 Polished Nickel
 US-PRO300N
 \$810

 Satin Nickel
 US-PRO300V
 \$810



#### MODERN 13" SHOWER ARM AND FLANGE

Solid brass Polished
Projection: 13" Polished
Inlet connection: 1/2" NPT male
IAPMO listed

 Polished Chrome
 SH13-ARM-PC
 \$150

 Polished Nickel
 SH13-ARM-PN
 \$170

 Satin Nickel
 US-FH684V
 \$170




#### MODERN 18" SHOWER ARM AND FLANGE

Solid brass
Projection: 18"
Inlet connection: ½" NPT male
IAPMO listed

 Polished Chrome
 US-FH695C
 \$200

 Polished Nickel
 US-FH695N
 \$230

 Satin Nickel
 US-FH695V
 \$230



## MULTI-FUNCTION SHOWER HEAD WITH ARM AND 5 DECORATIVE ARM FLANGES

Includes head, arm and flange

Five spray functions - Wide pattern, wide patterns plus soft center, wide pattern plus pulsing center, soft center massage and hard center massage

4-1/4" diameter

EasyClean anti-limescale nozzles

Swivel: Yes

Trims include Darby, Leyden, Modern, Taos and Traditional

Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT male


IAPMO and Massachusetts code (pending)

 Polished Chrome
 SH04-PC
 \$210

 Polished Nickel
 SH04-PN
 \$260

 Satin Nickel
 SH04-SN
 \$260





Trims included:











#### **ELEMENTS 8-JET SHOWER HEAD**

Solid brass

Adjustable spray - wide to narrow rain

3-1/2" diameter

Anti-limescale nozzles

Swivel: Yes

Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT


Massachusetts code approved & IAPMO listed

 Polished Chrome
 US-SH08C
 \$380

 Polished Nickel
 US-SH08N
 \$460

 Satin Nickel
 US-SH08S
 \$460







## MODERN SHOWER ARM AND FLANGE WITH 5 DECORATIVE ARM FLANGES

Solid brass

Projection: 5-1/2"

Trims include Darby, Leyden, Modern, Taos and Traditional


Inlet connection: 1/2" NPT male

 Polished Chrome
 SH04-ARM-PC
 \$120

 Polished Nickel
 SH04-ARM-PN
 \$150

 Satin Nickel
 SH04-ARM-SN
 \$150





Trims included:











#### **SVELTE 3 HANDSHOWER RAIL SET**

Set includes: Modern single-function handshower, 59" hose, Svelte slide rail and Modern wall outlet

Single-function spray

Handshower includes vacuum

breaker and flow restrictor

27-1/2" adjustable bar with bracket


60" metal hose included

Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT

CSA approved

Polished Chrome US-HSS02336C \$580
Polished Nickel US-HSS02336PN \$690
Satin Nickel US-HSS02336V \$690



## DARBY HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

Single spray

 $Hand shower\ features\ Easy Clean$ 

anti-limescale nozzles

Handshower includes vacuum

breaker and flow restrictor

Flow rate: 1.75 GPM


Massachusetts code approved, IAPMO listed

& CEC compliant

 Polished Chrome
 15-07-PC
 \$460

 Polished Nickel
 15-07-PN
 \$580

 Satin Nickel
 15-07-SN
 \$580



#### **DARBY WALL TUB SPOUT**

Solid brass

Spout reach: 7-1/2"

Inlet connection: 1/2" NPT female


IAPMO listed

Available while supplies last

 Polished Chrome
 15-WTS-PC
 \$290

 Polished Nickel
 15-WTS-PN
 \$350

 Satin Nickel
 15-WTS-SN
 \$350







## DARBY

#### DARBY PAPER HOLDER

Polished Chrome	15-59-PC	\$160
Polished Nickel	15-59-PN	\$200
Satin Nickel	15-59-SN	\$200



#### DARBY ROBE HOOK

Polished Chrome	15-51-PC	\$90	
Polished Nickel	15-51-PN	\$120	
Satin Nickel	15-51-SN	\$120	



#### DARBY TOWEL RING

Polished Chrome	15-55-PC	\$160
Polished Nickel	15-55-PN	\$200
Satin Nickel	15-55-SN	\$200



#### DARBY 18" TOWEL BAR

Polished Chrome	15-65-PC	\$170
Polished Nickel	15-65-PN	\$210
Satin Nickel	15-65-SN	\$210

Note: Bar cannot be cut




#### DARBY 24" TOWEL BAR

Polished Chrome	15-66-PC	\$180
Polished Nickel	15-66-PN	\$220
Satin Nickel	15-66-SN	\$220

Note: Bar cannot be cut





## LEYDEN









## NATURE'S BEAUTY AND POWER INTERPRETED

With bold footings and a tapered design, Leyden expresses the majesty of water and light, movement and reflection. Strong yet simple, Leyden embraces both aptitude and agility for function and style.



### **AVAILABLE FINISHES**







### HANDLE OPTIONS





#### LEYDEN SINGLE-HOLE BASIN FAUCET

Solid brass construction

Kerox ceramic disc cartridge

Push drain assembly included

Spout reach: 4-1/2"

Spout swivel: No

4" cover plate available (sold separately)

Massachusetts code approved,

IAPMO listed & WaterSense compliant

 Polished Chrome
 14-01-PC
 \$540


 Polished Nickel
 14-01-PN
 \$660

 Satin Nickel
 14-01-SN
 \$660









#### LEYDEN WIDESPREAD BASIN FAUCET

Solid brass construction

Flühs quarter-turn ceramic disc cartridges

Push drain assembly included

Spout reach: 5-1/2"

Spout swivel: No

Massachusetts code approved, IAPMO listed


& WaterSense compliant (Lever handle only)

#### Cross Handle

Polished Chrome	14X-08-PC	\$710	
Polished Nickel	14X-08-PN	\$850	
Satin Nickel	14X-08-SN	\$850	

#### Lever Handle


Polished Chrome	14-08-PC	\$710
Polished Nickel	14-08-PN	\$850
Satin Nickel	14-08-SN	\$850












7-3/4"

1-1/4"

#### Lever Handles



#### LEYDEN FLOOR-MOUNT TUB FILLER WITH HANDSHOWER

Solid brass construction

Kerox ceramic disc cartridge

Single-function handshower with

vacuum breaker and 60" hose

Spout reach: 8-1/2"

Height to spout: 30-1/2" - 32-3/4"

Spout swivel: No

Tub filler flow rate: 6 GPM

Handshower flow rate: 1.75 GPM

Massachusetts code approved & IAPMO listed

Rough included


 Polished Chrome
 14-05-PC
 \$2470

 Polished Nickel
 14-05-PN
 \$2930

 Satin Nickel
 14-05-SN
 \$2930







#### LEYDEN DECK TUB FAUCET WITH HANDSHOWER TRIM

#### Solid brass construction

Flühs quarter-turn ceramic disc cartridges

Single-function handshower with

vacuum breaker and 60" hose

Spout reach: 9"

Spout swivel: No

Tub filler flow rate: 11 GPM

Handshower flow rate: 1.75 GPM

IAPMO listed

#### Required rough sold separately: DTHS-R-RGH

#### Cross Handle

Polished Chrome	14X-03-T-PC	\$1380
Polished Nickel	14X-03-T-PN	\$1640
Satin Nickel	14X-03-T-SN	\$1640

#### Lever Handle

Polished Chrome	14-03-T-PC	\$1380
Polished Nickel	14-03-T-PN	\$1640
Satin Nickel	14-03-T-SN	\$1640


## REQUIRED ROUGH Deck tub set with handshower rough DTHS-R-RGH \$460 See page 337 for detailed information








#### Cross Handles



#### Lever Handles



#### LEYDEN THERMOSTATIC VALVE TRIM

Temperature control only; volume control(s) sold separately

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 45 PSI

Massachusetts code approved & IAPMO listed (Lever handle only)

#### Required rough sold separately: TH-RGH

#### Cross Handle

Polished Chrome	14X-16-T-PC	\$400
Polished Nickel	14X-16-T-PN	\$490
Satin Nickel	14X-16-T-SN	\$490

#### Lever Handle

Polished Chrome	14-16-T-PC	\$400
Polished Nickel	14-16-T-PN	\$490
Satin Nickel	14-16-T-SN	\$490

#### **TEMPERATURE CONTROL ONLY**

This valve is a mixer only and requires separate volume control(s).

See page 338 for detailed information







#### Cross Handles

### **REQUIRED ROUGH** 3/4" thermostatic valve rough TH-RGH \$580


#### Extension kit:

Polished Chrome 9Q1172CP-PC \$140 Polished Nickel 9Q1172RN-PN \$140 Satin Nickel 9Q1172AP-SN \$140

See page 333 for detailed information

## 1-7/8" - 2-<u>5</u>/8" 2-1/2" - 3-1/4"

#### Lever Handles



#### LEYDEN VOLUME CONTROL OR DIVERTER TRIM

Trim is compatible with roughs for the volume control, two-way and three-way diverters

Volume control controls on/off and volume functions for a single component in a shower system

Diverters alternate water flow between two or three water outlets.

### Note: Diverters do not start, stop or control water flow.

Volume control features Flühs quarterturn ceramic disc cartridge

Diverters feature Kerox diverter cartridge

Massachusetts code approved & IAPMO listed (Lever handle only)

#### Required rough (sold separately):

VC-RGH - Volume control or DIV-RGH - Two-way diverter or 3DV-RGH - Three-way diverter

#### Cross Handle

Polished Chrome	14X-17-T-PC	\$290
Polished Nickel	14X-17-T-PN	\$350
Satin Nickel	14X-17-T-SN	\$350
Lever Handle		
Polished Chrome	14-17-T-PC	\$290
Polished Nickel	14-17-T-PN	\$350
Satin Nickel	14-17-T-SN	\$350







Lever Handles



# REQUIRED ROUGH 3/4" Volume control rough VC-RGH \$170 or 3/4" Two-way diverter rough DIV-RGH \$290 or 1/2" Three-way diverter rough 3DV-RGH \$230 Extension kit: 5T1C0319NT + 5P0C0582NT \$50 See page 336 for detailed information



Cross Handles



## LEYDEN DUAL-CONTROL THERMOSTATIC VALVE TRIM WITH VOLUME CONTROL

Single integrated volume control for 1 water outlet

Required rough features Vernet thermostatic cartridge and Flühs volume control cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 10-12 GPM at 45 PSI

Massachusetts code approved & IAPMO listed (Lever handle only)


#### $Required \ rough \ sold \ separately: TH1-RGH$

 Polished Chrome
 14X-19-T-PC
 \$580

 Polished Nickel
 14X-19-T-PN
 \$690


 Satin Nickel
 14X-19-T-SN
 \$690

## REQUIRED ROUGH Dual-control thermostatic valve rough TH1-RGH \$580 Extension kit: Polished Chrome 9Q242000CP \$250 Polished Nickel 9Q242000RN \$250 Satin Nickel 9Q242000AP \$250 See page 331 for detailed information









## LEYDEN DUAL-CONTROL THERMOSTATIC VALVE TRIM WITH VOLUME CONTROL AND DIVERTER

Integrated volume control/diverter for 2 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 45 PSI

Massachusetts code approved & IAPMO listed (Lever handle only)


#### Required rough sold separately: TH2-RGH

 Polished Chrome
 14X-20-T-PC
 \$580

 Polished Nickel
 14X-20-T-PN
 \$690


 Satin Nickel
 14X-20-T-SN
 \$690

## REQUIRED ROUGH Dual-control thermostatic valve rough TH2-RGH \$630 Extension kit: Polished Chrome Polished Nickel 9Q242000RN \$250 Satin Nickel 9Q242000AP \$250 See page 332 for detailed information









#### LEYDEN PRESSURE-BALANCE VALVE WITH DIVERTER TRIM

Two water outlets

Diverter alternates water flow between 2 outlets: tub spout/shower head, tub spout/handshower or shower head/handshower

Kerox pressure-balance cartridge

Pressure-balance cartridge maintains constant temperature in response to changes to hot and cold supply

Flow rate: 3-5 GPM at 45 PSI

Massachusetts code approved & IAPMO listed (Lever handle only)

#### Required rough sold separately: PBTS-RGH

#### Cross Handle

Polished Chrome	14X-14P-T-PC	\$320
Polished Nickel	14X-14P-T-PN	\$380
Satin Nickel	14X-14P-T-SN	\$380

#### Lever Handle

Polished Chrome	14-14P-T-PC	\$320
Polished Nickel	14-14P-T-PN	\$380
Satin Nickel	14-14P-T-SN	\$380

#### **REQUIRED ROUGH**

Pressure-balance shower valve with diverter rough PBTS-RGH \$350

BTS-RGH \$3

Extension kit:

5T1C0319NT + 5P0C0582NT

See page 335 for detailed information

## 2 FUNCTIONS, NON-SHARED

- Two-way diverter
- Temperature








#### Cross Handles

\$50

## 7/8" 5-1/2" - 5-7/8" 1/2" NPT 1/2" NPT 1/2" NPT

#### Lever Handles



#### LEYDEN PRESSURE-BALANCE VALVE TRIM

One water outlet

Kerox pressure-balance cartridge

Pressure-balance cartridge maintains constant temperature in response to changes to hot and cold supply

Flow rate: 3-5 GPM at 45 PSI

Massachusetts code approved & IAPMO listed (Lever handle only)

#### $Required \, rough \, sold \, separately: \, PBS-RGH$

Cross Handle

Polished Chrome 14X-15P-T-PC \$290 Polished Nickel 14X-15P-T-PN \$350 Satin Nickel 14X-15P-T-SN \$350

Lever Handle

\$290 Polished Chrome 14-15P-T-PC Polished Nickel 14-15P-T-PN \$350 Satin Nickel 14-15P-T-SN \$350

#### **REQUIRED ROUGH**

Pressure-balance shower valve rough PBS-RGH \$

\$320

Extension kit:

5T1C0319NT + 5P0C0582NT

 $\underline{\text{See page 334}} \text{ for detailed information}$ 

#### 1FUNCTION

With temperature control








#### Cross Handles

\$50

#### Lever Handles



#### LEYDEN VOLUME CONTROL OR DIVERTER TRIM

Trim is compatible with roughs for the volume control, two-way and three-way diverters

Volume control controls on/off and volume functions for a single component in a shower system

Diverters alternate water flow between two or three water outlets.

### Note: Diverters do not start, stop or control water flow.

Volume control features Flühs quarterturn ceramic disc cartridge

Diverters feature Kerox diverter cartridge

Massachusetts code approved & IAPMO listed (Lever handle only)

#### Required rough (sold separately):

VC-RGH - Volume control or DIV-RGH - Two-way diverter or 3DV-RGH - Three-way diverter

#### Cross Handle


Polished Chrome Polished Nickel Satin Nickel	14X-17-T-PC 14X-17-T-PN 14X-17-T-SN	\$290 \$350 \$350
Lever Handle		
Polished Chrome	14-17-T-PC	\$290
Polished Nickel	14-17-T-PN	\$350
Satin Nickel	14-17-T-SN	\$350








# REQUIRED ROUGH 3/4" Volume control rough VC-RGH \$170 or 3/4" Two-way diverter rough DIV-RGH \$290 or 1/2" Three-way diverter rough 3DV-RGH \$230 Extension kit: 5T1C0319NT+5P0C0582NT \$50 See page 336 for detailed information



Cross Handles



#### MODERN 8" RAIN HEAD

Solid brass
Single rain spray
7-7/8" diameter
EasyClean anti-limescale nozzles
Swivel: Yes
Flow rate: 1.75 GPM
Inlet connection: G 1/2" (compatible with 1/2" NPT)

IAPMO listed, Massachusetts code approved

 Polished Chrome
 US-PRO200C
 \$320

 Polished Nickel
 US-PRO200N
 \$440


 Satin Nickel
 US-PRO200V
 \$440



#### MODERN 12" RAIN HEAD

Solid brass
Single rain spray
11-3/4" diameter
EasyClean anti-limescale nozzles
Swivel: Yes
Flow rate: 1.75 GPM
Inlet connection: G 1/2" (compatible with 1/2" NPT)
IAPMO listed, Massachusetts code approved

Polished Chrome US-PRO300C \$610
Polished Nickel US-PRO300N \$810
Satin Nickel US-PRO300V \$810



#### MODERN 13" SHOWER ARM AND FLANGE

Solid brass
Projection: 13"
Inlet connection: 1/2" NPT male
IAPMO listed

 Polished Chrome
 SH13-ARM-PC
 \$150

 Polished Nickel
 SH13-ARM-PN
 \$170

 Satin Nickel
 US-FH684V
 \$170




#### MODERN 18" SHOWER ARM AND FLANGE

Solid brass
Projection: 18"
Inlet connection: ½" NPT male
IAPMO listed

 Polished Chrome
 US-FH695C
 \$200

 Polished Nickel
 US-FH695N
 \$230

 Satin Nickel
 US-FH695V
 \$230



## MULTI-FUNCTION SHOWER HEAD WITH ARM AND 5 DECORATIVE ARM FLANGES

Three spray functions - rain, aerated jet and massage

4-1/4" diameter

EasyClean anti-limescale nozzles

Swivel: Yes

Flow rate: 1.75 GPM

Trims include Darby, Leyden,

Modern, Taos and Traditional

Inlet connection: 1/2" NPT male

IAPMO and Massachusetts code (pending)

 Polished Chrome
 SH04-PC
 \$210

 Polished Nickel
 SH04-PN
 \$260

 Satin Nickel
 SH04-SN
 \$260



#### **ELEMENTS 8-JET SHOWER HEAD**

Solid brass

Adjustable spray - wide to narrow rain

3-1/2" diameter

Anti-limescale nozzles

Swivel: Yes

Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT


Massachusetts code approved & IAPMO listed

 Polished Chrome
 US-SH08C
 \$380

 Polished Nickel
 US-SH08N
 \$460

 Satin Nickel
 US-SH08S
 \$460







## MODERN SHOWER ARM AND FLANGE WITH 5 DECORATIVE ARM FLANGES

Solid brass

Projection: 5-1/2"

Trims include Darby, Leyden,

Modern, Taos and Traditional


Inlet connection: 1/2" NPT male

 Polished Chrome
 SH04-ARM-PC
 \$120

 Polished Nickel
 SH04-ARM-PN
 \$150

 Satin Nickel
 SH04-ARM-SN
 \$150





Trims included:











#### SVELTE 3 HANDSHOWER RAIL SET

Set includes: Modern single-function handshower, 59" hose, Svelte slide rail and Modern wall outlet

Single-function spray

Handshower includes vacuum breaker and flow restrictor

27-1/2" adjustable bar with bracket

60" metal hose included

Flow rate: 1.75 GPM


Inlet connection: 1/2" NPT

CSA approved

 Polished Chrome
 US-HSS02336C
 \$580

 Polished Nickel
 US-HSS02336PN
 \$690

 Satin Nickel
 US-HSS02336V
 \$690







## LEYDEN HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

Single spray

Handshower features EasyClean

anti-limescale nozzles

Handshower includes vacuum

breaker and flow restrictor

Flow rate: 1.75 GPM


Massachusetts code approved, IAPMO listed

 $\&\,\mathsf{CEC}\,\mathsf{compliant}$ 

 Polished Chrome
 14-07-PC
 \$460

 Polished Nickel
 14-07-PN
 \$580

 Satin Nickel
 14-07-SN
 \$580





#### LEYDEN WALL TUB SPOUT

Solid brass

Spout reach: 7"


Inlet connection size: 1/2" NPT

Available while supplies last

 Polished Chrome
 14-WTS-PC
 \$260

 Polished Nickel
 14-WTS-PN
 \$320

 Satin Nickel
 14-WTS-SN
 \$320





#### LEYDEN PAPER HOLDER / TOWEL RING

Polished Chrome	14-58-PC	\$120
Polished Nickel	14-58-PN	\$140
Satin Nickel	14-58-SN	\$140



#### LEYDEN ROBE HOOK

Polished Chrome	14-51-PC	\$90
Polished Nickel	14-51-PN	\$120
Satin Nickel	14-51-SN	\$120



#### LEYDEN 18" TOWEL BAR

Polished Chrome	14-65-PC	\$150
Polished Nickel	14-65-PN	\$170
Satin Nickel	14-65-SN	\$170



#### LEYDEN 24" TOWEL BAR

Polished Chrome	14-66-PC	\$170
Polished Nickel	14-66-PN	\$210
Satin Nickel	14-66-SN	\$210





## BEREA









## BEREA ANSWERS TRADITION WITH WARMTH AND PRECISION

Shape and texture harmonize in each detail of Berea to complete a balanced and peaceful space.



### AVAILABLE FINISHES







#### BEREA SINGLE-HOLE BASIN FAUCET

Solid brass construction

Kerox ceramic disc cartridge

Push drain assembly included

Spout reach: 4-1/2"

Spout swivel: No

4" cover plate available (sold separately)

Massachusetts code approved,


IAPMO listed & WaterSense compliant

Polished Chrome 11-01-PC \$540 11-01-PN Polished Nickel \$660 Satin Nickel 11-01-SN \$660









#### BEREA WIDESPREAD BASIN FAUCET

Solid brass construction

Flühs quarter-turn ceramic disc cartridges

Push drain assembly included

Spout reach: 5-1/2"

Spout swivel: No

Massachusetts code approved,

IAPMO listed & WaterSense compliant


Polished Chrome	11-08-PC	\$710
Polished Nickel	11-08-PN	\$850
Satin Nickel	11-08-SN	\$850

















#### BEREA THERMOSTATIC VALVE TRIM

Temperature control only; volume control(s) sold separately

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 45 PSI

Massachusetts code approved & IAPMO listed

#### Required rough sold separately: TH-RGH

Polished Chrome	11-16-T-PC	\$400
Polished Nickel	11-16-T-PN	\$490
Satin Nickel	11-16-T-SN	\$490

#### **REQUIRED ROUGH**

3/4" thermostatic valve rough **TH-RGH** \$580



#### Extension kit:

 Polished Chrome
 9Q1172CP-PC
 \$140

 Polished Nickel
 9Q1172RN-PN
 \$140

 Satin Nickel
 9Q1172AP-SN
 \$140

See page 333 for detailed information


#### **TEMPERATURE CONTROL ONLY**

This valve is a mixer only and requires separate volume control(s).

See page 338 for detailed information







#### BEREA VOLUME CONTROL OR DIVERTER TRIM

Trim is compatible with roughs for the volume control, two-way and three-way diverters

Volume control controls on/off and volume functions for a single component in a shower system

Diverters alternate water flow between two or three water outlets.

### Note: Diverters do not start, stop or control water flow.

Volume control features Flühs quarterturn ceramic disc cartridge

Diverters feature Kerox diverter cartridge

Massachusetts code approved & IAPMO listed

#### Required rough (sold separately):

VC-RGH - Volume control or DIV-RGH - Two-way diverter or 3DV-RGH - Three-way diverter

 Polished Chrome
 11-17-I-PC
 \$290

 Polished Nickel
 11-17-I-PN
 \$350


 Satin Nickel
 11-17-I-SN
 \$350









#### With VC-RGH, Volume control rough



#### With DIV-RGH, 2 function diverter



#### With 3DV-RGH, 3 function diverter



## BEREA SINGLE-FUNCTION THERMOSTATIC VALVE TRIM WITH VOLUME CONTROL

Single integrated volume control for 1 water outlet

Required rough features Vernet thermostatic cartridge and Flühs volume control cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 10-12 GPM at 45 PSI

Massachusetts code approved & IAPMO listed

#### Required rough sold separately: TH1-RGH

 Polished Chrome
 11-19-T-PC
 \$580

 Polished Nickel
 11-19-T-PN
 \$690

 Satin Nickel
 11-19-T-SN
 \$690

#### **REQUIRED ROUGH**

Dual-control thermostatic valve rough TH1-RGH \$580




#### Extension kit:

 Polished Chrome
 9Q242000CP
 \$250

 Polished Nickel
 9Q242000RN
 \$250


 Satin Nickel
 9Q242000AP
 \$250

See page 331 for detailed information









## BEREA DUAL-CONTROL THERMOSTATIC VALVE TRIM WITH VOLUME CONTROL AND DIVERTER

Integrated volume control/diverter for 2 water outlets

Required rough features Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off return valve with filters to prevent cross flow

Flow rate: 12 GPM at 45 PSI

Massachusetts code approved & IAPMO listed

#### Required rough sold separately: TH2-RGH

 Polished Chrome
 11-20-T-PC
 \$580

 Polished Nickel
 11-20-T-PN
 \$690

 Satin Nickel
 11-20-T-SN
 \$690

## 2 FUNCTIONS, NON-SHARED A - Volume control / two-way diverter B - Temperature





Dual-control thermostatic valve rough TH2-RGH \$630



Extension kit:


 Polished Chrome
 9Q242000CP
 \$250

 Polished Nickel
 9Q242000RN
 \$250

 Satin Nickel
 9Q242000AP
 \$250

See page 332 for detailed information





#### BEREA PRESSURE-BALANCE VALVE WITH DIVERTER TRIM

Two water outlets

Diverter alternates water flow between 2 outlets: tub spout/shower head, tub spout/handshower or shower head/handshower

Kerox pressure-balance cartridge

Pressure-balance cartridge maintains constant temperature in response to changes to hot and cold supply

Flow rate: 3-5 GPM at 45 PSI

This valve supplies water to the bottom outlet first, therefore the water outlet (shower head, handshower, wall spout) that is chosen as the default needs to be piped to the bottom outlet.

Massachusetts code approved & IAPMO listed

#### Required rough sold separately: PBTS-RGH

Polished Chrome	11-14P-T-PC	\$320
Polished Nickel	11-14P-T-PN	\$380
Satin Nickel	11-14P-T-SN	\$380


## REQUIRED ROUGH Pressure-balance shower valve with diverter rough PBTS-RGH \$350 Extension kit: 5T1C0319NT + 5P0C0582NT \$50 See page 335 for detailed information

## 2 FUNCTIONS, NON-SHARED

- Two-way diverter
- Temperature







#### BEREA PRESSURE-BALANCE VALVE TRIM

One water outlet

Kerox pressure-balance cartridge

Pressure-balance cartridge maintains constant temperature in response to changes to hot and cold supply

Flow rate: 3-5 GPM at 45 PSI

Massachusetts code approved & IAPMO listed

#### $Required \ rough \ sold \ separately: PBS-RGH$

Polished Chrome	11-15P-T-PC	\$290
Polished Nickel	11-15P-T-PN	\$350
Satin Nickel	11-15P-T-SN	\$350


1FUNCTION

With temperature control









#### BEREA VOLUME CONTROL OR DIVERTER TRIM

Trim is compatible with roughs for the volume control, two-way and three-way diverters

Volume control controls on/off and volume functions for a single component in a shower system

Diverters alternate water flow between two or three water outlets.

### Note: Diverters do not start, stop or control water flow.

Volume control features Flühs quarterturn ceramic disc cartridge

Diverters feature Kerox diverter cartridge

Massachusetts code approved & IAPMO listed

#### Required rough (sold separately):

VC-RGH - Volume control or DIV-RGH - Two-way diverter or 3DV-RGH - Three-way diverter

Polished Chrome	11-17-T-PC	\$290
Polished Nickel	11-17-T-PN	\$350
Satin Nickel	11-17-T-SN	\$350


## REQUIRED ROUGH 3/4" Volume control rough VC-RGH \$170 or 3/4" Two-way diverter rough DIV-RGH \$290 or 1/2" Three-way diverter rough 3DV-RGH \$230 Extension kit: 5T1C0319NT + 5P0C0582NT \$50






#### With VC-RGH, Volume control rough


See page 336 for detailed information



#### With DIV-RGH, 2 function diverter



#### With 3DV-RGH, 3 function diverter



#### **MODERN 8" RAIN HEAD**

Solid brass
Single rain spray
7-7/8" diameter
EasyClean anti-limescale nozzles

Swivel: Yes

Flow rate: 1.75 GPM

Inlet connection: G 1/2" (compatible with 1/2" NPT)

IAPMO listed, Massachusetts code approved

 Polished Chrome
 US-PRO200C
 \$320

 Polished Nickel
 US-PRO200N
 \$440

 Satin Nickel
 US-PRO200V
 \$440



#### MODERN 12" RAIN HEAD

Solid brass
Single rain spray

11-3/4" diameter

EasyClean anti-limescale nozzles

Swivel: Yes

Flow rate: 1.75 GPM


Inlet connection: G 1/2" (compatible with 1/2" NPT)


IAPMO listed, Massachusetts code approved

Polished Chrome US-PRO300C Polished Nickel US-PRO300N Satin Nickel US-PRO300V

PRO300C \$610 PRO300N \$810 PRO300V \$810








#### MODERN 13" SHOWER ARM AND FLANGE

Solid brass
Projection: 13"
Inlet connection: 1/2" NPT male
IAPMO listed

Polished Chrome Polished Nickel Satin Nickel SH13-ARM-PC SH13-ARM-PN US-FH684V

\$150 \$170 \$170






#### MODERN 18" SHOWER ARM AND FLANGE

Solid brass
Projection: 18"
Inlet connection: ½" NPT male
IAPMO listed

Polished Chrome US-FH695C
Polished Nickel US-FH695N
Satin Nickel US-FH695V

\$200 \$230 \$230



## MULTI-FUNCTION SHOWER HEAD WITH ARM AND 5 DECORATIVE ARM FLANGES

Includes head, arm and flange

Five spray functions - Wide pattern, wide patterns plus soft center, wide pattern plus pulsing center, soft center massage and hard center massage

4-1/4" diameter

EasyClean anti-limescale nozzles

Swivel: Yes

Flow rate: 1.75 GPM

Trims include Darby, Leyden,

 $Modern, \, Taos \, and \, Traditional$ 


Inlet connection: 1/2" NPT male

IAPMO and Massachusetts code (pending)

 Polished Chrome
 SH04-PC
 \$210

 Polished Nickel
 SH04-PN
 \$260

 Satin Nickel
 SH04-SN
 \$260



#### Trims included:











#### **ELEMENTS 8-JET SHOWER HEAD**

Solid brass

Adjustable spray - wide to narrow rain

3-1/2" diameter

Anti-limescale nozzles

Swivel: Yes

Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT


Massachusetts code approved & IAPMO listed

 Polished Chrome
 US-SH08C
 \$380

 Polished Nickel
 US-SH08N
 \$460

 Satin Nickel
 US-SH08S
 \$460







## MODERN SHOWER ARM AND FLANGE WITH 5 DECORATIVE ARM FLANGES

Solid brass

Projection: 5-1/2"

Trims include Darby, Leyden, Modern, Taos and Traditional


Inlet connection: 1/2" NPT male

 Polished Chrome
 SH04-ARM-PC
 \$120

 Polished Nickel
 SH04-ARM-PN
 \$150

 Satin Nickel
 SH04-ARM-SN
 \$150





Trims included:











#### **SVELTE 3 HANDSHOWER RAIL SET**

Set includes: Modern single-function handshower, 59" hose, Svelte slide rail and Modern wall outlet

Single-function spray

Handshower includes vacuum

breaker and flow restrictor

27-1/2" adjustable bar with bracket

60" metal hose included

Flow rate: 1.75 GPM


Inlet connection: 1/2" NPT

CSA approved

 Polished Chrome
 US-HSS02336C
 \$580

 Polished Nickel
 US-HSS02336PN
 \$690

 Satin Nickel
 US-HSS02336V
 \$690







## DARBY HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

Single spray

Handshower features EasyClean

anti-limescale nozzles

Handshower includes vacuum breaker and flow restrictor

Flow rate: 1.75 GPM

Massachusetts code approved, IAPMO listed

& CEC compliant

 Polished Chrome
 15-07-PC
 \$460

 Polished Nickel
 15-07-PN
 \$580

 Satin Nickel
 15-07-SN
 \$580





#### **BEREA WALL TUB SPOUT**

Solid brass

Spout reach: 7-1/8"


Inlet connection: 1/2" NPT

#### Available while supplies last

 Polished Chrome
 11-WTS-PC
 \$260

 Polished Nickel
 11-WTS-PN
 \$320

 Satin Nickel
 11-WTS-SN
 \$320





# BEREA PAPER HOLDER / TOWEL RING

Polished Chrome	11-58-PC	\$120
Polished Nickel	11-58-PN	\$140
Satin Nickel	11-58-SN	\$140



#### BEREA ROBE HOOK

Polished Chrome	11-51-PC	\$90
Polished Nickel	11-51-PN	\$120
Satin Nickel	11-51-SN	\$120



# BEREA 18" TOWEL BAR


Polished Chrome	11-65-PC	\$150
Polished Nickel	11-65-PN	\$170
Satin Nickel	11-65-SN	\$170



#### BEREA 24" TOWEL BAR

Polished Chrome	11-66-PC	\$170
Polished Nickel	11-66-PN	\$210
Satin Nickel	11-66-SN	\$210





# SHOWERING



# SOLID BRASS CONSTRUCTION COMBINED WITH EXPERT ENGINEERING

Delivering seamless movement of water in a refined collection. An extensive range of shower heads, shower arms, handsets and hoses ensures the very best in performance and functionality to create a highly luxurious experience that is uniquely tailored to the individual.

#### **INFINITY 15" WATER PANEL**

Solid stainless steel

Generous, luxurious Rain spray

144 individual jets

Size: 15" x 15"

EasyClean anti-limescale nozzles


Maximum flow rate: 2.2 GPM

Inlet connection: G 1/2" (compatible with 1/2" NPT)

CSA listed

Mirrored StainlessUS-SP380MS\$2420Brushed StainlessUS-SP380BS\$2650Matte BlackUS-SP380MB\$2650









#### **INFINITY 20" WATER PANEL**

Solid stainless steel

Generous, luxurious Rain spray

144 individual jets

Size: 20" x 20"


EasyClean anti-limescale nozzles

Flow rate: 2.3 GPM

Inlet connection: G 1/2" (compatible with 1/2" NPT)

CSA listed

Mirrored StainlessUS-SP500MS\$2880Brushed StainlessUS-SP500BS\$3110Matte BlackUS-SP500MB\$3110





#### ARCADE 9" AIR BOOST RAIN HEAD

Featuring air boost technology which infuses the water with air creating droplets that are dense but light and soft, while maintaining superior pressure

Single rain spray

9-1/4" diameter

Swivel: Yes

Flow rate: 1.75 GPM

Inlet connection: G 1/2" (compatible with 1/2" NPT)

Massachusetts code approved & IAPMO listed

Polished Chrome US-ARCV17C \$260
Polished Nickel US-ARCV17N \$350



#### ARCADE 13" AIR BOOST RAIN HEAD

Featuring air boost technology which infuses the water with air creating droplets that are dense but light and soft, while maintaining superior pressure

Single rain spray

13" diameter

EasyClean anti-limescale nozzles

Swivel: Yes

Flow rate: 1.75 GPM

Inlet connection: G 1/2" (compatible with 1/2" NPT)

Massachusetts code approved & IAPMO listed

Polished Chrome US-ARCV60C \$490 Polished Nickel US-ARCV60N \$630



#### MODERN 8" RAIN HEAD

Solid brass
Single rain spray
7-7/8" diameter
EasyClean anti-limescale nozzles
Swivel: Yes
Flow rate: 1.75 GPM

Inlet connection: G 1/2" (compatible with 1/2" NPT)

Massachusetts code approved & IAPMO listed

\$320 Polished Chrome US-PRO200C Polished Nickel US-PRO200N \$440 Satin Nickel US-PRO200V \$440 Matte Black \$440 US-PRO200MB Brushed Brass US-PRO200BB \$440 Graphite US-PRO200GR \$440 Brushed Gold US-PRO200BG \$440




#### MODERN 12" RAIN HEAD

Solid brass
Single rain spray
11-3/4" diameter
EasyClean anti-limescale nozzles
Swivel: Yes
Flow rate: 1.75 GPM
Inlet connection: G 1/2" (compatible with 1/2" NPT)

Inlet connection: G 1/2" (compatible with 1/2" NPT)

Massachusetts code approved & IAPMO listed

Polished Chrome US-PRO300C \$610 \$810 Polished Nickel US-PRO300N Satin Nickel US-PRO300V \$810 Matte Black \$810 US-PRO300MB Brushed Brass US-PRO300BB \$810 Graphite US-PRO300GR \$810 \$810 US-PRO300BG Brushed Gold



#### **UNION 5-5/8" SHOWER HEAD**

Solid brass

Single rain spray

5-5/8" diameter

EasyClean anti-limescale nozzles

Swivel: Yes

Flow rate: 1.75 GPM


Inlet connection: G 1/2" (compatible with 1/2" NPT)


 ${\it Massachusetts\ code\ approved,\ IAPMO\ listed,}$ 

CEC compliant & WaterSense compliant

Polished Chrome	US-MA150C	\$690
Unlacquered Brass	US-MA150B	\$690
Brushed Black Chrome	US-MA150BBC	\$920
Brushed Nickel	US-MA150BN	\$920













#### UNION 10" SHOWER HEAD

Solid brass

Single rain spray

9-7/8" diameter

EasyClean anti-limescale nozzles

Swivel: Yes

Flow rate: 2.0 GPM


Inlet connection: G 1/2" (compatible with 1/2" NPT)


Massachusetts code approved, IAPMO listed,

 $CEC\ compliant\ \&\ WaterSense\ compliant$ 

Polished Chrome	US-MA250C	\$780
Unlacquered Brass	US-MA250B	\$780
Brushed Black Chrome	US-MA250BBC	\$1130
Brushed Nickel	US-MA250BN	\$1130













#### UNION 15-3/4" SHOWER ARM AND FLANGE

Solid brass

Projection: 15-3/4"

Inlet connection: 1/2" NPT male

 Polished Chrome
 US-SH400C
 \$320

 Unlacquered Brass
 US-SH400B
 \$320

 Brushed Black Chrome
 US-SH400BBC
 \$550

 Brushed Nickel
 US-SH400BN
 \$550




#### **ELEMENTS 8-JET SHOWER HEAD**

Solid brass	
Adjustable spray - wide to narrow rain	
3-1/2" diameter	
Anti-limescale nozzles	
Swivel: Yes	
Flow rate: 1.75 GPM	
Inlet connection: 1/2" NPT	
Massachusetts code approved & IAPMO listed	

Polished Chrome	US-SH08C	\$380
Brushed Nickel	US-SH08BN	\$460
Polished Nickel	US-SH08N	\$460
Satin Nickel	US-SH08S	\$460
Matte Black	US-SH08MB	\$460
Brushed Black Chrome	US-SH08BBC	\$580*
Unlacquered Brass	US-SH08B	\$380
Brushed Brass	US-SH08BB	\$580
Graphite	US-SH08GR	\$580
Brushed Gold	US-SH08BG	\$580*





#### \*6 WEEK LEAD TIME




# MULTI-FUNCTION SHOWER HEAD WITH ARM AND 5 DECORATIVE ARM FLANGES

Includes head, arm and flange
Five spray functions - Wide pattern, wide patterns
plus soft center, wide pattern plus pulsing center,
soft center massage and hard center massage
4-1/4" diameter
EasyClean anti-limescale nozzles
Swivel: Yes
Flow rate: 1.75 GPM
Trims include Darby, Leyden,
Modern, Taos and Traditional
Inlet connection: 1/2" NPT male

IAPMO and Massachusetts code (pending)

Polished Chrome	SH04-PC	\$210
Polished Nickel	SH04-PN	\$260
Satin Nickel	SH04-SN	\$260
Matte Black	SH04-MB	\$260
Brushed Brass	SH04-BB	\$260
Graphite	SH04-GR	\$260
Brushed Gold	SH04-BG	\$260





# Trims included:











# MODERN SHOWER ARM AND FLANGE WITH 5 DECORATIVE ARM FLANGES

Solid brass

Projection: 5-1/2"


Trims include Darby, Leyden, Modern,

Taos and Traditional †

Inlet connection: 1/2" NPT male

Polished Chrome	SH04-ARM-PC	\$120
Polished Nickel	SH04-ARM-PN	\$150
Satin Nickel	SH04-ARM-SN	\$150
Brushed Black Chrome	US-PRO664BBC	\$150*
Matte Black	SH04-ARM-MB	\$150
Unlacquered Brass	US-PRO664B	\$150*
Brushed Brass	SH04-ARM-BB	\$150
Graphite	SH04-ARM-GR	\$150
Brushed Gold	SH04-ARM-BG	\$150





#### Trims included<sup>†</sup>:












† Applicable for all finishes except Unlacquered Brass and Brushed Black Chrome, which only come with the round flange shown.

\*6 WEEK LEAD TIME

#### 13" SHOWER ARM AND 5 FLANGES

Solid brass	
Projection: 13"	
Inlet connection: 1/2" NPT male	
IAPMO pending	

Polished Chrome	SH13-ARM-PC	\$150
Polished Nickel	SH13-ARM-PN	\$170
Satin Nickel	SH13-ARM-SN	\$170
Matte Black	SH13-ARM-MB	\$170
Brushed Brass	SH13-ARM-BB	\$170
Graphite	SH13-ARM-GR	\$170
Brushed Gold	SH13-ARM-BG	\$170






#### MODERN 18" SHOWER ARM AND FLANGE

Projection: 18"
Inlet connection: 1/2" NPT male
IAPMO listed (US-FH695 models only at this time)

US-FH695C	\$200
US-FH695N	\$230
US-FH695V	\$230
US-FH695MB	\$230
SH18-ARM-BB	\$230
US-FH695GR	\$230
US-FH695BG	\$230
	US-FH695N US-FH695V US-FH695MB SH18-ARM-BB US-FH695GR





Solid brass

#### TRADITIONAL 13" SHOWER ARM AND FLANGE


Solid brass		
Projection: 13"		
Inlet connection: 1/2	" NPT male	
IAPMO listed		
Polished Chrome	US-BL685C	\$160
Polished Nickel	US-BL685N	\$200





#### TRADITIONAL 18" SHOWER ARM AND FLANGE

Solid Brass		
Projection: 18"		
Inlet connection: 1/2	" NPT male	
Polished Chrome	US-BL695C	\$200
Polished Nickel	US-BL695N	\$230




#### MODERN 8" CEILING-MOUNT SHOWER ARM AND FLANGE

Projection: 7-3/4"		
Inlet connection: 1/2"	NPT male	
IAPMO listed		
Polished Chrome	US-PRO689C	\$120
Polished Nickel	US-PRO689N	\$150
Satin Nickel	US-PRO689V	\$150
Matte Black	US-PRO689MB	\$150
Brushed Brass	US-PRO689BB	\$150
Unlacquered Brass	US-PRO689B	\$150
Graphite	US-PRO689GR	\$150
Brushed Gold	US-PRO689BG	\$150

Solid brass







#### **SVELTE 2 HANDSHOWER RAIL SET**

Set includes Svelte multi-function handshower, 59" hose, Svelte slide rail and Modern wall outlet

Multi-function spray: RainAir, AirPower, Massage

Handshower includes vacuum breaker and flow restrictor

27-1/2" adjustable bar with bracket

60" metal hose included

Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT female

CSA listed

 Polished Chrome
 US-HSS023051C
 \$580

 Satin Nickel
 US-HSS023051V
 \$690


 Matte Black
 US-HSS023051MB
 \$690

 Polished Nickel
 US-HSS023051PN
 \$690

 Brushed Brass
 US-HSS023051BB
 \$690

 Brushed Gold
 US-HSS023051BG
 \$690

 Graphite
 US-HSS023051GR
 \$690







#### **SVELTE 3 HANDSHOWER RAIL SET**

Set includes: Modern single-function handshower, 59" hose, Svelte slide rail and Modern wall outlet

Single-function spray

Handshower includes vacuum breaker and flow restrictor

27-1/2" adjustable bar with bracket


60" metal hose included

Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT

CSA listed

Polished Chrome US-HSS02336C \$580 Satin Nickel US-HSS02336V \$690 Matte Black US-HSS02336MB \$690 Brushed Brass US-HSS02336BB \$690 Brushed Gold US-HSS02336BG \$690 Polished Nickel US-HSS02336PN \$690 Graphite US-HSS02336GR \$690







#### HEIR HANDSHOWER RAIL SET

Set includes handshower, hose and slide rail

Single-function spray

Handshower features EasyClean

anti-limescale nozzles

 $Hand shower \ includes \ vacuum$ 


breaker and flow restrictor

29-3/4" adjustable bar with bracket

Flow rate: 1.75 GPM

IAPMO listed

Wall outlet included





#### TRADITIONAL HANDSHOWER RAIL SET

Set includes handshower, hose, slide rail and wall outlet

Single-function spray

Handshower includes vacuum breaker and flow restrictor

24" adjustable bar with bracket

60" metal hose included


Flow rate: 1.75 GPM

Inlet connection: 1/2" NPT

#### Metal handshower

 Polished Chrome
 US-WF930C
 \$1150

 Polished Nickel
 US-WF930N
 \$1320






#### **SVELTE HANDSHOWER RAIL**

Length: 27-1/2"

Polished Chrome	US-SR023C	\$250
Polished Nickel	US-SR023N	\$460
Satin Nickel	US-SR023S	\$460
Matte Black	US-SR023MB	\$460
Brushed Brass	US-SR023BB	\$460
Graphite	US-SR023GR	\$460
Brushed Gold	US-SR023BG	\$460






#### WALDORF HANDSHOWER RAIL

Length: 28"

 Polished Chrome
 US-WF850C
 \$860

 Polished Nickel
 US-WF850N
 \$980






#### **BELGRAVIA HANDSHOWER RAIL**

Length: 25-3/4"

Polished Chrome US-BL850C \$860
Polished Nickel US-BL850N \$980





#### FENMORE HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET


Single-spray	
EasyClean anti-limescale nozzles	
60" metal hose	
Wall bracket includes vacuum breaker	
Flow rate: 1.75 GPM	
Inlet connection: 1/2" NPT male	
IAPMO and Massachusetts code (pending)	

& CEC compliant

IAPMO listed


 Polished Chrome
 28-07-PC
 \$490

 Graphite
 28-07-GR
 \$580



#### TAOS HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET


Single spray	Polished Chrome	17-07-PC	\$440
Handshower features EasyClean anti-limescale nozzles	Polished Nickel	17-07-PN 17-07-SN	\$610 \$610
Handshower includes vacuum	Satin Nickei Matte Black	17-07-31N 17-07-MB	\$610 \$610
breaker and flow restrictor	Brushed Gold	17-07-BG	\$610
Flow rate: 1.75 GPM			
Massachusetts code approved, IAPMO listed			





#### HEIR HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET


Single spray	Brushed Brass	18-36-BB
EasyClean anti-limescale nozzles	Polished Nickel	18-36-PN
60" metal hose		
Wall bracket includes vacuum breaker		
Flow rate: 1.75 GPM		
Inlet connection: 1/2" NPT male		



\$490 \$490

#### UNION HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

Single-spray	Polished Chrome	US-UN964C	\$660
EasyClean anti-limescale nozzles	Unlacquered Brass	US-UN964B	\$660
60" metal hose	Brushed Black Chrome	US-UN964BBC	\$820
Wall bracket includes vacuum breaker	Brushed Nickel	US-UN964BN	\$820
Flow rate: 1.75 GPM			
Inlet connection: 1/2" NPT			



#### MODERN ROUND HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

Single-spray	
EasyClean anti-limescale nozzles	
60" metal hose	
Wall bracket includes vacuum breaker	
Flow rate: 1.75 GPM	
Inlet connection: 1/2" NPT male	
Massachusetts code approved, IAPMO listed & WaterSense compliant	

Polished Chrome
Satin Nickel
WS-PRO965V
Matte Black
Brushed Brass
US-PRO965BB
US-PRO965BG
US-PRO965BG




\$350

\$460

\$460

\$460

\$460




#### WALDORF HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

 Polished Chrome
 US-WF964C
 \$490

 Polished Nickel
 US-WF964N
 \$580






#### TRADITIONAL HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

Single-spray
60" metal hose
Wall bracket includes vacuum breaker
Flow rate: 1.75 GPM
Inlet connection: 1/2" NPT male
IAPMO listed
Massachusetts code approved

Polished Chrome US-BL964C \$400 Polished Nickel US-BL964N \$460





#### DARBY HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET


Single spray	
Handshower features EasyClean anti-limescale nozzles	
Handshower includes vacuum breaker and flow restrictor	
Flow rate: 1.75 GPM	
Massachusetts code approved, IAPMO listed & CEC compliant	

 Polished Chrome
 15-07-PC
 \$460

 Polished Nickel
 15-07-PN
 \$580

 Satin Nickel
 15-07-SN
 \$580






# LEYDEN HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

Single spray
Handshower features EasyClean anti-limescale nozzles
Handshower includes vacuum breaker and flow restrictor
Flow rate: 1.75 GPM
Massachusetts code approved, IAPMO listed & CEC compliant

Polished Chrome	14-07-PC	\$460
Polished Nickel	14-07-PN	\$580
Satin Nickel	14-07-SN	\$580







# SVELTE MULTI-FUNCTION HANDSHOWER

Multi-function spray: RainAir, AirPower, Massage	Polished Chrome	US-HS051C	\$170
Handshower features Easyclean	Polished Nickel	US-HS051PN	\$230
anti-limescale nozzles	Satin Nickel	US-HS051S	\$230
Handshower includes vacuum	Matte Black	US-HS051MB	\$230
breaker and flow restrictor	Brushed Brass	US-HS051BB	\$230
Flow rate: 1.75 GPM	Graphite	US-HS051GR	\$230
CSA listed, Massachusetts code approved, CEC compliant	Brushed Gold	US-HS051BG	\$230








# MODERN HANDSHOWER

Single spray	Polished Chrome	US-SH965C
Handshower features EasyClean anti-limescale nozzles	Polished Nickel Satin Nickel	US-SH965N US-SH965V
Handshower includes vacuum breaker and flow restrictor	Matte Black Brushed Brass	US-SH965MB US-SH965BB
Flow rate: 1.75 GPM	Graphite	US-SH965GR
Massachusetts code approved, IAPMO listed, CEC compliant	Brushed Gold	US-SH965BG



\$140 \$170 \$170 \$170 \$170 \$170





#### **WALDORF HANDSHOWER**

Single spray


Flow rate: 1.75 GPM

IAPMO listed, Massachusetts code approved, CEC compliant & WaterSense compliant

Polished Chrome Polished Nickel US-WFHANDSETC US-WFHANDSETN

\$320 \$380











#### **BELGRAVIA HANDSHOWER**

Single spray


Flow rate: 1.75 GPM

IAPMO listed, Massachusetts code approved, CEC compliant & WaterSense compliant

Polished Chrome Polished Nickel US-BLHANDSETC US-BLHANDSETN

\$210 \$230









#### 59" HANDSHOWER HOSE

Double-spiral brass hose
Length: 59"
1/2" female threads
IAPMO listed

Polished Chrome US-SH970C \$120 Polished Nickel US-SH970N \$170 Satin Nickel \$170 US-SH970V Matte Black US-SH970MB \$170 Brushed Brass US-SH970BB \$170 \$170 Unlacquered Brass US-SH970B Graphite \$170 US-SH970GR Brushed Black Chrome US-SH970BBC \$170 US-SH970BG Brushed Gold \$170





### FENMORE WALL BRACKET WITH OUTLET

Includes vacuum breaker

Graphite


Inlet connection size	: 1/2" NPT male	
IAPMO (pending)		
Polished Chrome	28-35-PC	\$240

28-35-GR

\$290










#### TAOS WALL BRACKET WITH OUTLET

Includes vacuum breaker

Inlet connection size	e: 1/2" NPT male	
IAPMO listed		
Polished Chrome	17-35-PC	\$230
Polished Nickel	17-35-PN	\$290
Satin Nickel	17-35-SN	\$290
Matte Black	17-35-MB	\$290
Brushed Gold	17-35-BG	\$290










#### MODERN WALL BRACKET WITH OUTLET

Includes vacuum breaker

Inlet connection size	:: 1/2" NPT	
Polished Chrome	US-WB983C	\$150
Polished Nickel	US-WB983N	\$210
Satin Nickel	US-WB983V	\$210
Matte Black	US-WB983MB	\$210
Brushed Brass	US-WB983BB	\$210
Brushed Gold	US-WB983BG	\$210





#### TRADITIONAL WALL BRACKET WITH OUTLET


Includes vacuum breaker


Inlet connection size: 1/2" NPT male

IAPMO listed

US-BL963C Polished Chrome \$230 Polished Nickel US-BL963N \$260










#### LEYDEN WALL BRACKET WITH OUTLET

Includes vacuum breaker

Inlet connection size	e: 1/2" NPT male	
IAPMO listed		
Polished Chrome	14-35-PC	\$230
Polished Nickel	14-35-PN	\$290
Satin Nickel	14-35-SN	\$290







#### DARBY WALL BRACKET WITH OUTLET


Includes vacuum breaker

Inlet connection size: 1/2" NPT male

Massachusetts code approved & IAPMO listed

Polished Chrome	15-35-PC	\$230
Polished Nickel	15-35-PN	\$260
Satin Nickel	15-35-SN	\$260








#### MODERN WALL BRACKET

Polished Chrome	US-WB963C	\$90
Polished Nickel	US-WB963N	\$120
Satin Nickel	US-WB963S	\$120
Unlacquered Brass	US-WB963B	\$120





#### TRADITIONAL WALL BRACKET


IAPMO listed

Massachusetts code approved

 Polished Chrome
 US-BL953C
 \$160

 Polished Nickel
 US-BL953N
 \$200











#### **HEIR WALL OUTLET**


Includes vacuum breaker

Inlet connection: 1/2" NPT female

IAPMO listed

Brushed Brass 18-33-BB \$230 Polished Nickel 18-33-PN \$230







#### **DARBY WALL OUTLET**


Includes vacuum breaker

Inlet connection size: 1/2" NPT male

Massachusetts code approved & IAPMO listed

\$210 Polished Chrome 15-33-PC Polished Nickel 15-33-PN \$230 Satin Nickel 15-33-SN \$230







#### MODERN ROUND WALL OUTLET


Includes vacuum breaker

Inlet connection size: 1/2" NPT female

IAPMO listed

Polished Chrome	US-WL953C	\$150
Polished Nickel	US-WL953N	\$210
Satin Nickel	US-WL953V	\$210
Matte Black	US-WL953MB	\$210
Brushed Brass	US-WL953BB	\$210
Graphite	US-WL953GR	\$210
Brushed Gold	US-WL953BG	\$210







#### TRADITIONAL WALLOUTLET


Includes vacuum breaker

Inlet connection size: 1/2" NPT female

IAPMO listed

Polished Chrome US-WF953C \$150 Polished Nickel US-WF953N \$170









# ACCESSORIES









UNITING FORM AND FUNCTION TO COMPLETE THE BATHROOM DESIGN OF YOUR DREAMS.

#### FENMORE PAPER HOLDER

Polished Chrome **28-58-PC \$150** Graphite **28-58-GR \$170** 



#### FENMORE ROBE HOOK

Polished Chrome 28-51-PC \$120
Graphite 28-51-GR \$150



#### FENMORE HAND TOWEL BAR

Polished Chrome **28-60-PC \$200** Graphite **28-60-GR \$230** 



#### FENMORE 18" TOWEL BAR

Polished Chrome **28-65-PC \$230** Graphite **28-65-GR \$280** 

Note: Bar cannot be cut



#### FENMORE 24" TOWEL BAR

Polished Chrome **28-67-PC \$260** Graphite **28-67-GR \$320** 

Note: Bar cannot be cut



#### TAOS PAPER HOLDER / TOWEL RING

Polished Chrome	17-58-PC	\$120
Polished Nickel	17-58-PN	\$140
Satin Nickel	17-58-SN	\$140
Matte Black	17-58-MB	\$140
Brushed Gold	17-58-BC	\$140



#### TAOS ROBE HOOK

Polished Chrome	17-51-PC	\$90
Polished Nickel	17-51-PN	\$120
Satin Nickel	17-51-SN	\$120
Matte Black	17-51-MB	\$120
Brushed Gold	17-51-BG	\$120



#### TAOS 7" TOWEL BAR

Polished Chrome	17-59-PC	\$130
Polished Nickel	17-59-PN	\$150
Satin Nickel	17-59-SN	\$150
Matte Black	17-59-MB	\$150
Brushed Gold	17-59-BG	\$150





#### TAOS 18" TOWEL BAR

Polished Chrome	17-65-PC	\$150
Polished Nickel	17-65-PN	\$170
Satin Nickel	17-65-SN	\$170
Matte Black	17-65-MB	\$170
Brushed Gold	17-65-BG	\$170

Note: Bar cannot be cut



#### TAOS 24" TOWEL BAR

Polished Chrome	17-66-PC	\$170
Polished Nickel	17-66-PN	\$210
Satin Nickel	17-66-SN	\$210
Matte Black	17-66-MB	\$210
Brushed Gold	17-66-BG	\$210

Note: Bar cannot be cut



#### HEIR PAPER HOLDER

 Brushed Brass
 18-58-BB
 \$260

 Polished Nickel
 18-58-PN
 \$260



#### HEIR ROBE HOOK

 Brushed Brass
 18-51-BB
 \$170

 Polished Nickel
 18-51-PN
 \$170



#### HEIR TOWEL RING

Brushed Brass 18-55-BB \$230
Polished Nickel 18-55-PN \$230



#### HEIR 24" TOWEL BAR

 Brushed Brass
 18-66-BB
 \$400

 Polished Nickel
 18-66-PN
 \$400



# MPRO PAPER HOLDER

Polished Chrome	US-PRO029C	\$140
Matte Black	US-PRO029MB	\$170
Brushed Brass	US-PRO029BB	\$170
Satin Nickel	US-PRO029V	\$170



#### MPRO ROBE HOOK

Polished Chrome	US-PRO022C	\$90
Matte Black	US-PRO022MB	\$120
Brushed Brass	US-PRO022BB	\$120
Satin Nickel	US-PRO022SN	\$120



# MPRO TOWEL HOLDER

Polished Chrome	US-PRO013C	\$150
Matte Black	US-PRO013MB	\$210
Brushed Brass	US-PRO013BB	\$210
Satin Nickel	US-PRO013V	\$210



#### MPRO TOWEL BAR

Polished Chrome	US-PRO024C	\$210
Matte Black	US-PRO024MB	\$260
Brushed Brass	US-PRO024BB	\$260
Satin Nickel	US-PRO024V	\$260



#### UNION PAPER HOLDER

Polished Chrome	US-UN029C	\$320
Unlacquered Brass	US-UN029B	\$320
Brushed Black Chrome	US-UN029BBC	\$440
Brushed Nickel	US-UN029BN	\$440




# UNION ROBE HOOK

Polished Chrome	US-UN022C	\$150
Unlacquered Brass	US-UN022B	\$150
Brushed Black Chrome	US-UN022BBC	\$180
Brushed Nickel	US-UN022BN	\$180



#### UNION 9" TOWEL HOLDER

Polished Chrome	US-UN013C	\$320
Unlacquered Brass	US-UN013B	\$320
Brushed Black Chrome	US-UN013BBC	\$440
Brushed Nickel	US-UN013BN	\$440





#### UNION 20" TOWEL BAR

Polished Chrome	US-UN023C	\$480
Unlacquered Brass	US-UN023B	\$480
Brushed Black Chrome	US-UN023BBC	\$600
Brushed Nickel	US-UN023BN	\$600

Note: Bar cannot be cut



#### UNION WALL-MOUNT SOAP DISPENSER

Polished Chrome	US-UN011C	\$440
Unlacquered Brass	US-UN011B	\$440
Brushed Black Chrome	US-UN011BBC	\$550
Brushed Nickel	US-UN011BN	\$550



#### UNION WALL-MOUNT TOILET BRUSH AND HOLDER

Polished Chrome	US-UN025C	\$820
Unlacquered Brass	US-UN025B	\$820
Brushed Black Chrome	US-UN025BBC	\$930
Brushed Nickel	US-UN025BN	\$930



#### DARBY PAPER HOLDER

Polished Chrome	15-59-PC	\$160
Polished Nickel	15-59-PN	\$200
Satin Nickel	15-59-SN	\$200



#### DARBY ROBE HOOK

Polished Chrome	15-51-PC	\$90
Polished Nickel	15-51-PN	\$120
Satin Nickel	15-51-SN	\$120



#### DARBY TOWEL RING

Polished Chrome	15-55-PC	\$160
Polished Nickel	15-55-PN	\$200
Satin Nickel	15-55-SN	\$200



#### DARBY 18" TOWEL BAR

Polished Chrome	15-65-PC	\$170
Polished Nickel	15-65-PN	\$210
Satin Nickel	15-65-SN	\$210

Note: Bar cannot be cut



#### DARBY 24" TOWEL BAR

Polished Chrome	15-66-PC	\$180
Polished Nickel	15-66-PN	\$220
Satin Nickel	15-66-SN	\$220

Note: Bar cannot be cut



# LEYDEN PAPER HOLDER / TOWEL RING

Polished Chrome	14-58-PC	\$120
Polished Nickel	14-58-PN	\$140
Satin Nickel	14-58-SN	\$140



#### LEYDEN ROBE HOOK

Polished Chrome	14-51-PC	\$90
Polished Nickel	14-51-PN	\$120
Satin Nickel	14-51-SN	\$120



# LEYDEN 18" TOWEL BAR

Polished Chrome	14-65-PC	\$150
Polished Nickel	14-65-PN	\$170
Satin Nickel	14-65-SN	\$170



#### LEYDEN 24" TOWEL BAR

Polished Chrome	14-66-PC	\$170
Polished Nickel	14-66-PN	\$210
Satin Nickel	14-66-SN	\$210



# BEREA PAPER HOLDER / TOWEL RING

Polished Chrome	11-58-PC	\$120
Polished Nickel	11-58-PN	\$140
Satin Nickel	11-58-SN	\$140



#### BEREA ROBE HOOK

Polished Chrome	11-51-PC	\$90
Polished Nickel	11-51-PN	\$120
Satin Nickel	11-51-SN	\$120



#### BEREA 18" TOWEL BAR

Polished Chrome	11-65-PC	\$150
Polished Nickel	11-65-PN	\$170
Satin Nickel	11-65-SN	\$170



#### BEREA 24" TOWEL BAR

Polished Chrome	11-66-PC	\$170
Polished Nickel	11-66-PN	\$210
Satin Nickel	11-66-SN	\$210





# BATHTUBS



# STRIKING AND POLISHED, SET THE STAGE WITH BATHTUBS OF DISTINCTION

At the core of our collection are enduring designs and groundbreaking materials. Every Crosswater London bathtub is engineered for long-lasting beauty and exceptional performance. From classic to modern, Crosswater London bathtubs anchor the bathroom in brilliance and style.

# **CLEARSTONE MATERIAL**

ClearStone is a milled sedimentary stone compound with molded polyester polymer coating. The coating is molded onto the bath surface (not painted) thus ensuring long-lasting performance in appearance, color, stability and resistance to scratching or cracking.

#### **BEAUTY**

ClearStone allows designers more scope to soften the outlines and details of a space with bathtubs that feature elegantly tapering edge details and an overall softer appearance with clean, dynamic lines. Each ClearStone tub is hand-polished for over ten hours. ClearStone material has a lustrous finish across modern and classic designs.

#### STRENGTH & STYLE

The composition of ClearStone creates a tough and hard-wearing compound ideally suited to modern demands for exceptional performance and endurance. Being a molded coating, ClearStone bathtubs have the highest resistance to accidental damage or thermal degradation.

#### **LEYDEN 72" BATHTUB**

Size: L 72" x W 34" x H 22-1/2"

# Integrated overflow and matching ClearStone drain included

Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance

Center drain position

Generous size and center drain position comfortably accommodates two bathers

Water depth: 17-3/4"

Capacity: 107 gallons

Displaced capacity: 88 gallons

Weight: 312 lbs

Weight with water: 1,203 lbs

IAPMO listed; Massachusetts code (pending)

For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

Semi-Gloss White LEY-F7234-C-WH \$5280



#### Island Tub Drain Adapter


For installation over a finished floor ITD5135 \$400

This item is highly recommended for ease of installation.




See page 319 for detailed information









### **BALTHAZAR BATHTUB WITH WHITE INTERIOR**

Size: L 66" x W 30" x H 28"

Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance

Generous size and center drain position comfortably accommodates two bathers

Water depth: 16-1/4"

Capacity: 62 gallons

Displaced capacity: 43 gallons

Weight: 244 lbs

Weight with water: 703 lbs

IAPMO listed; Massachusetts code approved

### Required waste & overflow sold separately

For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

US-N25BCS Black Exterior \$9200 Gold Exterior US-N25GCS \$9780





### **REQUIRED WASTE & OVERFLOW**

See page 319 for detailed information

### Traditional Trim Exposed Bath Waste & Overflow

Polished Chrome US-CW11C \$460 Unlacquered Brass US-CW11B \$810 Polished Nickel US-CW11N \$810 **Brushed Brass** US-CW11BB \$810 Satin Nickel US-CW11S \$810 Brushed Black Chrome US-CW11BBC \$810 US-CW11MB US-CW11BN Matte Black \$810 Brushed Nickel \$810

Island Tub Drain Adapter

For installation over a finished floor


ITD5135 \$400


This item is highly recommended for ease of installation.





51-1/8'





### TAOS BACK-TO-WALL BATHTUB

Size: L 62" x W 31-1/2" x H 21-5/8"

### Integrated overflow and matching ClearStone drain included

Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance

Sits flush against the wall

Ledge provides platform for deck-mount tub filler

Undrilled ledge

Generous size and center drain position comfortably accommodates two bathers

Water depth: 17"

Capacity: 92 gallons

Displaced capacity: 74 gallons

Weight: 295 lbs

Weight with water: 829 lbs

IAPMO listed, Massachusetts code approved

For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

Semi-Gloss White TAO-F6232-C-WH \$4980



### Island Tub Drain Adapter

For installation over a finished floor ITD5135 \$400

This item is highly recommended for ease of installation.







### **HEIR 5' BATHTUB**

Size: L 60" x W 32" x H 22-1/2"

## Integrated overflow and matching ClearStone drain included

Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance

Center drain position

Water depth: 17-3/4"

Capacity: 95 gallons

Displaced capacity: 76 gallons

Weight: 264 lbs

Weight with water: 843 lbs

IAPMO listed

Massachusetts code approved

For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

Semi-Gloss White HEI-F6032-C-WH \$4480


### Island Tub Drain Adapter


For installation over a finished floor ITD5135 \$400


This item is highly recommended for ease of installation.











### HEIR 5.5' BATHTUB

Size: L 66" x W 32" x H 22-1/2"

## Integrated overflow and matching ClearStone drain included

Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance

Center drain position

Generous size and center drain position comfortably accommodates two bathers

Water depth: 17-3/4"

Capacity: 111 gallons

Displaced capacity: 93 gallons

Weight: 284 lbs

Weight with water: 935 lbs

IAPMO listed

Massachusetts code approved

For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

Semi-Gloss White HEI-F6632-C-WH \$4980




### Island Tub Drain Adapter


For installation over a finished floor ITD5135 \$400

This item is highly recommended for ease of installation.









### MPRO 5' BATHTUB

Size: L 59 " x W 31-1/2" x H 22-1/2"

## Integrated overflow and matching ClearStone drain included

Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance

Center drain position comfortably accommodates two bathers

Water depth: 17-3/4"

Capacity: 96 gallons

Displaced capacity: 77 gallons

Weight: 216 lbs

Weight with water: 770 lbs

IAPMO listed

Massachusetts code approved

For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

Semi-Gloss White PRO-F5932-C-WH \$4480

NEW!

Matte White PRO-F5932-C-MW \$4480

### **NOW AVAILABLE IN SEMI-GLOSS OR MATTE WHITE**




### Island Tub Drain Adapter

For installation over a finished floor ITD5135 \$400

This item is highly recommended for ease of installation.







### MPRO 5.5' BATHTUB

Size: L 66-1/2" x W 31-1/2" x H 22-1/2"

## Integrated overflow and matching ClearStone drain included

Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance

Generous size and center drain position comfortably accommodates two bathers

Water depth: 17-3/4"

Capacity: 110 gallons

Displaced capacity: 91 gallons

Weight: 293 lbs

Weight with water: 937lbs

IAPMO listed

Massachusetts code approved

For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

Semi-Gloss White PRO-F6732-C-WH \$4980

NEW!

Matte White **PRO-F6732-C-MW \$4980** 

### NOW AVAILABLE IN SEMI-GLOSS OR MATTE WHITE




### Island Tub Drain Adapter


For installation over a finished floor ITD5135 \$400


This item is highly recommended for ease of installation.











### **BELGRAVIA PEDESTAL BATHTUB**

Size: L 66-1/2" x W 31-1/2" x H 24-1/8"

Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance

Center drain position comfortably accommodates two bathers

Water depth: 15-2/4"

Capacity: 67 gallons

Displaced capacity: 49 gallons

Weight: 235 lbs

Weight with water: 675 lbs

IAPMO listed

Massachusetts code approved

Not suitable for rim mounting faucet

### Required waste & overflow sold separately

For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

Semi-Gloss White BEL-F6732-C-PD-WH \$4980





### **REQUIRED WASTE & OVERFLOW**

See page 319 for detailed information

### Traditional Trim Exposed Bath Waste & Overflow

 Polished Chrome
 US-CW11C
 \$460
 Ur

 Polished Nickel
 US-CW11N
 \$810
 Br

 Satin Nickel
 US-CW11S
 \$810
 Br

 Matte Black
 US-CW11MB
 \$810
 Br

 Unlacquered Brass
 US-CW11B
 \$810

 Brushed Brass
 US-CW11BB
 \$810

 Brushed Black Chrome
 US-CW11BBC
 \$810

 Brushed Nickel
 US-CW11BN
 \$810


### Island Tub Drain Adapter


For installation over a finished floor ITD5135 \$400

This item is highly recommended for

ease of installation.







### **BELGRAVIA FOOTED BATHTUB**

Size: L 66-1/2" x W 31-1/2" x H 26-1/8"

Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance

Center drain position comfortably accommodates two bathers

Water depth: 15-1/4"

Capacity: 64 gallons

Displaced capacity: 45 gallons

Weight: 196 lbs (bathtub only)

Weight with water: 636 lbs (bathtub only)

IAPMO listed

Massachusetts code approved

Not suitable for rim mounting faucet

### Required waste & overflow sold separately

BELGRAVIA Footed Bathtub with Polished Chrome Claw Feet BEL-F6732-C-FT-WH-C \$4980

BELGRAVIA Footed Bathtub with Polished Nickel Claw Feet
BEL-F6732-C-FT-WH-N \$4980

BELGRAVIA Footed Bathtub with White Claw Feet

BEL-F6732-C-FT-WH



### REQUIRED WASTE AND OVERFLOW

Traditional trim exposed bath waste & overflow


Polished ChromeUS-BTW0222C\$810Polished NickelUS-BTW0222N\$1040Satin NickelUS-BTW0222V\$1040


See page 319 for detailed information



\$4980







#### BELGRAVIA SLIPPER FREESTANDING FOOTED BATHTUB

Size: L 60" x W 31" x H 31-5/8"

Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance

Claw feet available in Polished chrome, Polished nickel and White

End drain position

Water depth: 15"

Capacity: 54 gallons

Displaced capacity: 36 gallons

Weight: 196 lbs (bathtub only)

Weight with water: 563 lbs (bathtub only)

IAPMO listed

Massachusetts code approved

Not suitable for rim mounting faucet

### Required waste & overflow sold separately

Belgravia Slipper Footed Bathtub with Polished Chrome Claw Feet **BEL-F6031-E-FT-WH-C** \$4980

Belgravia Slipper Footed Bathtub with Polished Nickel Claw Feet BEL-F6031-E-FT-WH-N \$4980


Belgravia Slipper Footed Bathtub with White Claw Feet

BEL-F6031-E-FT-WH \$4480



# REQUIRED WASTE AND OVERFLOW Traditional trim exposed bath waste & overflow Polished Chrome US-BTW0222C \$810 Polished Nickel US-BTW0222N \$1040 Satin Nickel US-BTW0222V \$1040 See page 319 for detailed information







# RESSA SPA TOILETS



REFRESHING AND REJUVENATING.
A NEW LEVEL OF
PERSONALIZED COMFORT.

With elegant Scandinavian design and efficient performance, Ressa offers an unmatched balance of features, aesthetics, and surprising affordability.

### NEW!

### **RESSA X3 SPA TOILET**

One-piece toilet with integrated cleaning and comfort functions

Universal-height, ADA compliant, skirted bowl

NEW - Auto and Foot touch open lid

NEW -Coated with antibacterial Nanoglaze to

inhibit bacterial growth

SoftClose, anti-bacterial seat

Operated by 360° wireless remote control with wall-mount hanger (included)

Heated seat with temperature control (6 levels)

Front and rear washing with adjustable temperature (6 levels), pressure (4 levels), and nozzle position (5 levels)

Arc-shaped spray wand for wider spray range and greater distance from falling waste

Warm air dryer with adjustable temperature (6 levels)

Deodorizer and Ultraviolet spray head disinfection

Night light

Auto and Foot touch flush

Remote control open lid

Size: L 27-3/4" x W 15-3/4" x H 19-3/4"

Dual flushing system 1.28/1.0 GPF

MAP flushing performance score: 800 grams

12" rough-ir

ADA compliant, IAPMO listed and WaterSense compliant

Ressa X3 Spa Toilet US-RS300W

\$ 2850



















### **RESSA X1 SPA TOILET**

One-piece toilet with integrated cleaning and comfort functions

Skirted bowl

SoftClose, anti-bacterial seat

Operated by remote control with wall-mount hanger (included)

Heated seat with temperature control (6 levels)

Front and rear washing with adjustable temperature

(6 levels), pressure (3 levels) and nozzle position (5 levels)

Arc-shaped spray wand for wider spray range and greater distance from falling waste

Warm air dryer with adjustable temperature

(6 levels) and volume (6 levels)

Deodorizer

Night light

Auto flush feature

Includes 2 user ID settings

Size: L 27-1/8" x W 16-1/8"x H 18-3/4"

Single flushing system 1.25 GPF (4.8 LPF)

MAP flushing performance score: 800 grams

IAPMO listed; Massachusetts code approved

WaterSense compliant

Ressa X1 Spa Toilet


US-RS100W

\$1990









### **RESSA X2 WALL-HUNG SPA TOILET**

One-piece, wall-hung toilet with integrated cleaning and comfort function

Skirted bowl

SoftClose, anti-bacterial seat

Operated by remote control with wall-mount hanger (included)

Heated seat with temperature control (6 levels)

Front and rear washing with adjustable temperature

(6 levels), pressure (3 levels) and nozzle position (5 levels)

Arc-shaped spray wand for wider spray range and greater distance from falling waste

Warm air dryer with adjustable temperature (6 levels) and volume (6 levels)

Deodorizer

Night light

Auto flush feature

Includes 2 user ID settings

Size: L 23-7/8" x W 15-5/8"x H 17-1/8"

Dual flushing system 1.25 GPF/6.0 LPF (full

flush); 1.1 GPF/4.1 LPF (half flush)

MAP flushing performance score: 600 grams

## Ressa X2 in-wall carrier included (not compatible with other in-wall carriers)

IAPMO listed; Massachusetts code approved

WaterSense compliant

 $Dual\,flush\,actuator\,plates\,sold\,separately$ 

Ressa X2 Spa Toilet U

US-RS200WHSET

\$3790









### SET COMPONENTS


Ressa X2, Bowl only with remote US-RS200W \$2790


Ressa X2, Tank/Cistern


US-RS200-TC \$1000











### RESSA X2 DUAL FLUSH ACTUATOR PLATES


Size: W  $9-5/8 \times H 6-4/8 \times D 0-3/8$ 


Material: ABS (Acrylonitrile butadiene styrene)


Only compatible with Ressa X2


Wall-hung Spa Toilet (US-RS200WHSET)

White	US-RSPLT-WH	\$200
Polished Chrome	US-RSPLT-PC	\$200
Brushed Brass	US-RSPLT-BB	\$300
Satin Nickel	US-RSPLT-SN	\$300
Polished Nickel	US-RSPLT-PN	\$300
Matte Black	US-RSPLT-MB	\$300
Graphite	US-RSPLT-GR	\$300
















# Smart Features



### **Spray Pressure**

3 adjustable pressure levels.



### **Front Spray**

Multi-directional front washing function, adjustable to your cleaning needs.



### Water Temperature

6 adjustable water temperature levels.



### Night Light

In-howl illumination





FLUSH

LIGHT



### Wand Position

5 adjustable nozzle positions.



### Rear Spray

Multi-directional rear washing function, adjustable to your cleaning needs.



### Seat Temperature

6 seat temperature levels, distributed evenly through an energy-saving aluminum film.



### Flush

Remote-control flush option.



### Two User ID Settings

Select your favorite pressure, position and temperature with the push of a button.



### **Dryer Temperature**

Adjustable dryer temperature, from room-temperature to 54°F.



Soft, warm wind drying.



# TOILETS



# TIMELESS DESIGNS TO SUIT ALL BATHROOM STYLES

From streamlined designs to traditional styles, choose from a beautiful selection of sanitaryware products to create your ideal bathroom suite. Manufactured using only the finest materials and the latest production techniques, each product will reflect a sense of individual style.

### HEIR ONE-PIECE SINGLE-FLUSH TOILET

Size: L 28-1/2" x W 16-1/4" x H 29-1/2"

Seat included

Single flushing system: 1.28 GPF (4.8 LPF)

MAP flushing performance score: 1,000 grams

Universal-height skirted and rimless bowl

Elongated bowl with US-SEATU8 SoftClose quick-release seat

Chrome-plated, left-hand side-mount trip lever

Concealed, fully-glazed trapway

8-1/4" x 5-1/4" water surface size

12" rough-in

IAPMO listed; Massachusetts code approved

WaterSense compliant

Fluidmaster parts with 5 year warranty

Heir one-piece single-flush toilet

US-HEI9005CW-SF \$990

Trip lever

 Polished Chrome
 US-PRO9005CWSF-PC-LV
 \$130

 Polished Nickel
 US-PRO9005CWSF-PN-LV
 \$130

 Satin Nickel
 US-PRO9005CWSF-SN-LV
 \$130\*

 Matte Black
 US-PRO9005CWSF-MB-LV
 \$130

 Brushed Brass
 US-PRO9005CWSF-BB-LV
 \$130

 Graphite
 US-PRO9005CWSF-GR-LV
 \$150


 Brushed Gold
 US-PRO9005CWSF-BG-LV
 \$150


Crosswater London toilet bowls are coated with antibacterial Nanoglaze. The glaze is applied to the ceramic surface during the manufacturing process and is fired on under intense heat. Nanoglaze helps prevent the build-up of bacteria and debris, making cleaning much easier.











### MPRO ONE-PIECE SINGLE-FLUSH TOILET

Size: L 28" x W 14-1/2" x H 29-1/2"

Seat included

Single flushing system: 1.28 GPF (4.8 LPF)

MAP flushing performance score: 1,000 grams

Universal-height skirted bowl

Elongated bowl with US-SEATP3 SoftClose quick-release seat

Chrome-plated side-mount trip lever

Concealed, fully Nanoglazed trapway

9-1/4" x 6-1/4" water surface size

12" rough-in

IAPMO listed; Massachusetts code approved

WaterSense compliant

Fluidmaster parts with a 5 year warranty

MPRO one-piece single-flush toilet

 White
 US-PRO9005CW-SF
 \$990

 Matte Black
 US-PRO9005MB-SF
 \$1850

### Rectangular Trip lever

US-PRO9005CWSF-PC-LV	\$130
US-PRO9005CWSF-PN-LV	\$130
US-PRO9005CWSF-SN-LV	\$130*
US-PRO9005CWSF-MB-LV	\$130
US-PRO9005CWSF-BB-LV	\$130
US-PRO9005CWSF-GR-LV	\$150
US-PRO9005CWSF-BG-LV	\$150
	US-PRO9005CWSF-PN-LV US-PRO9005CWSF-SN-LV US-PRO9005CWSF-MB-LV US-PRO9005CWSF-BB-LV


Crosswater London toilet bowls are coated with antibacterial Nanoglaze. The glaze is applied to the ceramic surface during the manufacturing process and is fired on under intense heat. Nanoglaze helps prevent the build-up of bacteria and debris, making cleaning much easier.




### \*6 WEEK LEAD TIME









#### MPRO ONE-PIECE DUAL-FLUSH TOILET

Size: L 28" x W 14-1/2" x H 29-1/2"

Seat included

Dual flushing system: 1.28 GPF (4.8 LPF) / 1.0 GPF (3.8 LPF)

MAP flushing performance score: 800 grams

Universal-height skirted bowl

Elongated bowl with US-SEATP3 SoftClose quick-release seat

Chrome-plated and white top-mount flush buttons included

Concealed, fully-glazed trapway

9-1/4" x 6-1/4" water surface size

12" rough-in

IAPMO listed; Massachusetts code approved

WaterSense compliant

Fluidmaster parts with  $5\ year\ warranty$ 

MPRO one-piece dual-flush toilet **US-PRO9005CW** 

MPRO Button		
White	US-PROBTN-WH	\$50
Polished Chrome	US-PROBTN-PC	\$50
Matte Black	US-PROBTN-MB	\$200
Polished Nickel	US-PROBTN-PN	\$200
Satin Nickel	US-PROBTN-SN	\$200
Brushed Brass	US-PROBTN-BB	\$200
Brushed Gold	US-PROBTN-BG	\$200
Graphite	US-PROBTN-GR	\$200


\$990


Crosswater London toilet bowls are coated with antibacterial Nanoglaze. The glaze is applied to the ceramic surface during the manufacturing process and is fired on under intense heat. Nanoglaze helps prevent the build-up of bacteria and debris, making cleaning much easier.











#### MPRO WALL-HUNG TOILET

Size: L 23-1/2" x W 14" x H 16-3/4"

Seat included

Dual-flushing system: 1.6 GPF (6.0 LPF) / 0.8 GPF (3.0 LPF)

MAP flushing performance score: 800 grams

Universal-height skirted bowl

Elongated bowl with US-SEATP3 SoftClose quick-release seat

In-wall carrier not included. Tested and approved on the Geberit 111.335.00.5 and the Geberit 111.798.00.1

Concealed, fully-glazed trapway

9-1/4" x 6-1/4" water surface size

12" rough-in

IAPMO-listed and Massachusetts code (pending)

WaterSense compliant

Flush actuator plate not included

 White
 US-PRO1050WH
 \$660

 Matte Black
 US-PRO1050MB
 \$1140


Crosswater London toilet bowls are coated with antibacterial Nanoglaze. The glaze is applied to the ceramic surface during the manufacturing process and is fired on under intense heat. Nanoglaze helps prevent the build-up of bacteria and debris, making cleaning much easier. \*








\*Nanoglaze coating available on White only





#### FLUSH BUTTON (MPRO DUAL-FLUSH)

White	US-PROBTN-WH	\$50
Polished Chrome	US-PROBTN-PC	\$50
Matte Black	US-PROBTN-MB	\$200
Polished Nickel	US-PROBTN-PN	\$200
Satin Nickel	US-PROBTN-SN	\$200
Brushed Brass	US-PROBTN-BB	\$200
Brushed Gold	US-PROBTN-BG	\$200
Graphite	US-PROBTN-GR	\$200



#### TRIP LEVER (HEIR ONE-PIECE AND MPRO ONE-PIECE SINGLE FLUSH)

Polished Chrome	US-PRO9005CWSF-PC-LV	\$130
Polished Nickel	US-PRO9005CWSF-PN-LV	\$130
Satin Nickel	US-PRO9005CWSF-SN-LV	\$130*
Matte Black	US-PRO9005CWSF-MB-LV	\$130
Brushed Brass	US-PRO9005CWSF-BB-LV	\$130
Brushed Gold	US-PRO9005CWSF-BG-LV	\$150
Graphite	US-PRO9005CWSF-GR-LV	\$150



\*6 WEEK LEAD TIME

#### SOFTCLOSE, QUICK-RELEASE ELONGATED SEAT

Seat fits all Crosswater London toilets

Visible seat

White US-SEATU1 \$140




#### SOFTCLOSE, QUICK-RELEASE ELONGATED SEAT

Seat fits all Crosswater London toilets

Hidden seat

White US-SEATP3 \$140
Matte Black US-SEATP3-MB \$210






#### SOFTCLOSE, QUICK-RELEASE ELONGATED SEAT

Seat fits all Crosswater London toilets

Visible seat, Ridged seat cover

White US-SEATU8 \$140





## BATH FURNITURE



## UNDERSTATED LUXURY WITH SPACE FOR ALL THE ESSENTIALS

Meticulous craftsmanship, elegant design, and generous storage define our modern wall-hung vanities. Sleek finishes combine with the ultimate in functional details to create style and harmony in the bathroom.

#### MPRO 24" VANITY

Space-saving design offers clean, streamlined look

Two drawers provide ample storage

 ${\sf SlowClose}\ {\sf hardware}$ 

Includes mounting brackets


Vanity size: 23-1/4" W x 17-3/8" D x 20-1/2" H

 $\label{thm:continuous} Vanity\ material:\ Medium-density\ fiberboard\ (MDF)$  with lacquer finish

Base-drawer organizers are available (sold separately).

Faucet sold seperately.







White

#### US-PRO24DWH-U

\$2460

\*This SKU consists of Vanity and Basin Top



Coffee

#### US-PRO24DCO-U

\$2460

\*This SKU consists of Vanity and Basin Top



Storm Grey

#### US-PRO24DSG-U

\$2460

\*This SKU consists of Vanity and Basin Top

#### MPRO 28" VANITY

Space-saving design offers clean, streamlined look

Two drawers provide ample storage

SlowClose hardware

Includes mounting brackets

Vanity size: 27-1/8" W x 17-3/8" D x 20-1/2" H

 $\label{thm:prop:material:Medium-density fiberboard (MDF)} Vanity material: Medium-density fiberboard (MDF)$ 

with lacquer finish

Base-drawer organizers are available (sold separately).

Faucet sold seperately.



White

US-PRO28DWH-U

\$2750

\*This SKU consists of Vanity and Basin Top



Coffee

US-PRO28DCO-U

\$2750

\*This SKU consists of Vanity and Basin Top



Storm Grey

US-PRO28DSG-U

\$2750

\*This SKU consists of Vanity and Basin Top

#### SET COMPONENTS

MPRO 28" Double Drawer Vanity

White

US-PRO28DWH **\$2060** 

Coffee

US-PRO28DCO **\$2060** 

Storm grey


US-PRO28DSG \$2060

C ... 00"D . T

Smith 28" Basin Top

 ${\sf Undrilled}$ 

SMI-BT28-WH \$690



#### MPRO 39" VANITY

Space-saving design offers clean, streamlined look

Two drawers provide ample storage

 ${\sf SlowClose}\ {\sf hardware}$ 

Includes mounting brackets


Vanity size: 39" W x 17-3/8" D  $\times$  20-1/2" H

 $\label{thm:continuous} Vanity\ material:\ Medium-density\ fiberboard\ (MDF)$  with lacquer finish

Base-drawer organizers are available (sold separately).

Faucet sold seperately.







White

#### US-PRO39DWH-U

\$3090

\*This SKU consists of Vanity and Basin Top



#### Coffee

#### US-PRO39DCO-U

\$3090

\*This SKU consists of Vanity and Basin Top



#### Storm Grey

#### US-PRO39DSG-U

\$3090

\*This SKU consists of Vanity and Basin Top

#### MPRO 48" VANITY

Space-saving design offers clean, streamlined look

Two drawers provide ample storage

SlowClose hardware

Includes mounting brackets

Vanity size: 46-7/8" W x 17-3/8" D x 20-1/2" H

 $\label{thm:prop:material:Medium-density fiberboard (MDF)} Vanity material: Medium-density fiberboard (MDF)$ 

with lacquer finish

Base-drawer organizers are available (sold separately).

Faucet sold seperately.

**SET COMPONENTS** 

US-PRO48DWH

US-PRO48DCO

US-PRO48DSG

Coffee

Storm grey

MPRO 48" Double Drawer Vanity

\$2520

\$2520

\$2520

Smith 48" Basin Top

\$1040

SMI-BT48-WH

Undrilled



White

#### US-PRO48DWH-U

\$3550

\*This SKU consists of Vanity and Basin Top




Coffee

#### US-PRO48DCO-U

\$3550

\*This SKU consists of Vanity and Basin Top





Storm Grey

US-PRO48DSG-U

\$3550

\*This SKU consists of Vanity and Basin Top

# URNITURE

#### MPRO DRAWER ORGANIZERS

Drawer organizers for the MPRO vanities

Solid beech construction

Anthracite color to complement the drawer interior

Dovetail joints for durability

#### Top Drawer, 7 compartments


Size: 14-7/8" W  $\times$  12-1/8" D  $\times$  2" H

US-PROORGTANT \$230

#### Note:

This model is included in all vanity sets as standard.






#### $Base\ Drawer, 1\ compartment$

Size: 12-3/8" W x 7-7/8" D x 4-3/4" H

US-PROORGB1ANT \$120






#### $Base\ Drawer,\ 3\ compartments$

Size: 12-3/8" W x 11-7/8" D x 4-3/4" H

US-PROORGB3ANT \$170






#### Base Drawer, 4 compartments

Size: 12-3/8" W x 11-7/8" D x 4-3/4" H


US-PROORGB4ANT \$210







## BASINS



## DISTINCTIVE BASINS ON FURNITURE, PEDESTALS, OR LEGS

Our basins beckon renewal. Using only the finest materials, find long-lasting quality and style in every piece. Your daily ritual met with uncompromising design and beauty.

#### ARCADE 24" PEDESTAL BASIN SET

Overall size:

W 23-1/4" x D 20-1/2" x H 34-1/2"

Material: Fireclay

Set comprised of basin and pedestal

Basin is available undrilled, or pre-drilled

with one or three faucet holes

Includes both Polished Chrome and Polished Nickel overflow covers

Basin is suitable for wall-hung installation with or without underside support (mounting hardware

for wall-hung installation not supplied).

IAPMO listed

Massachusetts code approved

Undrilled Pedestal Basin Set US-ARC240PB \$630
Single-hole Pedestal Basin Set US-ARC241PB \$630
Three-hole Pedestal Basin Set US-ARC243PB \$630



#### **SET COMPONENTS**



#### Arcade 24" Basin


 Undrilled
 US-ARC600NTH
 \$380


 Single-hole
 US-ARC6001NTH
 \$380

 Three-hole
 US-ARC6003NTH
 \$380

Arcade Pedestal Base US-ARC1 \$250







#### ARCADE 36" BASIN CONSOLE SET

Overall size:

W 35-3/4" x D 21-1/2" x H 33-1/2"

Material: Fireclay

Set comprised of basin and console legs

Basin is available undrilled, or pre-drilled

with one or three faucet holes

Includes both Polished Chrome and

Polished Nickel overflow covers

Basin is suitable for wall-hung installation with or without underside support (mounting hardware for wall-hung installation not supplied).

IAPMO listed

Massachusetts code approved

Undrilled Console SetUS-ARC360CS\$920Single-hole Console SetUS-ARC361CS\$920Three-hole Console SetUS-ARC363CS\$920



#### **SET COMPONENTS**





#### Arcade 36" Basin

Undrilled US-ARC900NTH \$630
Single-hole US-ARC9001NTH \$630
Three-hole US-ARC9003NTH \$630

Arcade console legs (pair) US-ARC2 \$290







#### EDWARDIAN 22" PEDESTAL BASIN SET

Overall size:

W 22" x D 18-1/2" x H 35-1/2"

Material: Vitreous china

Set comprised of basin and pedestal

Basin is pre-drilled for one or three faucet holes

Basin is suitable for wall-hung installation with or without underside support (mounting hardware for wall-hung installation not supplied).

IAPMO listed

Massachusetts code approved

Single-hole Pedestal Basin Set US-EDW221PB \$630
Three-hole Pedestal Basin Set US-EDW223PB \$630



#### **SET COMPONENTS**





Edwardian 22" Basin


Single-hole US-B41TH \$380
Three-hole US-B43TH \$380


Edwardian Pedestal Base US-P1 \$250


UPC C®











#### **CLASSIC 25" BASIN CONSOLE SET**

Overall size:

W 25-5/8" x D 22-3/8" x H 35-1/8"

Material: Vitreous china

Set comprised of basin and metal console

Solid brass decorative console with

functional bars affixed to the wall

Basin is pre-drilled for one or three faucet holes

Basin is not suitable for wall-hung installation without underside support

IAPMO listed

Massachusetts code approved

Single-hole Console Set in Polished Chrome

US-CL251CSC

Three-hole Basin Console Set in Polished Chrome US-CL253CSC \$1270

Single-hole Console Set in Polished Nickel

US-CL251CSN

\$1380

Three-hole Basin Console Set in Polished Nickel

US-CL253CSN

\$1380



#### **SET COMPONENTS**



#### Classic 25" Basin

Single-hole US-B151TH \$550 US-B153TH Three-hole \$550


Classic 24" Basin Console Legs


US-T49ACHR Polished Chrome \$710 Polished Nickel US-T49ANKL \$830

#### 2-3/8" Extension kit:

Polished Chrome US-T49ACHR-EXT \$130 Polished Nickel US-T49ANKL-EXT \$150







#### **SMITH BASIN TOPS**

Basin sizes:

24" - W 23-5/8" x D 17-1/2" x H 5-1/8"

28" - W 27-1/2" x D 17-1/2" x H 5-1/8"

39" - W 39-3/8" x D 17-1/2" x H 5-1/8"

48" - W 47-1/4" x D 17-1/2" x H 5-1/8"

Material: Clearstone

Integrated Overflow

Basin is available undrilled for compatibility with single-hole, widespread or wall-mounted faucets

#### ${\sf Matching\,Click\text{-}Clack\,Drain\,included}$

Basins are not suitable for wall-hung installation without underside support (mounting hardware for wall-hung installation not supplied).

IAPMO and Massachusetts code (pending)






SMITH 24" Basin

Undrilled

SMI-BT24-WH

\$630






SMITH 28" Basin

Undrilled

SMI-BT28-WH

\$690






SMITH 39" Basin

Undrilled

SMI-BT39-WH \$810






SMITH 48" Basin


Undrilled

SMI-BT48-WH **\$1040** 





# UNDERMOUNT BASINS



## ELEGANTLY EFFICIENT

Crafted with ClearStone material, our undermount basins, available in Modern or Traditional styles, are engineered to resist stains and minimize maintenance.

Upgrade your bathroom with style and functionality.

#### SMITH MODERN UNDERMOUNT BASINS

Basin sizes:

19" Oval - W 19" x D 13" x H 7-1/2" 19" Square - W 19" x D 13" x H 7-1/2"

Material: ClearStone

Integrated Overflow

IAPMO and Massachusetts code (pending)

#### NOW AVAILABLE IN SEMI-GLOSS OR MATTE WHITE



SMITH 19" Modern Square Undermount Basin

Semi-Gloss White SMI-UM1913-MSQ-WH \$420


NEW!


Matte White SMI-UM1913-MSQ-MW \$420





SMITH 19" Modern Oval Undermount Basin

Semi-Gloss White SMI-UM1913-MOV-WH \$420









#### SMITH TRADITIONAL UNDERMOUNT BASINS

Basin sizes:

19" Oval - W 19" x D 13" x H 7-1/2" 19" Square - W 19" x D 13" x H 7-1/2"

Material: ClearStone

Integrated Overflow

IAPMO and Massachusetts code (pending)





\$420


SMITH 19" Traditional Square Undermount Basin
Semi-Gloss White SMI-UM1913-TSQ-WH




SMITH 19" Traditional Oval Undermount Basin
Semi-Gloss White SMI-UM1913-TOV-WH \$420









# DRAINS AND WASTE & OVERFLOWS



DESIGNED FOR HIGH QUALITY AND FUNCTIONAL, SEAMLESS INSTALLATION




#### BASIN PUSH DRAIN WITH OVERFLOW

Flange diameter: 2-3/8"

IAPMO listed		
Polished Chrome	US-BSW0117C	\$150
Polished Nickel	US-BSW0117N	\$230
Satin Nickel	US-BSW0117V	\$230
Matte Black	US-BSW0117MB	\$230
Brushed Brass	US-BSW0117BB	\$230
Brushed Gold	US-BSW0117BG	\$230
Graphite	US-BSW0117GR	\$230








#### **BASIN PUSH DRAIN WITH OVERFLOW**

Flange diameter: 2-1/2"

Massachusetts code approved

Unlacquered Brass US-BSW906B \$230
Brushed Nickel US-BSW906BN \$230
Brushed Black Chrome US-BSW906BBC \$230





#### BASIN PUSH DRAIN WITHOUT OVERFLOW


Flange diameter: 2-1/2"

Massachusetts code approved

CSA listed

Polished Chrome	US-BSW0101C	\$150
Polished Nickel	US-BSW0101N	\$230
Brushed Brass	US-BSW0101BB	\$230
Satin Nickel	US-BSW0101V	\$230
Matte Black	US-BSW0101MB	\$230
Brushed Gold	US-BSW0101BG	\$230
Graphite	US-BSW0101GR	\$230







#### **BASIN PUSH DRAIN WITH OVERFLOW**

Flange diameter: 2-3/8"

Massachusetts code approved


 Polished Chrome
 5Y0M0196CP-PC
 \$120

 Polished Nickel
 5Y0M0196RN-PN
 \$120

 Satin Nickel
 5Y0M0196AP-SN
 \$120

 Matte Black
 5Y0M0196MB
 \$120







#### **EXPOSED BATH WASTE AND OVERFLOW**


For use with Balthazar bathtubs

IAPMO listed

Massachusetts code approved

Polished Chrome	US-CW11C	\$460
Polished Nickel	US-CW11N	\$810
Satin Nickel	US-CW11S	\$810*
Matte Black	US-CW11MB	\$810*
Unlacquered Brass	US-CW11B	\$810*
Brushed Brass	US-CW11BB	\$810*
Brushed Black Chrome	US-CW11BBC	\$810*
Brushed Nickel	US-CW11BN	\$810*







### US-BTWOEEK LEAD TIME

#### **EXPOSED BATH WASTE & OVERFLOW**

For use with Belgravia bathtubs

Massachusetts code approved


 $\operatorname{CSA}$  listed

 Polished Chrome
 US-BTW0222C
 \$810

 Polished Nickel
 US-BTW0222N
 \$1040

 Satin Nickel
 US-BTW0222V
 \$1040








#### ISLAND TUB DRAIN

Allows for freestanding tub to be installed over finished floor (before tile installation).

This item is highly recommended for ease of installation.

ITD5135 \$400










# ROUGHS




QUALITY PERFORMANCE COMES FROM WITHIN.

## QUALITY COMES FROM WITHIN



Endurance, quality, economy and safety lay at the core of every Crosswater London thermostatic shower valve.





## THE PERFORMANCE 'HEART' OF THE VALVE

'Vernet CA43' is the world's leading thermostatic cartridge due to its advanced technology in smooth and precise temperature control.

The thermostatic mixers (single or multiple outlet), will maintain their preset water temperature, so whether you switch from one water outlet to another or turn off the water to shampoo your hair, the thermostat will automatically find the exact pre-set temperature when you re-commence your shower, allowing you to relax and enjoy the ultimate showering experience.



## QUALITY CERAMIC DISC CARTRIDGE

The basis for all high-quality shower valves is the performance of the internal turning parts - even after it has been used thousands of times. All Crosswater London thermostatic shower valves use Flühs ceramic disc technology inside the Vernet cartridges - the leading innovator, producer and supplier in the world of water supply products. Each valve is marked with a Flühs symbol as a sign of quality and compliance.

Silky smooth operation and precise water control are characteristic of Flühs products. All raw materials are highly resistant to acidic and alkaline solutions in the bathroom (soap, shampoo, etc). The ceramic discs themselves provide the very best operation and are highly reliable, even when you have wet and soapy hands. The strength of the ceramic discs is extremely durable to prevent the usual wear and tear, even after years of prolonged use.

### COMPONENTS

Crosswater London brassware are manufactured using Flühs and Kerox cartridges, Vernet thermostatic cartridges, Neoperl aerators, Parigi branded hoses and Fluidmaster fill valves, flush valves, and flappers.

All of these components are considered best-in-class and are used by top brands throughout the world.

#### **FLUHS**

Unlike most others, the Flühs cartridge does not require a lubricant which deteriorates or washes away over time making the faucet difficult to operate. Made in Germany, Flühs is considered to be the best ceramic faucet cartridge and is preferred by manufacturers of high-end faucets.

#### **KEROX**

Manufactured by Kerox Kft, a Hungarian manufacturer that specializes in ceramic mixing cartridges for single-lever faucets. It has become the preferred cartridge for single-levers by high-end brands due to its reputation for reliable performance.

#### **VERNET**

Made in France at a factory that uses stringent quality control at the factory level. With a specially optimized thermostatic element and a highly advanced design of the regulation components, Vernet has developed cartridges that provide the best temperature regulation and safety in accordance with world-wide standards.

#### **PARIGI**

Founded in Milan in 1950, Parigi became part of the Neoperl Group in 2014. In 1975, Parigi patented the Parinox, the first flexible hose made of rubber and covered by stainless steel braiding. Parigi is considered to be a pioneer and quality leader in the field. Supply hoses are a key safety component delivering water to the faucet. The inner hose is made of dependable Softpex which has been proven in the market millions of times with a 0% failure rate.

#### **NEOPERL**

Aerators are from Neoperl, a Swiss company founded in 1959, which is considered to make the world's best. Aerators add air to soften the water streams so it will not splash. Today, they are also used to limit water volume to the lower flows required by federal and state water conservation laws. In some cases, they also prevent backflow that can result in the contamination of household drinking water. It is therefore important that this device be the best available.

#### FLUID MASTER

These toilet parts are found in more toilets than all other brands combined - it is the #1 brand of toilet repair parts worldwide. Toilet fill valves refill the toilet tank and bowl to the correct levels after flushing. They replace old-style ballcocks and other older designs. Toilet flapper issues are the leading cause of leaking or running toilets. They provide the seal for the flush valve and control the volume of water released to the bowl. Toilet flush valves control the release of water from the tank to the bowl when the trip lever is pressed.

#### ROUGH FOR WALL-MOUNT THREE-HOLE BASIN FAUCET

Flühs quarter-turn ceramic disc cartridges

Flow rate: 1.2 GPM at 30 PSI

IAPMO listed

Massachusetts code approved

Extension kit: US-130ROUGH-EXT

#### Compatible trims:

US-130ROUGH

- Belgravia
- Union
- Waldorf


US-130ROUGH-2

- MPRO
- Wisp

US-130ROUGH \$400 US-130ROUGH-2 \$400

Extension Kit:

US-130ROUGH-EXT \$120







#### ROUGH FOR WALL-MOUNT SINGLE-LEVER BASIN FAUCET

Right-hand mixer handle

(handle orientation cannot be changed)

Kerox ceramic disc cartridge

Flow rate: 1.2 GPM at 80 PSI


IAPMO listed

Massachusetts code approved

#### Compatible trims:

- MPRO
- Wisp

Polished ChromeUS-120ROUGH-C\$290Matte BlackUS-120ROUGH-MB\$350Brushed BrassUS-120ROUGH-BB\$350Satin NickelUS-120ROUGH-V\$350





#### ROUGH FOR WALL-MOUNT WIDESPREAD BASIN FAUCETFAUCET

Flühs quarter-turn ceramic disc cartridges


IAPMO-listed; Massachusetts code (pending)

#### Compatible trims:

- Taos

- Fenmore

WWM-RGH \$400



#### ROUGH FOR FLOOR-MOUNT SINGLE-HOLE TUB FILLER

Minimum depth into the floor: 2-1/8"

Maximum depth into the floor: 3-1/2"

Water pressure minimum: 20 PSI

Water pressure maximum: 60 PSI

IAPMO listed


Massachusetts code approved

#### Compatible trims:

- Heir
- MPRO
- Wisp

US-418ROUGH \$350





#### ROUGH FOR FLOOR-STANDING PILLAR LEGS

Easy-install floor rough

For pillar legs US-BL002 and US-WF002

For US-BL002 - minimum depth into the floor 1-3/4"

For US-WF002 - minimum depth into the floor 1-1/2", maximum depth into the floor 1-5/8"

Water pressure minimum: 20 PSI

Water pressure maximum: 60 PSI

 ${\sf IAPMO}\: {\sf listed}$ 

Massachusetts code approved


Note: It is REQUIRED that the trim to this rough be on-site for reference at the time of beginning rough-in installation.

#### Compatible trims:

- Belgravia
- Waldorf

US-AA002ROUGH \$350







#### ROUGH FOR UNION FLOOR-MOUNT TUB FILLER

Minimum depth into the floor: 1-3/4"

Maximum depth into the floor: 2-3/4"

Water pressure minimum: 20 PSI


Water pressure maximum: 60 PSI

IAPMO listed

#### Compatible trims:

- Union

US-399ROUGH \$460





#### 1000 3/4" THERMOSTATIC ROUGH WITH SINGLE INTEGRATED VOLUME CONTROL

One water outlet

 $\label{thermostatic} \mbox{Vernet thermostatic cartridge and}$ 

Flühs volume control cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off non-return valves with filters to prevent cross flow

Built-in service stops

Flow rate: 12 GPM at 60 PSI

Rough-in depth minimum: 3"

Rough-in depth maximum: 4"

IAPMO listed

Massachusetts code approved

#### Compatible trims:

- Belgravia
- Heir
- MPRO
- Union
- Waldorf
- Wisp

US-WLBP1000R	\$520

Extension Kit:


 Polished Chrome
 US-EK101525C
 \$200

 Polished Nickel
 US-EK101525N
 \$250

 Satin Nickel
 US-EK101525V
 \$250


 Matte Black
 US-EK101525MB
 \$250

 Brushed Brass
 US-EK101525BB
 \$250









### 1500 3/4" THERMOSTATIC ROUGH WITH VOLUME CONTROL/DIVERTER

Two independent water outlets

Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off non-return valves with filters to prevent cross flow

Built-in service stops

Flow rate: 11 GPM at 60 PSI

Rough-in depth minimum: 3"

Rough-in depth maximum: 4"

IAPMO listed

Massachusetts code approved

#### Compatible trims:

- Belgravia
- Heir
- MPRO
- Union
- Waldorf
- Wisp

US-WLBP1500R		\$630
Extension Kit:		
D I: I CI	LIC EVIOLEGE	<b>#000</b>

 Polished Chrome
 US-EK101525C
 \$200

 Polished Nickel
 US-EK101525N
 \$250


 Satin Nickel
 US-EK101525V
 \$250

 Matte Black
 US-EK101525MB
 \$250

 Brushed Brass
 US-EK101525BB
 \$250


#### 2 FUNCTIONS, NON-SHARED

- A Volume control / two-way diverter
- B Temperature









### 2000 3/4" THERMOSTATIC ROUGH WITH TWO INTEGRATED VOLUME CONTROLS

Two water outlets

Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off non-return valves with filters to prevent cross flow

Built-in service stops

Flow rate: 13 GPM at 60 PSI

Rough-in depth minimum: 3"

Rough-in depth maximum: 4"

IAPMO listed

Massachusetts code approved


#### Compatible trims:

- Belgravia
- Heir
- MPRO
- Union
- Waldorf
- Wisp

US-WLBP2000R		\$690
Extension Kit:		
Polished Chrome	US-EK2000C	\$290
Polished Nickel	US-EK2000N	\$460
Satin Nickel	US-EK2000V	\$460
Matte Black	US-EK2000MB	\$460
Brushed Brass	US-EK2000BB	\$460


# 2 FUNCTIONS, SHARED A - Volume control B - Temperature

C - Volume control









### 2500 3/4" THERMOSTATIC ROUGH WITH INTEGRATED VOLUME CONTROL/THREE-WAY DIVERTER

Three water outlets

Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off non-return valves with filters to prevent cross flow

Built-in service stops

Flow rate: 12 GPM at 60 PSI

Rough-in depth minimum: 3"

Rough-in depth maximum: 4"

IAPMO listed

Massachusetts code approved

#### Compatible trims:

- Belgravia
- Heir
- MPRO
- Union
- Waldorf


Brushed Brass

- Wisp

US-WLBP2500R		\$750
Extension Kit:		
Polished Chrome	US-EK101525C	\$200
Polished Nickel	US-EK101525N	\$250
Satin Nickel	US-EK101525V	\$250
Matte Black	US-EK101525MB	\$250


US-EK101525BB

\$250









### 3000 3/4" THERMOSTATIC ROUGH WITH INTEGRATED VOLUME CONTROL AND VOLUME CONTROL/TWO-WAY DIVERTER

Three water outlets

Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off non-return valves with filters to prevent cross flow

Built-in service stops

Flow rate: 12 GPM at 60 PSI

Rough-in depth minimum: 3"

Rough-in depth maximum: 4"

IAPMO listed

Massachusetts code approved

#### Compatible trims:

- Belgravia
- Heir
- MPRO
- Union
- Waldorf

Matte Black

Brushed Brass

- Wisp

US-WLBP3000R		\$750
Extension Kit:		
Polished Chrome	US-EK2000C	\$290
Polished Nickel	US-EK2000N	\$460
Satin Nickel	US-EK2000V	\$460

US-EK2000MB


US-EK2000BB

\$460

\$460


#### 3 FUNCTIONS, 2 OUTLETS SHARED

- A Volume control / two-way diverter
- B Temperature
- C Volume control









### DUAL-CONTROL 3/4" THERMOSTATIC VALVE WITH VOLUME CONTROL ROUGH

One water outlet

Vernet thermostatic cartridge and Flühs volume control cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off non-return valves with filters to prevent cross flow

Built-in service stops

Flow rate: 10-12 GPM at 45 PSI

Rough-in depth minimum: 2-3/4"

Rough-in depth maximum: 3-1/4"

IAPMO listed

Massachusetts code approved

#### Compatible trims:

- Berea
- Darby
- Leyden
- Taos

TH1-RGH		\$580
Extension Kit:		
Polished Chrome	9Q242000CP	\$250
Polished Nickel	9Q242000RN	\$250
Satin Nickel	9Q242000AP	\$250
Matte Black	9Q242000MB	\$250


#### 1FUNCTION

A - Volume control

B - Temperature







### DUAL-CONTROL 3/4" THERMOSTATIC VALVE WITH VOLUME CONTROL AND DIVERTER ROUGH

Two independent water outlets

Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off non-return valves with filters to prevent cross flow  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left($ 

Built-in service stops

Flow rate: 10-12 GPM at 45 PSI

Rough-in depth minimum: 2-1/2"

Rough-in depth maximum: 3-1/4"

IAPMO listed

Massachusetts code approved

#### Compatible trims:


- Berea
- Darby
- Leyden
- Taos
- Fenmore

Matte Black

TH2-RGH		\$630
Extension Kit:		
Polished Chrome	9Q242000CP	\$250
Polished Nickel	9Q242000RN	\$250
Satin Nickel	9Q242000AP	\$250


9Q242000MB

\$250









#### 3/4" THERMOSTATIC VALVE ROUGH

 $\label{eq:control} \hline \textit{Temperature control only; volume control(s)/diverters sold separately}$ 

Vernet thermostatic cartridge

The thermostatic valve senses and controls the actual water temperature and blends hot water with cold water to ensure constant, safe temperatures, preventing scalding.

Integral shut-off non-return valves with filters to prevent cross flow

Built-in service stops

Flow rate: 10-12 GPM at 45 PSI

Rough-in depth minimum: 2-1/2"

Rough-in depth maximum: 3-1/4"

IAPMO listed

Massachusetts code approved

#### Compatible trims:

- Berea
- Darby
- Heir
- Leyden
- Taos
- Union
- Fenmore

TH-RGH		\$580
Extension Kit:		
Polished Chrome	9Q1172CP-PC	\$140
Polished Nickel	9Q1172RN-PN	\$140
Satin Nickel	9Q1172AP-SN	\$140
Matte Black	9Q1172MB	\$140
Brushed Brass	9Q1172BB	\$140


#### **TEMPERATURE CONTROL ONLY**

This valve is a mixer only and requires separate volume control(s).

See page 338 for detailed information







#### PRESSURE-BALANCE VALVE ROUGH

One water outlet

Kerox pressure-balance cartridge

Pressure-balance cartridge maintains constant temperature in response to changes to hot and cold supply

The cartridge can be reversed (hot for cold)

for back to back installation

Flow rate: 3-5 GPM at 45 PSI

Rough-in depth minimum: 2-1/8"

Rough-in depth maximum: 3"

IAPMO listed

Massachusetts code approved

#### Compatible trims:

- Berea
- Darby
- Leyden
- Taos
- Union
- Fenmore

PBS-RGH \$320

Extension kit:


5T1C0319NT + 5P0C0582NT \$50

1FUNCTION

with temperature control







#### PRESSURE-BALANCE VALVE WITH DIVERTER ROUGH

Diverter alternates water flow between two outlets - tub spout/ shower head, tub spout/handshower, shower head/handshower

Kerox pressure-balance cartridge

Pressure-balance cartridge maintains constant temperature in response to changes to hot and cold supply

The cartridge can be reversed (hot for cold)

for back to back installation

Flow rate: 3-5 GPM at 45 PSI

Rough-in depth minimum: 2-7/8"

Rough-in depth maximum: 3-7/8"

 ${\sf IAPMO}\:{\sf listed}$ 

Massachusetts code approved

#### Compatible trims:

- Berea
- Darby
- Leyden
- Taos
- Fenmore

PBTS-RGH \$350

Extension kit:


5T1C0319NT + 5P0C0582NT \$50



- Two-way diverter
- Temperature







#### 3/4" VOLUME CONTROL ROUGH

Volume control controls on/off and volume functions for a single component in a shower system

Flühs quarter-turn ceramic disc cartridge

Rough-in depth minimum: 1-7/8"

Rough-in depth maximum: 2-5/8"

IAPMO listed, Massachusetts code approved


#### Compatible trims:

- Berea
- Darby
- Fenmore
- Heir
- Leyden
- Taos
- Union

VC-RGH \$170

Extension kit:

5T1C0319NT + 5P0C0582NT \$50



**VOLUME CONTROL ONLY** 





#### 3/4" TWO-WAY DIVERTER ROUGH

Diverter alternates water flow between two water outlets. Note: Diverters do not start, stop or control water flow.

Kerox diverter cartridge

Rough-in depth minimum: 1-7/8"

Rough-in depth maximum: 2-5/8"

IAPMO listed, Massachusetts code approved


#### Compatible trims:

- Berea
- Darby
- Fenmore
- Heir
- Leyden
- Taos
- Union

DIV-RGH \$290

Extension kit:

5T1C0319NT + 5P0C0582NT \$50



**2 FUNCTION DIVERTER** 



#### 1/2" THREE-WAY DIVERTER ROUGH

Diverter alternates water flow between three water outlets. Note: Diverters do not start, stop or control water flow.

Kerox diverter cartridge

Rough-in depth minimum: 2-1/8"


Rough-in depth maximum: 2-7/8"

IAPMO listed, Massachusetts code approved

#### Compatible trims:

- Berea
- Darby
- Fenmore
- Heir
- Leyden
- Taos
- Union

3DV-RGH \$230 Extension kit: 5T1C0319NT + 5P0C0582NT \$50



3 FUNCTION DIVERTER





#### DECK-MOUNT TUB FAUCET WITH HANDSHOWER ROUGH

Rough valve for deck tub sets with handshower 15-03-T and 17-03-T

Flühs volume control cartridges

Inlet connection: 3/4" NPT

Deck thickness maximum: 2-1/8"

Handle spread maximum: 19"

IAPMO listed

Massachusetts code approved


#### Compatible trims:

- Darby
- Taos

DTHS-S-RGH

\$460







#### DECK-MOUNT TUB FAUCET WITH HANDSHOWER ROUGH

Rough valve for deck tub sets with handshower 14-03-T

Flühs volume control cartridges

Inlet connection: 3/4" NPT

Deck thickness maximum: 2-1/8"

Handle spread maximum: 19"

IAPMO listed


Massachusetts code approved

#### Compatible trims:

- Leyden

DTHS-R-RGH \$460










## KWC



### PURE AND SIMPLE CONVENIENCE

Streamlined shapes and modern, soft-edge designs evoke a new touch of class, and highlight the superior, precise products that are typical of KWC.

#### NEW!

#### BEVO E STAINLESS STEEL KITCHEN LEVER MIXER WITH PULL-OUT AERATOR - A230



TouchProtect anti-scald protection thanks to the "double skin" principle

Constructed of 100% recyclable, stainless steel (AISI 316)

Pull-out spray features SprayClean, which makes it easy to clean and actively prevents limescale buildup

Quick installation via threaded connection with locking screws and simple hose connection system

EasyLock pull-out spray that easily slides back into place

PowerClean needle spray mode with automatic diverter reset

Lever installation only possible on the right side

Child safety: cold water flow in lever position towards the front

Spout reach 9" plus up to 23" pull-out length

Hose guide, swivelling 150°


Flow Rate: 1.75 GPM

IAPMO listed; Massachusetts code (pending)

Stainless Steel	10.531.003.700	\$1710
Industrial Black	10.531.003.751	\$1990
Brushed Gold	10.531.003.577	\$1990







#### NEW!

#### BEVO E STAINLESS STEEL KITCHEN LEVER MIXER WITH PULL-OUT SPRAY- A225



TouchProtect anti-scald protection thanks to the "double skin" principle

Constructed of 100% recyclable, stainless steel (AISI 316)

Pull-out spray features SprayClean, which makes it easy to clean and actively prevents limescale buildup

Quick installation via threaded connection with locking screws and simple hose connection system

EasyLock pull-out spray that easily slides back into place

Lever installation only possible on the right side

Child safety: cold water flow in lever position towards the front

Spout reach 8-7/8" plus up to 23" pull-out length

Hose guide, swivelling 150°


Flow Rate: 1.75 GPM

IAPMO listed; Massachusetts code (pending)

Stainless Steel	10.531.103.700	\$1570
Industrial Black	10.531.103.751	\$1710
Brushed Gold	10.531.103.577	\$1710







#### DOMO SINGLE-HOLE KITCHEN FAUCET WITH PULL-OUT SPRAY - SIDE LEVER



 $\label{eq:flexGuard} \mbox{flexGuard}^{\mbox{\scriptsize IM}} \mbox{ sealing membrane between the lever} \\ \mbox{and cap protects the inside of the faucet} \\$ 

Lever installation only possible on the right side

Child safety: cold water flow in lever position towards the front

Pull-out spray with KWC jetclean

Up to 27.5" (700 mm) pull-out length

Lockable needle spray

Automatic diverter reset

Hose surface to fit faucet surface

Hose guide, swivelling 360°

Flow rate normal spray: 3.2 GPM (12 L/min)


Flow rate needle spray: 3.2 GPM (12 L/min)

IAPMO listed, Massachusetts code approved

Polished Chrome 10.061.003.000 \$1140 Brushed Stainless Steel 10.061.003.127 \$1570







#### DOMO SINGLE-HOLE KITCHEN FAUCET WITH PULL-OUT SPRAY - TOP LEVER



flexGuard<sup>TM</sup> sealing membrane between the lever


and cap protects the inside of the faucet
Pull-out spray with KWC jetclean
Up to 27.5" (700 mm) pull-out length
Lockable needle spray
Automatic diverter reset
Hose surface to fit faucet surface
Hose guide, swivelling 130°
Flow rate normal spray: 3.2 GPM (12 L/min)
Flow rate needle spray: 3.2 GPM (12 L/min)
IAPMO listed, Massachusetts code approved

 Polished Chrome
 10.061.033.000
 \$1090

 Brushed Stainless Steel
 10.061.033.127
 \$1420







### LUNA E SINGLE-HOLE KITCHEN FAUCET WITH PULL-OUT SPRAY - HIGH ARC SPOUT WITH SIDE LEVER

kwc

by crosswater

X

Lever installation only possible on the right side

Child safety: cold water flow in lever position towards the front

TouchProtect anti-scald protection thanks

to the "double skin" principle

Pull-out spray features SprayClean, which makes it easy to clean and actively prevents limescale buildup

Up to 15-3/4" (400 mm) pull-out length

QuickConnect Simple hose connection system

SprayLock lockable jet spray

PowerClean needle spray mode, with automatic diverter reset

SwivelStop spout  $360^\circ$ , limitable to  $150^\circ$ 

EasyLock pull-out spray that easily slides back into place

Flow rate and temperature are continuously variable


Quick installation via threaded connection with locking screws

IAPMO listed, Massachusetts code approved

Polished Chrome	10.441.003.000	\$1130
Brushed Stainless Steel	10.441.003.127	\$1570
Matte Black	10.441.003.176	\$1570







### LUNA E SINGLE-HOLE KITCHEN FAUCET WITH PULL-OUT SPRAY AND FLEX-PEX - GEOMETRIC SPOUT WITH SIDE LEVER



Lever installation only possible on the right side

Child safety: cold water flow in lever position towards the front

 ${\it Touch Protect anti-scald protection thanks}$ 

to the "double skin" principle

Pull-out spray features SprayClean, which makes it easy to clean and actively prevents limescale buildup

Up to 15-3/4" (400 mm) pull-out length

QuickConnect Simple hose connection system

SprayLock lockable jet spray

PowerClean needle spray mode, with automatic diverter reset

SwivelStop hose guide, swivelling  $360^\circ$ , limitable to  $150^\circ$ 

EasyLock pull-out spray that easily slides back into place

Flow rate and temperature are continuously variable


Quick installation via threaded connection with locking screws

IAPMO listed, Massachusetts code approved

Polished Chrome	10.441.004.000	\$1130
Brushed Stainless Steel	10.441.004.127	\$1530
Matte Black	10.441.004.176	\$1530







#### LUNA E SINGLE-HOLE KITCHEN FAUCET WITH PULL-OUT SPRAY - TOP LEVER



TouchProtect anti-scald protection thanks to the "double skin" principle

Pull-out spray features SprayClean, which makes it easy to clean and actively prevents limescale buildup

Up to 23.5" (600 mm) pull-out length

QuickConnect Simple hose connection system

PowerClean needle spray mode, with automatic diverter reset

Hose guide, swivelling 130°

EasyLock pull-out spray that easily slides back into place


Flow rate and temperature are continuously variable

IAPMO listed, Massachusetts code approved

Polished Chrome	10.441.033.000	\$850
Brushed Stainless Steel	10.441.033.127	\$1140
Matte Black	10.441.033.176	\$1140







#### BASIC SOAP DISPENSER

Easily refillable from the top without disassembly


Scope of delivery: Pump

Soap container filling capacity: 10.8 oz (320 mL)

Polished Chrome	Z.538.409.000	\$210
Brushed Stainless Steel	Z.538.409.177	\$280
Matte Black	Z.538.409.176	\$280









## CHAMBORD



### AN ODE TO THE CLASSICS

Chambord fireclay sinks harmoniously blend luxury materials and authentic French expertise, giving your interior an aura of excellence.

#### **ROYAN COLLECTION**

Basin sizes:

24" x 18-1/8" x 9-7/8"

30" x 18-1/8" x 9-7/8"

36" x 18-1/8" x 9-7/8"

Material: Fireclay

Grids and Drains sold separately

IAPMO listed

#### **COMPATIBLE DRAINS**

3-In-1 Kitchen Sink Basket, Stopper, Flange CMB-DRN

Stopper and Disposal Flange Trim CMB-DRN-FLA

3-In-1 Basket, Stopper, Disposal Flange Trim

CMB-DRN-DPL

 $\underline{\mathsf{See}\;\mathsf{page}\;366}\;\mathsf{for}\;\mathsf{more}\;\mathsf{information}\;\&\;\mathsf{pricing}$ 






### 24" Royan Farmhouse Apron Front Single-bowl Fireclay Kitchen Sink with Center Drain

Gloss White ROY-24SA-WH \$2250

24" Royan Sink Grid (sold separately)

Stainless Steel ROY-GD-24SA \$300








#### 30" Royan Farmhouse Apron Front Single-bowl Fireclay Kitchen Sink with Center or Off-set Drain

Gloss White ROY-30SA-WH \$2350

30" Royan Sink Grid (sold separately)

Stainless Steel ROY-GD-30SA \$325








### 36" Royan Farmhouse Apron Front Single-bowl Fireclay Kitchen Sink with Off-set Drain

Gloss White ROY-36SA-WH \$2550

36" Royan Sink Grid (sold separately)

Stainless Steel ROY-GD-36SA \$350





#### **MENTON COLLECTION**

Basin sizes: 30" x 18-1/8" x 10-3/16" 33" x 18-1/8" x 10-3/16"

Material: Fireclay

### Reversible - Can be mounted with a fluted or smooth front

Cutting boards, Grids, and Drains sold separately IAPMO listed

#### **OPTIONAL ACCESORIES**

Menton Rectangular Cutting Board Compatible with all Menton Sinks

MEN-CB-1-OAK \$350

See Page 365 for more information

#### **COMPATIBLE DRAINS**

3-In-1 Kitchen Sink Basket, Stopper, Flange CMB-DRN

Stopper and Disposal Flange Trim CMB-DRN-FLA

3-In-1 Basket, Stopper, Disposal Flange Trim

CMB-DRN-DPL

See page 366 for more information & pricing








### $30^{\prime\prime}$ Menton Apron Front Single-bowl Fireclay Kitchen Sink with Center Drain. Smooth and Fluted Sides

 Gloss White
 MEN-30SA-WH
 \$2150

 Matte Black
 MEN-30SA-MB
 \$2750

30" Menton Sink Grid (sold separately)

Stainless Steel MEN-GD-30SA \$325








### $33^{\prime\prime}$ Menton Apron Front Single-bowl Fireclay Kitchen Sink with Center Drain. Smooth and Fluted Sides

 Gloss White
 MEN-33SA-WH
 \$2350

 Matte Black
 MEN-33SA-MB
 \$2950

33" Menton Sink Grid (sold separately)

Stainless Steel MEN-GD-33SA \$350








### $33^{\prime\prime}$ Menton Apron Front Double-bowl Fireclay Kitchen Sink with Center Drains. Smooth and Fluted Sides

 Gloss White
 MEN-33DA-WH
 \$2550

 Matte Black
 MEN-33DA-MB
 \$3150

33" Menton Double Sink Large Grid (sold separately)

Stainless Steel MEN-GD-33L \$275
33" Menton Double Sink Small Grid (sold separately)
Stainless Steel MEN-GD-33S \$275



#### NORMANDY COLLECTION

Basin sizes:

16-7/8" x 16-7/8" x 8-5/8" 18-1/2" x 8-5/8" 18-1/4" x 23-5/8" x 9-1/8" 24-3/8" x 23-5/8 x 9-7/8" 31-1/2" x 18-7/8" x 9-7/8"

Material: Fireclay

 $\frac{\text{Cutting boards, Grids, and Drains sold separately}}{\text{IAPMO listed}}$ 

i laterial. I il cele

#### **OPTIONAL ACCESORIES**

Normandy Rectangular Cutting Board Compatible with NOR-17SU only

NOR-CB-1-OAK \$350

Normandy Half-Circle Cutting Board Compatible with NOR-18SU only

NOR-CB-2-OAK \$350

Normandy Rectangular Cutting Board

Compatible with all other Normandy Sinks NOR-CB-3-OAK \$350

 $\underline{\text{See page 365}} \text{ for more information}$ 

#### **COMPATIBLE DRAINS**

3-In-1 Kitchen Sink Basket, Stopper, Flange CMB-DRN

Stopper and Disposal Flange Trim CMB-DRN-FLA

3-In-1 Basket, Stopper, Disposal Flange Trim

CMB-DRN-DPL

 $\underline{\mathsf{See}\;\mathsf{Page}\;\mathsf{366}}\;\mathsf{for}\;\mathsf{more}\;\mathsf{information}\;\&\;\mathsf{pricing}$ 







#### NEW!


### 17" Normandy Single-bowl Undermount Square Prep Sink with Rear-center Drain

 Gloss White
 NOR-17SU-WH
 \$1350

 Matte Black
 NOR-17SU-MB
 \$1950

17" Normandy Sink Grid (sold separately)

Stainless Steel NOR-GD-17SU \$275










#### NEW!

### $18"\,Normandy\,Single-bowl\,Undermount\,Round\,Prep\,Sink\,with\,Center\,Drain$

Gloss White NOR-18SU-WH \$1350
Matte Black NOR-18SU-MB \$1950

 $\textbf{18" Normandy Round Sink Grid} \, (\mathsf{sold separately})$ 

Stainless Steel NOR-GD-18SU \$275









#### NEW!


### $21^{\! "}$ Normandy Undermount Single-bowl Fireclay Sink with Accessory Ledge and Rear-center Drain

 Gloss White
 NOR-21SU-WH
 \$1450

 Matte Black
 NOR-21SU-MB
 \$2050

21" Normandy Sink Grid (sold separately)

Stainless Steel NOR-GD-21SU \$300










#### NEW!

24" Normandy Undermount Single-bowl Fireclay Sink with Accessory Ledge and Rear-center Drain

Gloss White NOR-24SU-WH \$1550
Matte Black NOR-24SU-MB \$2150

24" Normandy Sink Grid (sold separately)

Stainless Steel NOR-GD-24SU \$300








### 30" Normandy Undermount Single-bowl Fireclay Sink with Accessory Ledge and Rear-center Drain

 Gloss White
 NOR-30SU-WH
 \$1750

 Matte Black
 NOR-30SU-MB
 \$2350

30" Normandy Sink Grid (sold separately)

Stainless Steel NOR-GD-30SU \$325





#### DEAUVILLE COLLECTION

Basin sizes:

24" x 18-1/8" x 10-1/16" 30" x 18-1/8" x 10"

Material: Fireclay

Grids and Drains sold separately

IAPMO listed

#### **COMPATIBLE DRAINS**

3-In-1 Kitchen Sink Basket, Stopper, Flange CMB-DRN

Stopper and Disposal Flange Trim CMB-DRN-FLA

3-In-1 Basket, Stopper, Disposal Flange Trim

CMB-DRN-DPL

 $\underline{\mathsf{See}\;\mathsf{page}\;366}\;\mathsf{for}\;\mathsf{more}\;\mathsf{information}\;\&\;\mathsf{pricing}$ 








# 21" Deauville Undermount Single-Bowl Fireclay Sink with Rear-center Drain

 Gloss White
 DEA-21SU-WH
 \$1650

 Matte Black
 DEA-21SU-MB
 \$2250

# 21" Deauville Sink Grid (sold separately)

Stainless Steel DEA-GD-21SU \$300







# 27" Deauville Undermount Single-Bowl Fireclay Sink with Rear-center Drain

 Gloss White
 DEA-27SU-WH
 \$1750

 Matte Black
 DEA-27SU-MB
 \$2350

# 27" Deauville Sink Grid (sold separately)

Stainless Steel DEA-GD-27SU \$325



# **BIARRITZ COLLECTION**

Basin size:

35" x 24" x 13-3/8"

Material: Fireclay

Drain position: Rear-right

Faucet and drains sold separately.

Undrilled



 $35^{\prime\prime}$  Biarritz Left-hand Single-bowl Fireclay Sink with Drainboard and Up-stand

Gloss White

BIA-35SA-WH

\$ 3050


# **COMPATIBLE DRAINS**


3-In-1 Kitchen Sink Basket, Stopper, Flange CMB-DRN

Stopper and Disposal Flange Trim CMB-DRN-FLA

3-In-1 Basket, Stopper, Disposal Flange Trim CMB-DRN-DPL

 $\underline{\mathsf{See}\;\mathsf{page}\;366}\;\mathsf{for}\;\mathsf{more}\;\mathsf{information}\;\&\;\mathsf{pricing}$ 





# TROUVILLE COLLECTION

Basin size:

35-3/8" x 26" x 10-1/8"

Material: Fireclay

Drain Placement Small Bowl: Rear-center

Drain Placement Large Bowl: Rear-left

Available pre-punched: 1 hole (1-3/8")

Drains sold separately



35"Trouville Double-bowl Fireclay Sink with Tap-deck
Gloss White TRO-35DA-WH \$3050


# **COMPATIBLE DRAINS**


 $\hbox{$3-$In-1$ Kitchen Sink Basket, Stopper, Flange $$CMB-DRN$ }$ 

Stopper and Disposal Flange Trim CMB-DRN-FLA

3-In-1 Basket, Stopper, Disposal Flange Trim CMB-DRN-DPL

 $\underline{\mathsf{See}\;\mathsf{page}\;366}\;\mathsf{for}\;\mathsf{more}\;\mathsf{information}\;\&\;\mathsf{pricing}$ 





# **BRITTANY COLLECTION**

Basin size:

31-1/4" x 18-1/2" x 9-7/8"

Material: Fireclay

Drains sold separately



31" Brittany Farmhouse Apron Front Single-bowl Fireclay Kitchen Sink with Center Drain

Gloss White

BRI-31SA-WH


\$2150


# **COMPATIBLE DRAINS**

Stopper and Disposal Flange Trim CMB-DRN-FLA

3-In-1 Basket, Stopper, Disposal Flange Trim CMB-DRN-DPL

 $\underline{\mathsf{See}\;\mathsf{page}\;366}\;\mathsf{for}\;\mathsf{more}\;\mathsf{information}\;\&\;\mathsf{pricing}$ 





# **DINARD COLLECTION**

Basin size:

33" x 18-1/4" x 10"

Material: Fireclay

Reversible - Can be mounted with a tight contemporary "square" front, or a more classic curved edge

Grid and Drains sold separately



# NEW!

 $33^{\prime\prime}$  Dinard Single-bowl Apron Front Fireclay Sink with Center Drain

Gloss White DIN-33AP-WH \$2450

 $\textbf{33" Dinard Sink Grid} \, (\mathsf{sold \ separately})$ 

Stainless Steel DIN-GD-33SA \$350


### **COMPATIBLE DRAINS**

3-In-1 Kitchen Sink Basket, Stopper, Flange CMB-DRN

Stopper and Disposal Flange Trim CMB-DRN-FLA

3-In-1 Basket, Stopper, Disposal Flange Trim CMB-DRN-DPL

See page 366 for more information & pricing



# **ROYAN COLLECTION GRIDS**

24" Royan Single Sink Grid


Stainless Steel ROY-GD-24SA \$300

30" Royan Single Sink Grid

Stainless Steel ROY-GD-30SA \$325

36" Royan Single Sink Grid

Stainless Steel ROY-GD-36SA \$350



# MENTON COLLECTION GRIDS

30" Menton Single Sink Grid

Stainless Steel MEN-GD-30SA \$325

33" Menton Single Sink Grid


Stainless Steel MEN-GD-33SA \$350

33" Menton Double Sink Large Grid

Stainless Steel MEN-GD-33L \$275

33" Menton Double Sink Small Grid

Stainless Steel MEN-GD-33S \$275



# NORMANDY COLLECTION GRIDS

17" Normandy Square Grid

Stainless Steel NOR-GD-17SU \$275

18" Normandy Round Grid

Stainless Steel NOR-GD-18SU \$275

21" Normandy Sink Grid


Stainless Steel NOR-GD-21SU \$300

24" Normandy Sink Grid

Stainless Steel NOR-GD-24SU \$300

30" Normandy Sink Grid

Stainless Steel NOR-GD-30SU \$325




# **DEAUVILLE COLLECTION GRIDS**

21" Deauville Sink Grid

Stainless Steel **DEA-GD-21SU** \$300

27" Deauville Sink Grid


Stainless Steel **DEA-GD-27SU** \$325



# **DINARD COLLECTION GRID**

33" Dinard Sink Grid

Stainless Steel DIN-GD-33SA \$350



# MENTON COLLECTION CUTTING BOARD

Rectangular Cutting Board 17" x 11.75" x 1.125"

Compatible with all Menton sinks

Oak MEN-CB-1-OAK \$350



# NORMANDY COLLECTION CUTTING BOARDS

Rectangular Cutting Board 14.125" x 11.75" x 1.125"

Compatible with NOR-17SU only

Oak **NOR-CB-1-OAK \$350** 

Half Circle Cutting Board 16.5" x 11" x 1.125"

Compatible with NOR-18SU only

Oak **NOR-CB-2-OAK \$350** 

Rectangular Cutting Board 16.5" x 11.75" x 1.125"

Compatible with all other Normandy sinks

Oak NOR-CB-3-OAK \$350





# 3-IN-1 KITCHEN SINK BASKET, STOPPER, FLANGE

Brushed Stainless	CMB-DRN-BS	\$220
Polished Chrome	CMB-DRN-PC	\$220
Polished Nickel	CMB-DRN-PN	\$220
Matte Black	CMB-DRN-MB	\$220
Brushed Brass	CMB-DRN-BB	\$290



# STOPPER AND DISPOSAL FLANGE TRIM

Brushed Stainless	CMB-DRN-FLA-BS	\$170
Polished Chrome	CMB-DRN-FLA-PC	\$170
Polished Nickel	CMB-DRN-FLA-PN	\$170
Matte Black	CMB-DRN-FLA-MB	\$170
Brushed Brass	CMB-DRN-FLA-BB	\$240




# 3-IN-1 BASKET, STOPPER, DISPOSAL FLANGE TRIM

Brushed Stainless	CMB-DRN-DPL-BS	\$210
Polished Chrome	CMB-DRN-DPL-PC	\$210
Polished Nickel	CMB-DRN-DPL-PN	\$210
Matte Black	CMB-DRN-DPL-MB	\$210
Brushed Brass	CMB-DRN-DPL-BB	\$280





# SPARE PARTS



BEST-IN-CLASS COMPONENTS, TRUSTED BY TOP BRANDS THROUGHOUT THE WORLD.

# DARBY COVER PLATE


4" centerset cover plate

 Polished Chrome
 9Q1168CP-PC
 \$50

 Polished Nickel
 9Q1168RN-PN
 \$60

 Satin Nickel
 9Q1168AP-SN
 \$60





# **LEYDEN COVER PLATE**


4" centerset cover plate

 Polished Chrome
 9Q1170CP-PC
 \$50

 Polished Nickel
 9Q1170RN-PN
 \$60

 Satin Nickel
 9Q1170AP-SN
 \$60





# BEREA COVER PLATE


4" centerset cover plate

 Polished Chrome
 9Q1169CP-PC
 \$50

 Polished Nickel
 9Q1169RN-PN
 \$60


 Satin Nickel
 9Q1169AP-SN
 \$60






# ROUGH FOR UNION FLOOR-MOUNT TUB FILLER

# US-399ROUGH




# ROUGH FOR FLOOR-STANDING PILLAR LEGS

# US-AA002ROUGH




# ROUGH FOR WALL-MOUNT SINGLE-LEVER BASIN FAUCET

# US-120ROUGH




# ROUGH FOR WALL-MOUNT THREE-HOLE BASIN FAUCET

# US-130ROUGH



# ROUGH FOR FLOOR-MOUNT SINGLE-HOLE TUB FILLER


# US-418ROUGH



# 3/4" THERMOSTATIC VALVE ROUGH

# TH-RGH


ì		DESCRIPTION	PART NUMBER
ı			
	1	Temperature Control Rings	5K202720PL
	2	Thermostatic Cartridge	5K2O5117PL
	3	Check Valve	5K013107PL




# DUAL-CONTROL 3/4" THERMOSTATIC VALVE WITH VOLUME CONTROL ROUGH

# TH1-RGH

	DESCRIPTION	PART NUMBER		
1	Extension Kit	9Q242000		
2	Volume Control Cartridge	5K217302NT		
3	Volume Control Nipple	5K217366NT		
4	Check Valve	5K013107PL		
5	Thermostatic Cartridge	5K2O5117PL		
6	Temperature Control Rings	5K202720PL		







# DUAL-CONTROL 3/4" THERMOSTATIC VALVE WITH VOLUME CONTROL AND DIVERTER ROUGH

# TH2-RGH

	DESCRIPTION	PART NUMBER	
1	Extension Kit	9Q242000	
2	Diverter-Volume Control Cartridge	5K2174O4PL	
3	Diverter and Volume Control Assembly	5K217488NT	
4	Check Valve	5K013107PL	
5	Thermostatic Cartridge	5K205117PL	
6	Temperature Control Rings	5K202720PL	






# PRESSURE-BALANCE VALVE ROUGH

# PBS-RGH


DESCRIPTION		PART NUMBER	
1	Stop Valve	9Q1152NT	
2	Pressure Balance Cartridge	5D0M0262PL	
3	Stem & Thread Nipple	9Q117NT	



# PRESSURE-BALANCE VALVE WITH DIVERTER ROUGH

# PBTS-RGH


	DESCRIPTION	PART NUMBER		
1	Diverter Assembly	9Q259800NT		
2	Stop Valve	9Q1152NT		
3	Pressure Balance Cartridge	5D0M0262PL		
4	Stem & Thread Nipple	9Q1173NT		



# 3/4" VOLUME CONTROL ROUGH

# VC-RGH


	DESCRIPTION	PART NUMBER	
1	Cartridge	5D0M0139NT	
2	Threaded Nipple	5J0C1029NT	



# 3/4" TWO-WAY DIVERTER ROUGH

# DIV-RGH


	DESCRIPTION	PART NUMBER
1	Cartridge	5D0M0242PL
2	Cartridge Nut	5T1C0304NT
3	Stem & Threaded Nipple	9Q1142NT



# 1/2" THREE-WAY DIVERTER ROUGH

# 3DV-RGH

	DESCRIPTION	PART NUMBER
1	Cartridge	5D0001300PL0
2	Stem & Threaded Nipple	9Q1142NT



# DECK-MOUNT TUB FAUCET WITH HANDSHOWER ROUGH

# DTHS-S--RGH

	3-3KGH					
	DESCRIPTION	PART NUMBER				
1	Spout Diverter Assembly	9Q1190NT				
2	Spout Mounting Hardware	9Q1149NT				
3	Cartridge(Hot)	51014109NT				
4	Mounting Hardware for Valves	9Q1151NT				
5	Hot Valve Body Assembly	9Q1188NT				
6	Washer	51014130PL				
7	Hose (19-11/16")	51014144NC				
8	Hand Shower Hose (59-1/16")	5G0M0191CP				
9	Cold Valve Body Assembly	9Q1189NT				
10	Cartridge (Cold)	51014116NT		<del></del> 13		
11	Flex Lines (19-11/16")	9Q1148PL		10		
12	Spout Washers	9Q1355PL				
13	Spout O-rings	9Q1354PL				
14	Spacers & Mounting Hardware for Valves	9Q1402NT	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)			
		2 4 5 6 6 6	Hot Cartridge turns on counter nothing	clockwise /	Cold Cartridge turns on counterclock single ring on bonnet	The second secon

# DECK-MOUNT TUB FAUCET WITH HANDSHOWER ROUGH


# DTHS-R-RGH

	DESCRIPTION	PART NUMBER
1	Spout Diverter Assembly	9Q1184NT
2	Spout Mounting Hardware	9Q1149NT
3	Cartridge (Hot)	51014109NT
4	Mounting Hardware for valves	9Q1151NT
5	Hot Valve Body Assembly	51014115CC
6	Washer	51014130PL
7	Hose (19-11/16")	51014144NC
8	Nut	51014141NT
9	Hand Shower Hose (59-1/16")	5G0M0191CP
10	Cold Valve Body Assembly	51014107CC
11	Cartridge (Cold)	51014116NT
12	Flex Lines (19-11/16")	9Q1148PL
13	Hand Shower Bracket Mounting Nut & Washer	9Q1353PL
14	Spout Washers	9Q1355PL
15	Spout O-rings	9Q1354PL
		3 4 5 6
		7

# 1000 3/4" THERMOSTATIC ROUGH WITH SINGLE INTEGRATED VOLUME CONTROL

# US-WLPB1000R


	DESCRIPTION	PART NUMBER
1	Flow Cartridge	US-DCAR1020
2	Check Valve Kit	US-CV1000
3	Thermostatic Cartridge	US-TMV1015



# 1500 3/4" THERMOSTATIC ROUGH WITH VOLUME CONTROL/DIVERTER

# US-WLPB1500R


	DESCRIPTION	PART NUMBER
1	Diverter Cartridge	US-DCAR1500
2	Check Valve Kit	US-CV1000
3	Thermostatic Cartridge	US-TMV1015



# 2000 3/4" THERMOSTATIC ROUGH WITH TWO INTEGRATED VOLUME CONTROLS

# US-WLPB2000R


	DESCRIPTION	PART NUMBER
1	Flow Cartridge	US-DCAR1020
2	Check Valve Kit	US-CV1000
3	Thermostatic Cartridge	US-TMV1015



# 2500 3/4" THERMOSTATIC ROUGH WITH INTEGRATED VOLUME CONTROL/THREE-WAY DIVERTER

# US-WLPB2500R


	DESCRIPTION	PART NUMBER
1	Diverter Cartridge	US-DCAR2500
2	Check Valve Kit	US-CV2500
3	Thermostatic Cartridge	US-TMV1015




# 3000 3/4" THERMOSTATIC ROUGH WITH INTEGRATED VOLUME CONTROL AND VOLUME CONTROL/TWO-WAY DIVERTER

# US-WLPB3000R

	DESCRIPTION	PART NUMBER
1	Diverter Cartridge	US-DCAR1500
2	Thermostatic Cartridge	US-TMV1015
3	Check Valve Kit	US-CV1000
4	Flow Cartridge	US-DCAR1020





# COMPLIANCE

At Crosswater London, we pride ourselves on our track record of exceeding the industry's most stringent standards. In the UK, we hold more WRAS (Water Regulation Advisory Scheme) listings than any other British manufacturer. In order to obtain a WRAS listing we have to show that our products not only exceed British standards but that the quality of the products we supply to our customers is maintained.

This is also the ethos we have followed in North America, all of our basin faucets comply with low-lead standards.

We have faucets, shower heads and toilets that meet the water-saving requirements of both WaterSense and the California Energy Commission, as well as IAPMO (cUPC) and CSA listed product.

In order to achieve this we use the best components from top European suppliers such as Flühs, Neoperl, Vernet and Kerox. We have our own dedicated quality and compliance team who ensure that every product we make adheres to strict quality controls.











# THE CROSSWATER LONDON WARRANTY

Our commitment to quality & excellence

# **CROSSWATER LIMITED WARRANTY**

The following are the terms and conditions of Crosswater London's exclusive written warranty. No warranty by any person in addition to or different from those made in this limited warranty shall be binding on Crosswater London.

This warranty is limited to those original purchasers who purchase genuine Crosswater London products from its "AUTHORIZED DEALERS" and is not transferable. Proof of purchase from the original consumer purchaser must be made available to Crosswater London for all warranty claims.

Crosswater London provides this warranty on its products installed in a residential application.

# **MECHANICAL WARRANTY**

A limited lifetime warranty on all Crosswater London products and a lifetime warranty on all KWC products is provided on all mechanical parts to be free from defects in material and workmanship under normal use for as long as the original purchaser owns their home. This warranty does not apply to the replacement of components where damage is caused by normal wear and tear.

### CARTRIDGE WARRANTY

A limited lifetime warranty is provided on all ceramic disc cartridges. All other cartridges (including diverter, thermostatic and pressure balance cartridges) are warranted for a period of five (5) years from the date of purchase.

### FINISHES AND DRAINS WARRANTY

Limited lifetime warranty on all Crosswater London finishes, except living finishes and drains which are excluded from the finish warranty. Lifetime warranty on all KWC finishes free from defects in materials and workmanship under normal use for as long as the original purchaser owns their home.

Due to the nature of drain usage, there is no finish warranty on any drain product (including pop-up drains, lavatory drains and tub drains).

The use of any lead-based acidic curing adhesive, mastic or plumber's putty will void the finish warranty.

Any product installed outdoors, in a marine environment or exposed to direct sunlight is excluded from the finish warranty.

# **CERAMICS AND FURNITURE**

The warranty period on Vitreous China and Fireclay is limited lifetime.

The warranty period on Bathtubs is limited lifetime.

The warranty for Furniture & Hardware is five (5) years.

The warranty for mechanical components for toilets is five (5) years.

The warranty on the ITD Island Tub Adaptor is five (5) years.

The warranty on toilet seats is one (1) year.

# **EXCLUSIONS AND DISCLAIMERS**

Removal of flow-limiting restrictors in any product will void the warranty.

# **WARRANTY CLAIMS**

Warranty claims may be made by calling (844) 992-8371 or by writing to:

c/o Crosswater London

# Forte Brands

393 Fortune Boulevard Milford, MA 01757

technical@fortebrands.com

Proof of purchase (original sales receipt) from the original purchaser must be made available to Crosswater London for all warranty claims. This Limited Warranty applies only to products that are installed in the United States of America and Canada.

**NOTE:** Forte Brands LLC has no responsibility with respect to the warranty and claims made. Forte Brands LLC is merely the processor and conduit with respect to the same and customer agrees thereto for all purposes.

This warranty is void for any damages due to misuse, abuse, neglect, accident, improper installation, improper care of finishes, hard water or mineral deposits, potassium or salt-based water softener systems, exposure to corrosive materials or use in any manner contrary to Crosswater London installation instructions or intended use.

The use of any replacement parts other than genuine Crosswater London parts will void the warranty.

This warranty does not cover labor charges or associated costs for damages occurring during the removal, transportation, return or installation of products or replacement products.

This warranty is made to the original consumer purchaser in the original installation and is effective from the date of purchase, as shown on the purchaser's receipt. During the warranty period, Crosswater London will replace any part, which proves defective in material and/or workmanship under normal installation, use and service. Any covered faucet part that fails during the terms of this warranty will be replaced at no charge. Replacement parts can be obtained from your local dealer or distributor or by returning the part to the factory;

transportation charges prepaid, to Crosswater London.

This warranty is the exclusive warranty granted by Crosswater London and is in lieu of all other warranties of merchantability and fitness for a particular purpose and is further limited to defective parts replacement only. Labor charges and/or damage incurred in installation, repair or replacement, as well as incidental and consequential damages, are excluded. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

# LIMITED COMMERCIAL WARRANTY

Crosswater London extends the above limited warranty to purchasers of products for industrial, commercial and business use upon the same terms and conditions and exclusions applicable to residential purchasers, except that the finish, cartridge and mechanical warranty is reduced to one (1) year from the date of purchase. Additionally, with respect to commercial purchasers, all implied warranties, including the implied warranties of merchantability and fitness for a particular purpose, are excluded.

Crosswater London USA is a trade name of Bathroom Brands US, LLC, which is solely responsible for this warranty.

# THE CROSSWATER LONDON TERMS & CONDITIONS

### **FREIGHT TERMS**

FFA \$6000 NET or FCA Milford, MA

Tub Freight (N/A on FFA orders):

• NET \$200

Drop Ship requiring Tailgate Delivery:

- NET \$200

   (additional to standard shipping rates if below FFA)
- · Freight quotation available upon request

**UPS Drop Ship:** 

• NET \$15 + Standard Applicable rates

### **DELIVERY RECEIPTS**

On receipt of delivery, please inspect goods to ensure all items are in satisfactory condition.

Any missing items or damaged goods must be reported within three (3) business days of delivery and prior to installation. Any claims made outside of this time frame will not be accepted.

To submit a claim for damaged or missing goods, please send an email with details of the issue, purchase order number, and images to returns@fortebrands.com.

Crosswater London will not accept claims relating to goods that have been delivered to a third party forwarding agent for onward shipment.

Please note that all delivery dates are given in good faith. While every effort is made to deliver orders as promptly as possible Crosswater London cannot be held liable for any associated costs relating to delivery beyond the dates given in good faith.

### INCORRECTITEMS AND DEFECTIVE PRODUCT

If incorrect item(s) have been received, please contact Crosswater London as soon as possible. The correct item(s) will be shipped promptly and the incorrect item(s) will be picked up at the expense of Crosswater London.

Installation of product is deemed acceptance of product and Crosswater London shall not be liable for, and will not recognize, claims made after the start of the installation including:

- · Claims of incorrect product
- Claims of incorrectly sized, colored, shaded or packaged product
- Claims of product not matching prior shipments; and/or any other product claims.

If a product fault has been identified following installation please contact Crosswater London technical support for assistance. Do not remove installed product(s) until instructed by Crosswater London Technical support. We will not honor claims for defective product after installation unless prior approval is obtained, in writing, from Crosswater London Technical Support. Similarly, if a part is missing, please do not reorder the complete item and request an RGA unless instructed by Crosswater London. In many instances, part(s) will be provided to resolve the issue, eliminating the need for a return.

If it is determined that a product is faulty and needs to be returned, a return label will be issued and full credit will be given once the product is received and inspected in our warehouse. Return labels expire 30 days after issue, and if allowed to expire Crosswater London is no longer responsible for return shipping.

# **RETURNS**

Crosswater London offers the opportunity to return an item that is no longer required. In these instances, the item must have not been installed and must be in perfect condition (including packaging) and notification of the request must be received by Crosswater London within 30 days of receipt by dealer. A 25% restocking charge will be applied to all returns unless the item is being exchanged, in which case the restocking fee will be reduced to 12.5%. This does not apply to items that are marked special order/non-returnable. Customers are responsible for return shipping unless the product is deemed faulty. Please send all RGA requests to returns@fortebrands.com.

RGA paperwork must be included with all returns or the return will not be accepted.

Local returns/drop-offs will require a signature to indicate Crosswater London has received the return.

If returned goods are damaged, show signs of installation, or not in the original packaging, credit will be denied. The customer will be given the options to either have Crosswater London dispose of the goods or have the goods returned at customer's expense.

RGAs will be kept open for 6 weeks at which time they will be closed. Any returns received after this time will not be processed.

Please allow 5-7 business days from the date the return is received by Crosswater London for credit to be issued to accounts.

#### **ADDITIONAL TERMS**

Product designs and prices are subject to change without notice. Please see the website for the most current production information and prices.

Crosswater London reserves the right to discontinue products at any time without notice. Products listed as 'Phase Out' will only be available while supplies last. Please call to confirm availability.

Crosswater London will not accept returns on 'Phase Out' products after five months from the date of the announcement from Crosswater London. Any returns of such product during this five-month period will incur a 50% restocking fee.

The measurements given are intended for reference only, and are subject to change. Complete specification sheets and installation instructions are available at www. crosswaterlondon.com

Crosswater London assumes no responsibility for typographical errors.

This price book is effective August 1, 2025 and replaces all prior price books and price lists.

NOTES	

# Forte Brands

# WHY CROSSWATER LONDON

Industry-leading experience on a global scale.

Quality control at the factory level.

Technical-focused customer service.

Award-winning designs.

Ordered, stocked, and shipped from the Forte Brands
distribution centers in Milford, Massachusetts and Reno, Nevada.

Under Forte Brands, we are your private label for luxury bathroom products

delivered on the highest standard of customer service. Working together, we strive to deliver products of superior quality and unrivalled performance.

Partnership. Trust. Excellence.

