

crosswater^x
— LONDON —





"I wanted to build a company that was focused entirely on its customers, their specific needs and delivering exceptional levels of service."

"From the start, we introduced new and innovative products that differentiated us from the competition and delight our customers... always."

Dave Hance, Founder


Dave Hance

crosswater^x
— LONDON —

Crosswater London offers a complete bathroom solution, delivering European design and British style in distinctive ranges of brassware, fixtures and accessories. A curated collection of instinctively innovative products, Crosswater London offers products for every design genre from the sleek and modern to classic and traditional. Sourcing the finest materials, skilled craftsmanship and time-honored manufacturing techniques, Crosswater London is dedicated to creating products of form, function and beauty for every bath space. Founded in 1998, Crosswater London is part of the Bathroom Brands Group, Europe's largest independently-owned bathroom manufacturer serving 25 countries. Global headquarters are located in the UK, at Lake View House, our purpose-built 129,000 square foot state-of-the-art facility. Dedication to product design, innovation, craftsmanship, and keen attention to customer service are the primary reasons for continued success.

British Style. European Design. Distinctive Character.

Explore the hand-forged artistry and exquisite quality of Crosswater London.





UNION

by **crosswater**^x
LONDON

PRECISION BRASSWARE **CAST IN ITALY**

UNION, setting a new standard in brassware engineering, style and performance. This innovative collection is a leap forward in design for the contemporary bathroom. Presenting Italian artisanry at its finest, each component is expertly hand forged, precision machined, polished and perfected to offer an uplifting bathroom experience.

In a move to challenge the traditional concept of bathroom fittings, UNION is engineered to provide unparalleled functionality and designed to make a statement. Only the very best components are used, coupled with stringent quality standards resulting in a product that will stand the test of time.

UNION brings you four distinctive finishes available across a complete collection of bathroom faucets, shower valves, shower heads and bath fillers.

A PASSION FOR BATHROOMS THAT SETS US APART



Today we celebrate 20 years of leadership in the industry. Global resources and long-trusted relationships ensure world-class design, craftsmanship and cutting-edge technology behind every collection.



Our London Headquarters, Lake View House, is home campus to a global operation. More than 130,000 square feet of office and warehouse space featuring a dramatic and dynamic, 10,000 square foot showroom. As a part of Bathroom Brands, we continue our journey as the largest independently-owned bathroom company in Europe.



Trusted by designers, architects and homeowners, we are proud to continue our tradition of excellence here in North America.

WHY CHOOSE CROSSWATER LONDON?

Product Design and Materials

Our talented design team, led by the company's founder David Hance, brings a fresh approach to creating beautiful products with cutting-edge technology. In pursuit of flawless perfection, instinctively innovative collections combine exquisite design and ground-breaking materials for a statement in every bathroom space.

Trademark Customer Service

A cornerstone of the Crosswater way is unparalleled customer service, from technical assistance to dispatch within 24 hours of order placement.

Our philosophy is "Going the Extra Mile" for every customer, every day.

We join forces with the best luxury plumbing showrooms in the industry. Working together, we research, design and bring to market the products and services that define luxury and value.




Skilled Craftsmanship

European design and time-honored manufacturing techniques guarantee products made for enduring beauty and performance. Artisans combine skill with precision engineering for the ultimate in bathroom innovation, quality and value.

FINISHES

	Finish code	Description	Production method	Range(s) available	Warranty
Brushed Brass	BB	A warm brass finish which is machine brushed for an even texture.	PVD	MPRO	Limited Lifetime
Brushed Black Chrome	BBC	Chrome is chemically darkened then hand brushed and finished.	Electroplated	UNION	Limited Lifetime
Brushed Nickel	BN	A heavy coating of nickel is applied then hand-relieved to achieve a subtle, sophisticated texture.	Electroplated	UNION	Limited Lifetime
Bronze	BZ	A chemically darkened surface with copper undertones.	Powdercoated	Berea, Leyden, Taos	Limited Lifetime
Matte Black	MB	Polished to a smooth surface then a hard-wearing, durable finish with a matte appearance is applied.	Electroplated	MPRO	Limited Lifetime
Polished Chrome	PC	A hard-wearing, durable finish, highly polished with a slightly cool tone.	Electroplated	All	Limited Lifetime
Polished Nickel	PN	A durable, highly-polished finish with a warm tone.	PVD	All except UNION	Limited Lifetime
Satin Nickel	SN	Similar to brushed nickel but with a slight matte appearance. A heavy coating of nickel is applied then hand brushed to achieve a subtle, sophisticated texture.	PVD	Berea, Leyden, Darby, Taos	Limited Lifetime
Stainless	S or V	A finish designed to simulate stainless steel. Matte in appearance with a slightly warm tone.	PVD	Wisp, MPRO	Limited Lifetime
Unlacquered Brass	B	Raw brass is polished and left uncoated to naturally patina over time. A rich, living finish which can be left to gently tarnish or polished to restore its brilliance.	Living finish	UNION	No Warranty






UNION 11




WALDORF 41




BELGRAVIA 75




ARCADE 107



BERA 220



LEYDEN 244



DARBY 270



TAOS 296



WISP 137



MPRO 169



DIAL 203



SHOWERING 321



BASINS 336



BATH FURNITURE 359



TOILETS 371



BATHTUBS 382

OUR COLLECTIONS


From the quintessentially British to the sleek and modern, we are proud to offer a range of exquisitely designed products to suit all bathroom requirements.



BASIN TRAPS 440

WASTES 442

ROUGHS 444



FINISHES 6

WARRANTY & DIRECTORY 460



UNION widespread basin faucet with round handles in Unlacquered Brass (US-UN135DPB_RND)

• NEW •

UNION







PRECISION BRASSWARE, CAST IN ITALY

Inspired by iconic industrial forms and renowned Italian artisanry, UNION sets a new standard for contemporary brassware engineering, style and performance. Each component is precision-machined, cast, polished and perfected to offer an elevated bathing experience. Born of innovation. Built to exceed expectation.







AVAILABLE FINISHES



HANDLE OPTIONS



UNION

Basin faucets

UNION SINGLE-HOLE BASIN FAUCET

Single-hole basin faucet with lever handle

Solid brass construction

Kerox ceramic disc cartridge

Push drain assembly included

Spout reach: 5-1/8"



Metal Lever

Polished Chrome

Brushed Nickel

Brushed Black Chrome

Unlacquered Brass

US-UN110DPC_LV **\$1058.94**

US-UN110DPBN_LV **\$1270.94**

US-UN110DPBBC_LV **\$1270.94**

US-UN110DPB_LV **\$1058.94**



Red Lever

Polished Chrome

Brushed Nickel

Brushed Black Chrome


Unlacquered Brass

US-UN110DPC_RLV **\$1090.74**

US-UN110DPBN_RLV **\$1270.94**

US-UN110DPBBC_RLV **\$1270.94**

US-UN110DPB_RLV **\$1090.74**




UNION WALL-MOUNT SINGLE-HOLE BASIN FAUCET

- Single-hole basin faucet with lever handle
- Solid brass construction
- Kerox ceramic disc cartridge
- Rough included
- Drain sold separately:
US-BSW906/US-BSW0103
- Spout reach: 8"
- Spout swivel: No



Metal Lever			Red Lever		
Polished Chrome	US-UN111WNC_LV	\$1058.94	Polished Chrome	US-UN111WNC_RLV	\$1090.74
Brushed Nickel	US-UN111WNB_LV	\$1323.94	Brushed Nickel	US-UN111WNB_RLV	\$1323.94
Brushed Black Chrome	US-UN111WNBBC_LV	\$1323.94	Brushed Black Chrome	US-UN111WNBBC_RLV	\$1323.94
Unlacquered Brass	US-UN111WNB_LV	\$1058.94	Unlacquered Brass	US-UN111WNB_RLV	\$1090.74



- RECOMMENDED WASTES**
Basin push drain with overflow
- US-BSW0103C
Polished Chrome \$94.34
- US-BSW906BN
Brushed Nickel \$104.94
- US-BSW906BBC
Brushed Black Chrome \$104.94
- US-BSW906B
Unlacquered Brass \$94.34



See page 440 for detailed information

UNION VESSEL FAUCET

- Solid brass construction
- Kerox ceramic disc cartridge
- Drain sold separately:
US-BSW906/US-BSW0103
- Spout reach: 6-1/4"
- Spout swivel: Yes



Metal Lever			Red Lever		
Polished Chrome	US-UN112DNC_LV	\$1111.94	Polished Chrome	US-UN112DNC_RLV	\$1143.74
Brushed Nickel	US-UN112DNBN_LV	\$1323.94	Brushed Nickel	US-UN112DNBN_RLV	\$1323.94
Brushed Black Chrome	US-UN112DNBBC_LV	\$1323.94	Brushed Black Chrome	US-UN112DNBBC_RLV	\$1323.94
Unlacquered Brass	US-UN112DNB_LV	\$1111.94	Unlacquered Brass	US-UN112DNB_RLV	\$1143.74



- RECOMMENDED WASTES**
Basin push drain with overflow
- US-BSW0103C
Polished Chrome \$94.34
- US-BSW906BN
Brushed Nickel \$104.94
- US-BSW906BBC
Brushed Black Chrome \$104.94
- US-BSW906B
Unlacquered Brass \$94.34

See page 440 for detailed information

UNION WALL-MOUNT WIDESPREAD BASIN FAUCET TRIM

Trim for wall-mount basin faucet
Solid brass construction
Flühs quarter-turn ceramic disc cartridges
Required rough (sold separately):
US-130ROUGH

Drain sold separately:
US-BSW906/US-BSW0103
Spout reach: Min. 7-1/4" Max. 8"
Spout swivel: No
Handle spread: 8"



Metal Lever		
Polished Chrome	US-UN131WNC_LV	\$815.14
Brushed Nickel	US-UN131WNB_N_LV	\$1016.54
Brushed Black Chrome	US-UN131WNBBC_LV	\$1016.54
Unlacquered Brass	US-UN131WNB_LV	\$815.14



Red Lever		
Polished Chrome	US-UN131WNC_RLV	\$878.74
Brushed Nickel	US-UN131WNB_N_RLV	\$1016.54
Brushed Black Chrome	US-UN131WNBBC_RLV	\$1016.54
Unlacquered Brass	US-UN131WNB_RLV	\$878.74



Round Handle		
Polished Chrome	US-UN131WNC_RND	\$846.94
Brushed Nickel	US-UN131WNB_N_RND	\$1058.94
Brushed Black Chrome	US-UN131WNBBC_RND	\$1058.94
Unlacquered Brass	US-UN131WNB_RND	\$846.94



Red Round Handle		
Polished Chrome	US-UN131WNC_RR	\$921.14
Brushed Nickel	US-UN131WNB_N_RR	\$1058.94
Brushed Black Chrome	US-UN131WNBBC_RR	\$1058.94
Unlacquered Brass	US-UN131WNB_RR	\$921.14

ROUGH



Rough for three-hole wall-mount basin faucet

US-130ROUGH \$316.94

See page 444 for detailed information



RECOMMENDED WASTES

Basin push drain with overflow

US-BSW0103C
Polished Chrome \$94.34


US-BSW906BN
Brushed Nickel \$104.94

US-BSW906BBC
Brushed Black Chrome \$104.94


US-BSW906B
Unlacquered Brass \$94.34

See page 440 for detailed information

Round



Lever



UNION WIDESPREAD BASIN FAUCET

Solid brass construction
Flühs quarter-turn ceramic disc cartridges
Push drain assembly included
Spout reach: 6-1/4"
Spout swivel: No



Metal Lever		
Polished Chrome	US-UN135DPC_LV	\$1345.14
Brushed Nickel	US-UN135DPBN_LV	\$1652.54
Brushed Black Chrome	US-UN135DPBBC_LV	\$1652.54
Unlacquered Brass	US-UN135DPB_LV	\$1345.14



Round Handle		
Polished Chrome	US-UN135DPC_RND	\$1376.94
Brushed Nickel	US-UN135DPBN_RND	\$1694.94
Brushed Black Chrome	US-UN135DPBBC_RND	\$1694.94
Unlacquered Brass	US-UN135DPB_RND	\$1376.94




Red Lever		
Polished Chrome	US-UN135DPC_RLV	\$1408.74
Brushed Nickel	US-UN135DPBN_RLV	\$1652.54
Brushed Black Chrome	US-UN135DPBBC_RLV	\$1652.54
Unlacquered Brass	US-UN135DPB_RLV	\$1408.74




Red Round Handle		
Polished Chrome	US-UN135DPC_RR	\$1451.14
Brushed Nickel	US-UN135DPBN_RR	\$1694.94
Brushed Black Chrome	US-UN135DPBBC_RR	\$1694.94
Unlacquered Brass	US-UN135DPB_RR	\$1451.14

Round



Lever



UNION FLOOR-MOUNT TUB FILLER

- Dual-handle operation
- Solid brass construction
- Flühs quarter-turn ceramic disc cartridges
- Single-function handshower with vacuum breaker and 60" hose
- Spout reach: 9"
- Required rough (sold separately): US-399ROUGH

- Height to spout: 32-1/2"
- Spout swivel: Yes
- Tub filler flow rate: 10GPM at 45PSI
- Handshower flow rate: 1.75 GPM
- Optional floor plate (sold separately) US-UNPLATE



- Metal Lever**
- | | | |
|----------------------|------------------|-----------|
| Polished Chrome | US-UN399TFC_LV | \$4768.94 |
| Brushed Nickel | US-UN399TFBN_LV | \$6146.94 |
| Brushed Black Chrome | US-UN399TFBBC_LV | \$6146.94 |
| Unlacquered Brass | US-UN399TFB_LV | \$4768.94 |



- Red Lever**
- | | | |
|----------------------|-------------------|-----------|
| Polished Chrome | US-UN399TFC_RLV | \$5023.34 |
| Brushed Nickel | US-UN399TFN_RLV | \$6401.34 |
| Brushed Black Chrome | US-UN399TFBBC_RLV | \$6401.34 |
| Unlacquered Brass | US-UN399TFB_RLV | \$5023.34 |



- Red Round Handle**
- | | | |
|----------------------|------------------|-----------|
| Polished Chrome | US-UN399TFC_RR | \$4768.94 |
| Brushed Nickel | US-UN399TFBN_RR | \$6443.74 |
| Brushed Black Chrome | US-UN399TFBBC_RR | \$6443.74 |
| Unlacquered Brass | US-UN399TFB_RR | \$4768.94 |



- Round Handle**
- | | | |
|----------------------|-------------------|-----------|
| Polished Chrome | US-UN399TFC_RND | \$5065.74 |
| Brushed Nickel | US-UN399TFBN_RND | \$6443.74 |
| Brushed Black Chrome | US-UN399TFBBC_RND | \$6443.74 |
| Unlacquered Brass | US-UN399TFB_RND | \$5065.74 |



REQUIRED ROUGH



Rough for floor-mount tub filler

US-399ROUGH \$422.94


See page 445 for detailed information



UNION FLOOR PLATE FOR FREESTANDING TUB FILLER

- Optional floor plate for use with Union freestanding tub filler
- Size: 16-3/8" x 6"

- | | | |
|----------------------|---------------|----------|
| Polished Chrome | US-UNPLATEC | \$528.94 |
| Brushed Nickel | US-UNPLATEBN | \$634.94 |
| Brushed Black Chrome | US-UNPLATEBBC | \$634.94 |
| Unlacquered Brass | US-UNPLATEB | \$528.94 |



UNION 1000 THERMOSTATIC VALVE TRIM

- One water outlet
- Vernet thermostatic cartridge and Flühs flow control cartridge
- Cartridge restricts water supply should the hot or cold supply fail, to prevent scalding or thermal shock
- Integral shut-off return valve with filters to prevent cross flow
- Required rough (sold separately): US-WLBP1000R
- Flow rate: 12GPM at 60 PSI

REQUIRED ROUGH



1000 3/4" thermostatic rough with single integrated volume control

US-WLBP1000R \$528.94

See page 446 for detailed information



Round/Lever

- | | | |
|----------------------|--------------------|----------|
| Polished Chrome | US-UNTH2HC_LVRND | \$613.74 |
| Brushed Nickel | US-UNTH2HBN_LVRND | \$825.74 |
| Brushed Black Chrome | US-UNTH2HBBC_LVRND | \$825.74 |
| Unlacquered Brass | US-UNTH2HB_LVRND | \$613.74 |



Red Round/Lever

- | | | |
|----------------------|--------------------|----------|
| Polished Chrome | US-UNTH2HC_RLVRR | \$709.14 |
| Brushed Nickel | US-UNTH2HBN_RLVRR | \$921.14 |
| Brushed Black Chrome | US-UNTH2HBBC_RLVRR | \$921.14 |
| Unlacquered Brass | US-UNTH2HB_RLVRR | \$709.14 |



Round/Round

- | | | |
|----------------------|------------------|----------|
| Polished Chrome | US-UNTH2HC_RND | \$634.94 |
| Brushed Nickel | US-UNTH2HBN_RND | \$846.94 |
| Brushed Black Chrome | US-UNTH2HBBC_RND | \$846.94 |
| Unlacquered Brass | US-UNTH2HB_RND | \$634.94 |




Red Round/Round

- | | | |
|----------------------|-----------------|----------|
| Polished Chrome | US-UNTH2HC_RR | \$730.34 |
| Brushed Nickel | US-UNTH2HBN_RR | \$942.34 |
| Brushed Black Chrome | US-UNTH2HBBC_RR | \$942.34 |
| Unlacquered Brass | US-UNTH2HB_RR | \$730.34 |

Round

Lever



UNION 1500 THERMOSTATIC VALVE TRIM

- Two water outlets
- Vernet thermostatic cartridge and Flühs flow control cartridge
- Cartridge restricts water supply should the hot or cold supply fail, to prevent scalding or thermal shock
- Integral shut-off return valve with filters to prevent cross flow
- Required rough (sold separately): US-WLBP1500R
- Flow rate: 11GPM at 60 PSI

REQUIRED ROUGH



1500 3/4" thermostatic rough with integrated volume control/diverter for independent two-outlet use

US-WLBP1500R \$698.54

See page 446 for detailed information



Round/Lever

- | | | |
|----------------------|--------------------|----------|
| Polished Chrome | US-UNTH2HC_LVRND | \$613.74 |
| Brushed Nickel | US-UNTH2HBN_LVRND | \$825.74 |
| Brushed Black Chrome | US-UNTH2HBBC_LVRND | \$825.74 |
| Unlacquered Brass | US-UNTH2HB_LVRND | \$613.74 |



Red Round/Lever

- | | | |
|----------------------|--------------------|----------|
| Polished Chrome | US-UNTH2HC_RLVRR | \$709.14 |
| Brushed Nickel | US-UNTH2HBN_RLVRR | \$921.14 |
| Brushed Black Chrome | US-UNTH2HBBC_RLVRR | \$921.14 |
| Unlacquered Brass | US-UNTH2HB_RLVRR | \$709.14 |



Round/Round

- | | | |
|----------------------|------------------|----------|
| Polished Chrome | US-UNTH2HC_RND | \$634.94 |
| Brushed Nickel | US-UNTH2HBN_RND | \$846.94 |
| Brushed Black Chrome | US-UNTH2HBBC_RND | \$846.94 |
| Unlacquered Brass | US-UNTH2HB_RND | \$634.94 |




Red Round/Round

- | | | |
|----------------------|-----------------|----------|
| Polished Chrome | US-UNTH2HC_RR | \$730.34 |
| Brushed Nickel | US-UNTH2HBN_RR | \$942.34 |
| Brushed Black Chrome | US-UNTH2HBBC_RR | \$942.34 |
| Unlacquered Brass | US-UNTH2HB_RR | \$730.34 |

Round

Lever



UNION 2000 THERMOSTATIC VALVE TRIM

- Two water outlets
- Vernet thermostatic cartridge and Flühs flow control cartridge
- Cartridge restricts water supply should the hot or cold supply fail, to prevent scalding or thermal shock
- Integral shut-off return valve with filters to prevent cross flow
- Required rough (sold separately): US-WLBP2000R
- Flow rate: 13GPM at 60 PSI

REQUIRED ROUGH



2000 3/4" thermostatic rough with two integrated volume controls

US-WLBP2000R \$793.94

See page 447 for detailed information



Lever/Round/Lever

Polished Chrome	US-UNTH3HC_LV	\$1345.14
Brushed Nickel	US-UNTH3HBN_LV	\$1832.74
Brushed Black Chrome	US-UNTH3HBBC_LV	\$1832.74
Unlacquered Brass	US-UNTH3HB_LV	\$1345.14



Red Lever/Round/Lever

Polished Chrome	US-UNTH3HC_RLV	\$1482.94
Brushed Nickel	US-UNTH3HBN_RLV	\$1970.54
Brushed Black Chrome	US-UNTH3HBBC_RLV	\$1970.54
Unlacquered Brass	US-UNTH3HB_RLV	\$1482.94



Round/Round/Round



Polished Chrome	US-UNTH3HC_RND	\$1366.34
Brushed Nickel	US-UNTH3HBN_RND	\$1853.94
Brushed Black Chrome	US-UNTH3HBBC_RND	\$1853.94
Unlacquered Brass	US-UNTH3HB_RND	\$1366.34





Red Round/Round/Round

Polished Chrome	US-UNTH3HC_RR	\$1514.74
Brushed Nickel	US-UNTH3HBN_RR	\$2002.34
Brushed Black Chrome	US-UNTH3HBBC_RR	\$2002.34
Unlacquered Brass	US-UNTH3HB_RR	\$1514.74

Round



Lever



UNION 2500 THERMOSTATIC VALVE TRIM

- Three water outlets
- Vernet thermostatic cartridge and Flühs flow control cartridge
- Cartridge restricts water supply should the hot or cold supply fail, to prevent scalding or thermal shock
- Integral shut-off return valve with filters to prevent cross flow
- Required rough (sold separately): US-WLBP2500R
- Flow rate: 12 GPM at 60 PSI

REQUIRED ROUGH



2500 3/4" thermostatic rough with single integrated volume control/three-way diverter

US-WLBP2500R \$952.94

See page 448 for detailed information



Round/Round



Polished Chrome	US-UNTH2HC_RND	\$634.94
Brushed Nickel	US-UNTH2HBN_RND	\$846.94
Brushed Black Chrome	US-UNTH2HBBC_RND	\$846.94
Unlacquered Brass	US-UNTH2HB_RND	\$634.94



Red Round/Round

Polished Chrome	US-UNTH2HC_RR	\$730.34
Brushed Nickel	US-UNTH2HBN_RR	\$942.34
Brushed Black Chrome	US-UNTH2HBBC_RR	\$942.34
Unlacquered Brass	US-UNTH2HB_RR	\$730.34

Round



UNION 3000 THERMOSTATIC VALVE TRIM

- Three water outlets

Vernet thermostatic cartridge and Flühs flow control cartridge

Cartridge restricts water supply should the hot or cold supply fail, to prevent scalding or thermal shock
- Integral shut-off return valve with filters to prevent cross flow

Required rough (sold separately):
US-WLBP3000R

Flow rate: 12 GPM at 60 PSI

REQUIRED ROUGH



3000 3/4" thermostatic rough with integrated volume control and volume control/two-way diverter

US-WLBP3000R \$899.94

See page 448 for detailed information



Lever/Round/Lever

Polished Chrome	US-UNTH3HC_LV	\$1345.14
Brushed Nickel	US-UNTH3HBN_LV	\$1832.74
Brushed Black Chrome	US-UNTH3HBBC_LV	\$1832.74
Unlacquered Brass	US-UNTH3HB_LV	\$1345.14



Red Lever/Round/Lever

Polished Chrome	US-UNTH3HC_RLV	\$1482.94
Brushed Nickel	US-UNTH3HBN_RLV	\$1970.54
Brushed Black Chrome	US-UNTH3HBBC_RLV	\$1970.54
Unlacquered Brass	US-UNTH3HB_RLV	\$1482.94




Round/Round/Round

Polished Chrome	US-UNTH3HC_RND	\$1366.34
Brushed Nickel	US-UNTH3HBN_RND	\$1853.94
Brushed Black Chrome	US-UNTH3HBBC_RND	\$1853.94
Unlacquered Brass	US-UNTH3HB_RND	\$1366.34



Red Round/Round/Round

Polished Chrome	US-UNTH3HC_RR	\$1514.74
Brushed Nickel	US-UNTH3HBN_RR	\$2002.34
Brushed Black Chrome	US-UNTH3HBBC_RR	\$2002.34
Unlacquered Brass	US-UNTH3HB_RR	\$1514.74



UNION THERMOSTATIC VALVE TRIM

- Temperature control only; volume control(s) sold separately

Vernet thermostatic cartridge

Cartridge restricts water supply should the hot or cold supply fail, to prevent scalding or thermal shock
- Integral shut-off return valve with filters to prevent cross flow

Required rough (sold separately): TH-RGH

Flow rate: 10-12 GPM at 45 PSI

ROUGH



3/4" thermostatic rough

TH-RGH \$318.00

See page 450 for detailed information



Metal Lever

Polished Chrome	US-UNTHC_LV	\$677.34
Brushed Nickel	US-UNTHBN_LV	\$921.14
Brushed Black Chrome	US-UNTHBBC_LV	\$921.14
Unlacquered Brass	US-UNTHB_LV	\$677.34



Red Lever

Polished Chrome	US-UNTHC_RLV	\$719.74
Brushed Nickel	US-UNTHBN_RLV	\$952.94
Brushed Black Chrome	US-UNTHBBC_RLV	\$952.94
Unlacquered Brass	US-UNTHB_RLV	\$719.74




Round Handle

Polished Chrome	US-UNTHC_RND	\$687.94
Brushed Nickel	US-UNTHBN_RND	\$931.74
Brushed Black Chrome	US-UNTHBBC_RND	\$931.74
Unlacquered Brass	US-UNTHB_RND	\$687.94



Red Round Handle

Polished Chrome	US-UNTHC_RR	\$740.94
Brushed Nickel	US-UNTHBN_RR	\$984.74
Brushed Black Chrome	US-UNTHBBC_RR	\$984.74
Unlacquered Brass	US-UNTHB_RR	\$740.94



UNION VOLUME CONTROL AND DIVERTER TRIM

Volume control controls on/off and volume functions for a single component in a shower system

Diverter alternates water flow between two or three water outlets

Flühs quarter-turn ceramic disc cartridge

Required rough (sold separately):
VC-RGH - Volume control
DIV-RGH - two-way diverter
3DV-RGH - three-way diverter



Metal Lever

Polished Chrome	US-UNVCDIVC_LV	\$412.34
Brushed Nickel	US-UNVCDIVBN_LV	\$518.34
Brushed Black Chrome	US-UNVCDIVBBC_LV	\$518.34
Unlacquered Brass	US-UNVCDIVB_LV	\$412.34



Round Handle

Polished Chrome	US-UNVCDIVC_RND	\$422.94
Brushed Nickel	US-UNVCDIVBN_RND	\$528.94
Brushed Black Chrome	US-UNVCDIVBBC_RND	\$528.94
Unlacquered Brass	US-UNVCDIVB_RND	\$422.94




Red Lever

Polished Chrome	US-UNVCDIVC_RLV	\$454.74
Brushed Nickel	US-UNVCDIVBN_RLV	\$560.74
Brushed Black Chrome	US-UNVCDIVBBC_RLV	\$560.74
Unlacquered Brass	US-UNVCDIVB_RLV	\$454.74




Red Round Handle

Polished Chrome	US-UNVCDIVC_RR	\$475.94
Brushed Nickel	US-UNVCDIVBN_RR	\$581.94
Brushed Black Chrome	US-UNVCDIVBBC_RR	\$581.94
Unlacquered Brass	US-UNVCDIVB_RR	\$475.94




Volume control rough

VC-RGH \$84.80



Two-way diverter rough

DIV-RGH \$159.00




Three-way diverter rough


3DV-RGH \$159.00

See pages 452-453 for detailed information

Round



Lever



UNION PRESSURE-BALANCE VALVE TRIM

One water outlet

Kerox pressure-balance cartridge

Pressure-balance cartridge maintains constant temperature in response to changes to hot and cold supply

Required rough (sold separately): PBS-RGH

Flow rate: 3-5 GPM at 45 PSI

Extension kit: 5T1C0319NT, 5P0C0582NT



Metal Lever

Polished Chrome	US-UNPBSC_LV	\$677.34
Brushed Nickel	US-UNPBSBN_LV	\$921.14
Brushed Black Chrome	US-UNPBSBBC_LV	\$921.14
Unlacquered Brass	US-UNPBSB_LV	\$677.34



Round Handle

Polished Chrome	US-UNPBSC_RND	\$687.94
Brushed Nickel	US-UNPBSBN_RND	\$931.74
Brushed Black Chrome	US-UNPBSBBC_RND	\$931.74
Unlacquered Brass	US-UNPBSB_RND	\$687.94



Red Lever

Polished Chrome	US-UNPBSC_RLV	\$677.34
Brushed Nickel	US-UNPBSBN_RLV	\$921.14
Brushed Black Chrome	US-UNPBSBBC_RLV	\$921.14
Unlacquered Brass	US-UNPBSB_RLV	\$677.34



Red Round Handle

Polished Chrome	US-UNPBSC_RR	\$730.34
Brushed Nickel	US-UNPBSBN_RR	\$974.14
Brushed Black Chrome	US-UNPBSBBC_RR	\$974.14
Unlacquered Brass	US-UNPBSB_RR	\$730.34

REQUIRED ROUGH




Pressure-balance rough


PBS-RGH \$180.20

See page 453 for detailed information

Round



Lever



UNION EXPOSED THERMOSTATIC SHOWER SET WITH RAIN HEAD AND HANDSHOWER


- One round handle, one lever handle
- Available with 5-5/8" shower head (1.75 GPM) or 10" shower head (2.0 GPM)
- Solid brass construction
- Vernet thermostatic cartridge and Flühs flow control ceramic disc cartridges
- Shower head features EasyClean nozzles
- Single-function handshower with vacuum breaker and 60" hose
- Height: 41-3/4"
- Projection: 21-5/8"
- Maximum shower head flow rate: 1.75GPM or 2.0GPM
- Maximum handshower flow rate: 1.75 GPM
- Inlet connection size: 1/2"
- Inlet connection type: Straight pipe with compression fitting
- Inlet supply spread: 5-5/8" to 6-1/4"
- Shower head swivel: Yes

Metal Round/Lever (with 1.75GPM shower head)		
Polished Chrome	US-UN800C	\$4980.94
Brushed Nickel	US-UN800BN	\$6358.94
Brushed Black Chrome	US-UN800BBC	\$6358.94
Unlacquered Brass	US-UN800B	\$4980.94

Metal Round/Lever (with 2.00GPM shower head)		
Polished Chrome	US-UN820C	\$4980.94
Brushed Nickel	US-UN820BN	\$6358.94
Brushed Black Chrome	US-UN820BBC	\$6358.94
Unlacquered Brass	US-UN820B	\$4980.94

Red Round/Lever (with 1.75GPM shower head)		
Polished Chrome	US-UN800C_R	\$5277.74
Brushed Nickel	US-UN800BN_R	\$6655.74
Brushed Black Chrome	US-UN800BBC_R	\$6655.74
Unlacquered Brass	US-UN800B_R	\$5277.74

Red Round/Lever (with 2.00GPM shower head)		
Polished Chrome	US-UN820C_R	\$5277.74
Brushed Nickel	US-UN820BN_R	\$6655.74
Brushed Black Chrome	US-UN820BBC_R	\$6655.74
Unlacquered Brass	US-UN820B_R	\$5277.74





UNION exposed thermostatic shower set in Brushed Black Chrome (US-UN820BBC)

UNION 10" SHOWER HEAD

Solid brass
Single rain spray
EasyClean anti-limescale nozzles
Shower arm and flange sold separately (US-SH400)
9-7/8" diameter
Maximum flow rate: 2.0 GPM
Inlet connection size: G 1/2" (compatible with 1/2" NPT)
Swivel: Yes


Polished Chrome	US-MA250C	\$528.94
Brushed Nickel	US-MA250BN	\$719.74
Brushed Black Chrome	US-MA250BBC	\$719.74
Unlacquered Brass	US-MA250B	\$528.94



UNION 5-5/8" SHOWER HEAD

Solid brass
Single rain spray
EasyClean anti-limescale nozzles
Shower arm and flange sold separately (US-SH400)
5-5/8" diameter
Maximum flow rate: 1.75GPM
Inlet connection size: G 1/2" (compatible with 1/2" NPT)
Swivel: Yes


Polished Chrome	US-MA150C	\$528.94
Brushed Nickel	US-MA150BN	\$719.74
Brushed Black Chrome	US-MA150BBC	\$719.74
Unlacquered Brass	US-MA150B	\$528.94



ELEMENTS 8-JET SHOWER HEAD

Solid brass
Adjustable spray - wide to narrow rain
Anti-limescale nozzles
Wall-mounted using shower arm (sold separately)
3-1/2" diameter
Swivel: Yes
Maximum flow rate: 1.75 GPM
Inlet connection type: 1/2" NPT

Polished Chrome	US-SH08C	\$210.94
Polished Nickel	US-SH08N	\$263.94
Stainless	US-SH08S	\$263.94
Brushed Nickel	US-SH08BN	\$348.74*
Brushed Black Chrome	US-SH08BBC	\$348.74*




*6-WEEK LEADTIME

UNION 15-3/4" WALL-MOUNT SHOWER ARM AND FLANGE

Solid Brass
Projection: 15-3/4"
Inlet connection size: 1/2" male NPT

Polished Chrome	US-SH400C	\$189.74
Brushed Nickel	US-SH400BN	\$263.94
Brushed Black Chrome	US-SH400BBC	\$263.94
Unlacquered Brass	US-SH400B	\$189.74



MODERN SHOWER ARM AND FLANGE

Solid brass
Round flange
Projection: 5-3/4"
Inlet connection type: 1/2" male NPT


Polished Chrome	US-PRO664C	\$51.94
Polished Nickel	US-PRO664N	\$62.54
Stainless	US-PRO664N	\$62.54
Brushed Nickel	US-PRO664BN	\$104.94*
Brushed Black Chrome	US-PRO664BBC	\$104.94*



UNION HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

Single spray
Wall bracket includes vacuum breaker
Handshower hose length: 60"
Flange size: 2"
Maximum flow rate: 1.75 GPM
Inlet connection: 1/2" NPT

Polished Chrome	US-UN964C	\$740.94
Brushed Nickel	US-UN964BN	\$846.94
Brushed Black Chrome	US-UN964BBC	\$846.94
Unlacquered Brass	US-UN964B	\$740.94



UNION WALL TUB SPOUT

Solid brass construction
Spout reach: 9"


Polished Chrome	US-UN0370WC	\$316.94
Brushed Nickel	US-UN0370WBN	\$422.94
Brushed Black Chrome	US-UN0370WBBC	\$422.94
Unlacquered Brass	US-UN0370WB	\$316.94



*6-WEEK LEADTIME


UNION PAPER HOLDER

Polished Chrome	US-UN029C	\$179.00
Brushed Nickel	US-UN029BN	\$239.00
Brushed Black Chrome	US-UN029BBC	\$239.00
Unlacquered Brass	US-UN029B	\$179.00




UNION ROBE HOOK

Polished Chrome	US-UN022C	\$99.00
Brushed Nickel	US-UN022BN	\$119.00
Brushed Black Chrome	US-UN022BBC	\$119.00
Unlacquered Brass	US-UN022B	\$99.00



UNION WALL-MOUNT SOAP DISPENSER


Polished Chrome	US-UN011C	\$279.00
Brushed Nickel	US-UN011BN	\$379.00
Brushed Black Chrome	US-UN011BBC	\$379.00
Unlacquered Brass	US-UN011B	\$279.00



UNION 9" TOWEL HOLDER

Polished Chrome	US-UN013C	\$179.00
Brushed Nickel	US-UN013BN	\$239.00
Brushed Black Chrome	US-UN013BBC	\$239.00
Unlacquered Brass	US-UN013B	\$179.00


Note: Bar cannot be cut



UNION 20" TOWEL BAR


Polished Chrome	US-UN023C	\$299.00
Brushed Nickel	US-UN023BN	\$399.00
Brushed Black Chrome	US-UN023BBC	\$399.00
Unlacquered Brass	US-UN023B	\$299.00

Note: Bar cannot be cut



UNION WALL-MOUNT TOILET BRUSH HOLDER

Polished Chrome	US-UN025C	\$499.00
Brushed Nickel	US-UN025BN	\$679.00
Brushed Black Chrome	US-UN025BBC	\$679.00
Unlacquered Brass	US-UN025B	\$499.00





UNION freestanding tub filler with handshower with red round handles (US-UN399TFC_RR) and floor plate in Polished Chrome (US-UNPLATEC)



UNION single-hole basin faucet with red lever handle in Polished Chrome (US-UN110DPC_RLV)



UNION widespread wall-mount basin faucet with
round handles in Unlacquered Brass
(US-UN131WNB_RND, US-130ROUGH)



UNION freestanding tub filler with handshower
with round handles in Brushed Black Chrome
(US-UN399TFBBC_RND)



Waldorf widespread basin faucet with cross handles in Polished Chrome (US-WF130DPC)

Waldorf



TRULY EVOCATIVE

A modern interpretation of Art Deco excellence, Waldorf blends geometric intricacy with softened lines for a striking profile. Expertly designed in Europe and displaying the highest level of quality and aesthetics, the Waldorf collection represents the ultimate in bathroom luxury.

Enduring. Elegant. Waldorf.



Waldorf exposed thermostatic tub and shower set in Polished Chrome (US-WF_BSMC_LV)



AVAILABLE FINISHES




Polished Chrome




Polished Nickel


HANDLE OPTIONS




Metal Lever



White Lever



Black Lever



Cross Handle

WALDORF LOW SPOUT WIDESPREAD BASIN FAUCET

Solid brass construction	Spout swivel: No
Flühs quarter-turn ceramic disc valves	Handle spread: 5" - 22"
Pop-up drain assembly included	Maximum flow rate: 1.2 GPM
Spout reach: 5-1/2"	



Crosshead
Polished Chrome **US-WF130DPC** **\$846.94**
Polished Nickel **US-WF130DPN** **\$952.94**



Metal Lever
Polished Chrome **US-WF130DPC_CLV** **\$846.94**
Polished Nickel **US-WF130DPN_NLV** **\$952.94**




Black Lever
Polished Chrome **US-WF130DPC_BLV** **\$846.94**
Polished Nickel **US-WF130DPN_BLV** **\$952.94**




White Lever
Polished Chrome **US-WF130DPC_LV** **\$846.94**
Polished Nickel **US-WF130DPN_LV** **\$952.94**

Cross Handles



Lever



WALDORF TALL SPOUT WIDESPREAD BASIN FAUCET

Solid brass construction	Spout swivel: No
Flühs quarter-turn ceramic disc valves	Handle spread: 5" - 22"
Pop-up drain assembly included	Maximum flow rate: 1.2 GPM
Spout reach: 5-1/4"	



Crosshead
Polished Chrome **US-WF135DPC** **\$846.94**
Polished Nickel **US-WF135DPN** **\$952.94**



Metal Lever
Polished Chrome **US-WF135DPC_CLV** **\$846.94**
Polished Nickel **US-WF135DPN_NLV** **\$952.94**




Black Lever
Polished Chrome **US-WF135DPC_BLV** **\$846.94**
Polished Nickel **US-WF135DPN_BLV** **\$952.94**




White Lever
Polished Chrome **US-WF135DPC_LV** **\$846.94**
Polished Nickel **US-WF135DPN_LV** **\$952.94**

Cross Handles



Lever



WALDORF WALL-MOUNT BASIN FAUCET TRIM

Solid brass construction	Spout reach: 5-1/2"
Flühs quarter-turn ceramic disc valves	Spout swivel: No
Push drain assembly sold separately	Handle spread: 8"
Required rough sold separately (US-130ROUGH)	Maximum flow rate: 1.2 GPM



Crosshead
Polished Chrome **US-WF131WNC \$740.94**
Polished Nickel **US-WF131WNN \$846.94**



Metal Lever
Polished Chrome **US-WF131WNC_CLV \$740.94**
Polished Nickel **US-WF131WNN_NLV \$846.94**



Black Lever
Polished Chrome **US-WF131WNC_BLV \$740.94**
Polished Nickel **US-WF131WNN_BLV \$846.94**



White Lever
Polished Chrome **US-WF131WNC_LV \$740.94**
Polished Nickel **US-WF131WNN_LV \$846.94**

REQUIRED ROUGH



Rough for three-hole wall-mount basin faucet

US-130ROUGH \$316.94

See page 444 for detailed information

RECOMMENDED WASTES



Basin push drain with overflow

US-BSW0103C \$94.34
Polished Chrome

US-BSW0103N \$136.74
Polished Nickel




Basin push drain without overflow

US-BSW0101C \$94.34
Polished Chrome


US-BSW0101N \$136.74
Polished Nickel

See page 440 for detailed information

Cross Handles



Lever



WALDORF SINGLE-HOLE BASIN FAUCET

Solid brass construction	Spout reach: 5-1/4"
Flühs quarter-turn ceramic disc valves	Spout swivel: No
Pop-up drain assembly included	Maximum flow rate: 1.2 GPM



Crosshead
Polished Chrome **US-WF110DPC \$846.94**
Polished Nickel **US-WF110DPN \$952.94**



Metal Lever
Polished Chrome **US-WF110DPC_CLV \$846.94**
Polished Nickel **US-WF110DPN_NLV \$952.94**




Black Lever
Polished Chrome **US-WF110DPC_BLV \$846.94**
Polished Nickel **US-WF110DPN_BLV \$952.94**




White Lever
Polished Chrome **US-WF110DPC_LV \$846.94**
Polished Nickel **US-WF110DPN_LV \$952.94**

Cross Handles



Lever



WALDORF EXPOSED DECK-MOUNT TUB FAUCET WITH HANDSHOWER

Solid brass construction
Flühs quarter-turn ceramic disc valves
Single-function handshower with vacuum breaker and 60" hose
Can be used for floorstanding installation with US-WF002F floor pillar legs, US-AA002ROUGH rough and US-WF_PLATE floor plate

Wall unions US-BL004WC/N are compatible with this tub faucet. Please see page 48.
Spout reach: 7-5/8"
Spout swivel: No
Tub filler flow rate: 25 GPM at 45 PSI
Handshower flow rate: 2.0 GPM
Inlet supply: 3/4" NPSM connectors



Crosshead
Polished Chrome US-WF422DC **\$1376.94**
Polished Nickel US-WF422DN **\$1588.94**



Metal Lever
Polished Chrome US-WF422DC_CLV **\$1376.94**
Polished Nickel US-WF422DN_NLV **\$1588.94**




Black Lever
Polished Chrome US-WF422DC_BLV **\$1376.94**
Polished Nickel US-WF422DN_BLV **\$1588.94**



White Lever
Polished Chrome US-WF422DC_LV **\$1376.94**
Polished Nickel US-WF422DN_LV **\$1588.94**

Cross Handles

Lever



Waldorf exposed tub faucet with handshower and cross handles (US-WF422DC)

WALDORF EXPOSED THERMOSTATIC SHOWER SET WITH 8" RAIN HEAD AND TUB SPOUT

Two integrated volume controls	Shower head swivel: No
Vernet thermostatic cartridge and Flühs volume control cartridge	Inlet connection size: 1/2"
Shower head features EasyClean nozzles	Inlet connection type: Straight pipe with compression fitting
Maximum shower head flow rate: 2.5 GPM at 80 PSI	




Metal Lever
Polished Chrome **US-WF_BSMC_CLV** **\$3178.94**
Polished Nickel **US-WF_BSMN_NLV** **\$3814.94**



Black Lever
Polished Chrome **US-WF_BSMC_BLV** **\$3178.94**
Polished Nickel **US-WF_BSMN_BLV** **\$3814.94**



White Lever
Polished Chrome **US-WF_BSMC_LV** **\$3178.94**
Polished Nickel **US-WF_BSMN_LV** **\$3814.94**



WALDORF EXPOSED THERMOSTATIC SHOWER SET WITH 8" RAIN HEAD AND HANDSHOWER ON HOOK

Two integrated volume controls	Maximum handshower flow rate: 2.0 GPM at 80 PSI
Vernet thermostatic cartridge and Flühs volume control cartridges	Shower head swivel: No
Shower head features EasyClean nozzles	Inlet connection size: 1/2"
Handshower includes vacuum breaker and 60" hose	Inlet connection type: Straight pipe with compression fitting
Maximum shower head flow rate: 2.5 GPM at 80 PSI	




Metal Lever (metal hand shower)
Polished Chrome **US-WF_BRACKETC_CLV** **\$3178.94**
Polished Nickel **US-WF_BRACKETN_NLV** **\$3814.94**



Black Lever (metal hand shower with black insert)
Polished Chrome **US-WF_BRACKETC_BLV** **\$3178.94**
Polished Nickel **US-WF_BRACKETN_BLV** **\$3814.94**



White Lever (metal hand shower with white insert)
Polished Chrome **US-WF_BRACKETC_LV** **\$3178.94**
Polished Nickel **US-WF_BRACKETN_LV** **\$3814.94**



WALDORF EXPOSED THERMOSTATIC SHOWER SET WITH 8" RAIN HEAD AND HANDSHOWER ON CRADLE

- Two integrated volume controls
- Vernet thermostatic cartridge and Flühs volume control cartridges
- Shower head features EasyClean nozzles
- Handshower includes vacuum breaker and 60" hose
- Maximum shower head flow rate: 2.5 GPM at 80 PSI

- Maximum handshower flow rate: 2.0 GPM at 80 PSI
- Shower head swivel: No
- Inlet connection size: 1/2"
- Inlet connection type: Straight pipe with compression fitting



Metal Lever (metal hand shower)

- Polished Chrome US-WF_CRADLEC_CLV **\$3178.94**
- Polished Nickel US-WF_CRADLEN_NLV **\$3814.94**




Black Lever (metal hand shower with black insert)

- Polished Chrome US-WF_CRADLEC_BLV **\$3178.94**
- Polished Nickel US-WF_CRADLEN_BLV **\$3814.94**



White Lever (metal hand shower with white insert)

- Polished Chrome US-WF_CRADLEC_LV **\$3178.94**
- Polished Nickel US-WF_CRADLEN_LV **\$3814.94**



WALDORF THERMOSTATIC SHOWER SET WITH 8" RAIN HEAD AND HANDSHOWER ON SLIDER

- Two integrated volume controls
- Vernet thermostatic cartridge and Flühs volume control cartridges
- Shower head features EasyClean nozzles
- Handshower includes vacuum breaker and 60" hose
- Maximum shower head flow rate: 2.5 GPM at 80 PSI

- Maximum handshower flow rate: 2.0 GPM at 80 PSI
- Shower head swivel: No
- Inlet connection size: 1/2"
- Inlet connection type: Straight pipe with compression fitting



Metal Lever (metal hand shower)

- Polished Chrome US-WF_SLIDERC_CLV **\$3178.94**
- Polished Nickel US-WF_SLIDERN_NLV **\$3814.94**




Black Lever (metal hand shower with black insert)

- Polished Chrome US-WF_SLIDERC_BLV **\$3178.94**
- Polished Nickel US-WF_SLIDERN_BLV **\$3814.94**



White Lever (metal hand shower with white insert)

- Polished Chrome US-WF_SLIDERC_LV **\$3178.94**
- Polished Nickel US-WF_SLIDERN_LV **\$3814.94**



WALDORF 1000 THERMOSTATIC VALVE TRIM

One water outlet
Vernet thermostatic cartridge
Required rough (sold separately)
US-WLBP1000R

Flow rate: 12 GPM at 60 PSI
Extension kit:
US-EK101525C Polished Chrome
US-EK101525N Polished Nickel



REQUIRED ROUGH



1000 3/4" thermostatic rough with single integrated volume control

US-WLBP1000R \$528.94

See page 446 for detailed information

Crosshead

Polished Chrome US-WF1000RC \$592.54
Polished Nickel US-WF1000RN \$719.74

Metal Lever

Polished Chrome US-WF1000RC_CLV \$592.54
Polished Nickel US-WF1000RN_NLV \$719.74




Black Lever

Polished Chrome US-WF1000RC_BLV \$592.54
Polished Nickel US-WF1000RN_BLV \$719.74


White Lever

Polished Chrome US-WF1000RC_LV \$592.54
Polished Nickel US-WF1000RN_LV \$719.74

Cross Handles



Lever



WALDORF 1500 THERMOSTATIC VALVE TRIM

Two water outlets
Vernet thermostatic cartridge
Required rough (sold separately)
US-WLBP1500R

Flow rate: 11 GPM at 60 PSI
Extension kit:
US-EK101525C Polished Chrome
US-EK101525N Polished Nickel



REQUIRED ROUGH



1500 3/4" thermostatic rough with single integrated volume control/diverter for independent two outlet use

US-WLBP1500R \$698.54

See page 446 for detailed information

Crosshead

Polished Chrome US-WF1500RC \$592.54
Polished Nickel US-WF1500RN \$719.74

Metal Lever

Polished Chrome US-WF1500RC_CLV \$592.54
Polished Nickel US-WF1500RN_NLV \$719.74




Black Lever

Polished Chrome US-WF1500RC_BLV \$592.54
Polished Nickel US-WF1500RN_BLV \$719.74


White Lever

Polished Chrome US-WF1500RC_LV \$592.54
Polished Nickel US-WF1500RN_LV \$719.74

Cross Handles



Lever



WALDORF 2000 THERMOSTATIC VALVE TRIM

Two water outlets	Flow rate: 13 GPM at 60 PSI
Vernet thermostatic cartridge	Extension kit: US-EK2000C Polished Chrome US-EK2000N Polished Nickel
Required rough (sold separately) US-WLBP2000R	



Crosshead

Polished Chrome	US-WF2000RC	\$793.94
Polished Nickel	US-WF2000RN	\$952.94



Metal Lever

Polished Chrome	US-WF2000RC_CLV	\$793.94
Polished Nickel	US-WF2000RN_NLV	\$952.94



Black Lever

Polished Chrome	US-WF2000RC_BLV	\$793.94
Polished Nickel	US-WF2000RN_BLV	\$952.94



White Lever

Polished Chrome	US-WF2000RC_LV	\$793.94
Polished Nickel	US-WF2000RN_LV	\$952.94

REQUIRED ROUGH



2000 3/4" thermostatic rough with two integrated volume controls

US-WLBP2000R \$793.94

See page 447 for detailed information

WALDORF 2500 THERMOSTATIC VALVE TRIM

Three water outlets
Vernet thermostatic cartridge
Required rough (sold separately) US-WLBP2500R
Flow rate: 12 GPM at 60 PSI
Extension kit: US-EK101525C Polished Chrome UK-EK101525N Polished Nickel



Polished Chrome	US-WF2500RC	\$592.54
Polished Nickel	US-WF2500RN	\$719.74

REQUIRED ROUGH




2500 3/4" thermostatic rough with single integrated volume control/three-way diverter



US-WLBP2500R \$952.94

See page 448 for detailed information

Cross Handles



Lever



WALDORF 3000 THERMOSTATIC VALVE TRIM

Three water outlets	Flow rate: 12 GPM at 60 PSI
Vernet thermostatic cartridge and Flühs volume control cartridge	Extension kit: US-EK2000C Polished Chrome UK-EK2000N Polished Nickel
Required rough (sold separately) US-WLBP3000R	



Crosshead

Polished Chrome	US-WF3000RC	\$793.94
Polished Nickel	US-WF3000RN	\$952.94



Metal Lever

Polished Chrome	US-WF3000RC_CLV	\$793.94
Polished Nickel	US-WF3000RN_NLV	\$952.94



Black Lever

Polished Chrome	US-WF3000RC_BLV	\$793.94
Polished Nickel	US-WF3000RN_BLV	\$952.94



White Lever

Polished Chrome	US-WF3000RC_LV	\$793.94
Polished Nickel	US-WF3000RN_LV	\$952.94


REQUIRED ROUGH



3000 3/4" thermostatic rough with integrated volume control and volume control/two-way diverter

US-WLBP3000R \$899.94

See page 448 for detailed information



WALDORF HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

Single spray	Shower face size: 3-1/2"
Wall bracket includes vacuum breaker	Maximum flow rate: 2.0 GPM
Handshower hose length: 60"	Inlet connection: 1/2" NPT
Flange size: 2-1/8" x 2-1/8"	



Metal

Polished Chrome	US-WF964C	\$454.74
Polished Nickel	US-WF964N	\$528.94




Metal with black insert

Polished Chrome	US-WF964C_B	\$454.74
Polished Nickel	US-WF964N_B	\$528.94



Metal with white insert

Polished Chrome	US-WF964C_W	\$454.74
Polished Nickel	US-WF964N_W	\$528.94



WALDORF 8" RAIN HEAD

- Solid brass
- Single rain spray
- EasyClean, anti-limescale nozzles
- Can be wall or ceiling mounted using the appropriate shower arm (sold separately)
- Swivel: No
- Maximum flow rate: 2.5 GPM
- Inlet connection size: G 1/2" (compatible with 1/2" NPT)

Polished Chrome	US-WF08C_EC	\$316.94
Polished Nickel	US-WF08N_EC	\$380.54



WALDORF 12" RAIN HEAD

- Solid brass
- Single rain spray
- Can be wall or ceiling mounted using the appropriate shower arm (sold separately)
- Swivel: No
- Maximum flow rate: 2.5 GPM
- Inlet connection size: G 1/2" (compatible with 1/2" NPT)


Polished Chrome	US-WF12C	\$422.94
Polished Nickel	US-WF12N	\$507.74



ELEMENTS 8-JET SHOWER HEAD

- Solid brass
- Adjustable spray - wide to narrow rain
- Anti-limescale nozzles
- Wall-mounted using shower arm (sold separately)
- 3-1/2" diameter
- Swivel: Yes
- Maximum flow rate: 1.75 GPM
- Inlet connection type: 1/2" NPT

Polished Chrome	US-SH08C	\$210.94
Polished Nickel	US-SH08N	\$348.74



TRADITIONAL 12" WALL-MOUNT SHOWER ARM

- Solid brass
- Projection: 11"
- Height: 3-5/8"
- Inlet connection size: 1/2" male NPT


Polished Chrome	US-BL684C	\$73.14
Polished Nickel	US-BL684N	\$83.74



8" CEILING-MOUNT SHOWER ARM

- Solid brass
- Projection: 7-3/4"
- Inlet connection size: 1/2" male NPT

Polished Chrome	US-PRO689C	\$73.14
Polished Nickel	US-PRO689N	\$83.74



WALDORF SHOWER ARM AND FLANGE

- Solid brass
- Hexagonal flange
- Projection: 5-3/4"
- Inlet connection type: 1/2" male NPT

Polished Chrome	US-WF664C	\$51.94
Polished Nickel	US-WF664N	\$62.54




WALDORF PAPER HOLDER

- Polished Chrome
- US-WF029C
- \$189.74

Polished Nickel

US-WF029N

\$210.94




WALDORF ROBE HOOK

- Polished Chrome
- US-WF021C
- \$73.14

Polished Nickel

US-WF021N

\$94.34




WALDORF TOWEL RING

- Polished Chrome
- US-WF013C
- \$115.54

Polished Nickel

US-WF013N

\$136.74




WALDORF 18" TOWEL BAR

- Polished Chrome
- US-WF023C
- \$200.34

Polished Nickel

US-WF023N

\$232.14




WALDORF 24" TOWEL BAR

- Polished Chrome
- US-WF026C
- \$210.94

Polished Nickel

US-WF026N

\$242.74




WALDORF 32" TOWEL BAR

- Polished Chrome
- US-WF028C
- \$242.74

Polished Nickel

US-WF028N

\$263.94



WALDORF LED LIGHTED MIRROR

Mirror back has safety film and edges are treated to prevent oxidization

Size: 23-5/8" x 23-5/8"

Installation method: Hardwire


Brightness: 562 lumens

Color temperature: 6400K

cUL approved

Note: Not compatible with dimmer

US-WF6060 \$ 634.94




WALDORF MIRROR

Mirror back has safety film and edges are treated to prevent oxidization

Size: 24-3/4" x 31-1/2"

US-WF_MIRROR \$422.94



Waldorf back-to-wall bathtub (US-WF_BTWBATH)
Waldorf exposed tub faucet with handshower and cross handles (US-WF422DC)
Waldorf 31-1/2" basin console set in Polished Chrome (US-WF0813SCW)
Waldorf widespread basin faucet with cross handles in Polished Chrome (US-WF130DPC)
Waldorf LED hexagonal mirror (US-WF6060)



Waldorf 39-1/2" basin (UW-WF1003SCW)
Waldorf widespread basin faucet with
cross handles in Polished Chrome (WF130DPC)
Contemporary bottle/trap in Polished Chrome
(US-BTR0402C)
Waldorf mirror (US-WF_MIRROR)



Waldorf widespread basin faucet with
cross handles in Polished Chrome
(US-WF130DPC)



Waldorf exposed thermostatic shower set with
handshower on cradle in Polished Chrome
(US-WF_CRADLE)



Waldorf 12" rain head (US-WF12C) with 13" shower arm in Polished Chrome (US-FH684C)




Waldorf freestanding bathtub (US-WF_FSBATHC)
Waldorf exposed tub faucet with handshower and white lever handles in Polished Chrome (WF-422DC_LV)
Waldorf floorstanding pillar legs (US-WF002FC) and floor plate in Polished Chrome (US-WF_PLATEC)



Belgravia widespread basin faucet with cross handles in Polished Nickel (US-BL130DPN)

BELGRAVIA

• EST. 1899 •



STUNNING & CLASSICALLY DESIGNED BRASSWARE

Exceptionally crafted, Belgravia lends an historic pedigree to traditional bathroom design. Precise detailing and inscribed indices set this collection apart, creating a bathroom that is period in style yet superior in function. Hand-polished across the entire range, Belgravia indulges the bathroom with stately style and sensibility. Authentic luxury for discerning tastes. Belgravia.



Belgravia tall spout widespread basin faucet in Polished Nickel (US-BL135DPN)



AVAILABLE FINISHES



HANDLE OPTIONS



BELGRAVIA LOW SPOUT WIDESPREAD BASIN FAUCET

- Solid brass construction
- Flühs quarter-turn ceramic disc valves
- Pop-up drain assembly included
- Spout reach: 4-1/2"
- Spout swivel: No
- Handle spread: 5" - 22"
- Maximum flow rate: 1.2 GPM




Crosshead		
Polished Chrome	US-BL130DPC	\$740.94
Polished Nickel	US-BL130DPN	\$846.94

White Lever		
Polished Chrome	US-BL130DPC_LV	\$740.94
Polished Nickel	US-BL130DPN_LV	\$846.94

Cross Handles

Lever



BELGRAVIA TALL SPOUT WIDESPREAD BASIN FAUCET

- Solid brass construction
- Flühs quarter-turn ceramic disc valves
- Pop-up drain assembly included
- Spout reach: 5"
- Spout swivel: No
- Handle spread: 5" - 22"
- Maximum flow rate: 1.2 GPM




Crosshead		
Polished Chrome	US-BL135DPC	\$740.94
Polished Nickel	US-BL135DPN	\$846.94

White Lever		
Polished Chrome	US-BL135DPC_LV	\$740.94
Polished Nickel	US-BL135DPN_LV	\$846.94

Cross Handles

Lever



BELGRAVIA WALL-MOUNT BASIN FAUCET TRIM

- Trim for wall-mount basin faucet
- Solid brass construction
- Flühs quarter-turn ceramic disc valves
- Push drain assembly sold separately
- Required rough sold separately (US-130ROUGH)
- Spout reach: 6"
- Spout swivel: No
- Handle spread: 8"
- Maximum flow rate: 1.2 GPM



Crosshead			White Lever		
Polished Chrome	US-BL131WNC	\$422.94	Polished Chrome	US-BL131WNC_LV	\$422.94
Polished Nickel	US-BL131WNN	\$486.54	Polished Nickel	US-BL131WNN_LV	\$486.54

REQUIRED ROUGH



Rough for three-hole wall-mount basin faucet

US-130ROUGH \$316.94

See page 444 for detailed information

RECOMMENDED WASTES



Basin push drain with overflow

US-BSW0103C Polished Chrome \$94.34

US-BSW0103N Polished Nickel \$136.74



Basin push drain without overflow

US-BSW0101C Polished Chrome \$94.34

US-BSW0101N Polished Nickel \$136.74

See page 440 for detailed information


BELGRAVIA SINGLE-HOLE BASIN FAUCET

- Solid brass construction
- Flühs quarter-turn ceramic disc valves
- Pop-up drain assembly included
- Spout reach: 5"
- Spout swivel: No
- Maximum flow rate: 1.2 GPM




Crosshead			White Lever		
Polished Chrome	US-BL112DPC	\$634.94	Polished Chrome	US-BL112DPC_LV	\$634.94
Polished Nickel	US-BL112DPN	\$740.94	Polished Nickel	US-BL112DPN_LV	\$740.94


Cross Handles




Lever



Cross Handles



Lever



BELGRAVIA EXPOSED DECK-MOUNT TUB FAUCET WITH HANDSHOWER


Solid brass construction	Spout reach: 6-1/2"
Flühs quarter-turn ceramic disc valves	Spout swivel: No
Single-function handshower with vacuum breaker and 60" hose	Tub filler flow rate: 25 GPM at 45 PSI
Can be used for floorstanding installation with US-BL002F floor pillar legs and US-AA002ROUGH rough	Handshower flow rate: 2.0 GPM
	Inlet supply: 3/4" NPSM connectors



Crosshead			White Lever		
Polished Chrome	US-BL422DC	\$1376.94	Polished Chrome	US-BL422DC_LV	\$1376.94
Polished Nickel	US-BL422DN	\$1588.94	Polished Nickel	US-BL422DN_LV	\$1588.94

Cross Handles


Lever



BELGRAVIA FLOOR-STANDING PILLAR LEGS


Floor-mounting legs for Belgravia deck tub filler US-BL422D	Required rough sold separately (US-AA002ROUGH)
Solid brass construction	Tub faucet sold separately (US-BL422D)
Height: 27-7/8"	

Polished Chrome	US-BL002FC	\$634.94
Polished Nickel	US-BL002FN	\$762.14



SUPPORT FOR FREESTANDING PILLAR LEGS (OPTIONAL)

Polished Chrome	US-PLS002C	\$429.00
Polished Nickel	US-PLS002N	\$479.00



REQUIRED ROUGH



Rough for floor standing pillar legs


US-AA002ROUGH
\$210.94

See page 445
for detailed information

WALL UNIONS FOR EXPOSED TUB FILLER

Wall-mounting unions for Belgravia two-handle tub faucet
Solid brass
3/4" NPT


Polished Chrome	US-BL004WC	\$210.94
Polished Nickel	US-BL004WN	\$253.34



BELGRAVIA WALL TUB SPOUT

Solid brass construction
Spout reach: 7"
Inlet supply: 1/2" NPT

Polished Chrome	US-BL0370WC	\$242.74
Polished Nickel	US-BL0370WN	\$285.14



BELGRAVIA DECK-MOUNT TUB FAUCET WITH HANDSHOWER

- Solid brass construction
- Flühs quarter-turn ceramic disc valves
- Single-function handshower with vacuum breaker and 60" hose
- Spout reach: 6-1/2"
- Spout swivel: No
- Tub filler flow rate: 25 GPM at 45 PSI
- Handshower flow rate: 2.0 GPM
- Inlet supply: 3/4" NPSM connectors



Crosshead


- Polished Chrome US-BL440DC \$1376.94
- Polished Nickel US-BL440DN \$1588.94




White Lever

- Polished Chrome US-BL440DC_LV \$1376.94
- Polished Nickel US-BL440DN_LV \$1588.94

Cross Handles





Lever



BELGRAVIA EXPOSED THERMOSTATIC SHOWER SET WITH 8" RAIN HEAD

- Integrated volume control
- White lever handle
- Vernet thermostatic cartridge and Flühs volume control cartridge
- Shower head features EasyClean nozzles
- Plug at bottom of the valve is removable for future addition of handshower or tub spout, if desired.
- Maximum shower head flow rate: 2.5 GPM at 80 PSI
- Shower head swivel: No
- Inlet connection size: 1/2"
- Inlet connection type: Straight pipe with compression fitting



- Polished Chrome US-BEL_SHOWERC \$2436.94
- Polished Nickel US-BEL_SHOWERN \$2924.54



BELGRAVIA EXPOSED THERMOSTATIC SHOWER SET WITH 8" RAIN HEAD AND TUB SPOUT

- Two integrated volume controls
- White lever handles
- Vernet thermostatic cartridge and Flühs volume control cartridge
- Shower head features EasyClean nozzles
- Maximum shower head flow rate: 2.5 GPM at 80 PSI
- Shower head swivel: No
- Inlet connection size: 1/2"
- Inlet connection type: Straight pipe with compression fitting


Polished Chrome	US-BEL_BSMC	\$2860.94
Polished Nickel	US-BEL_BSMN	\$3433.34



BELGRAVIA EXPOSED THERMOSTATIC SHOWER SET WITH 8" RAIN HEAD AND HANDSHOWER ON HOOK

- White lever handles
- Vernet thermostatic cartridge and Flühs volume control cartridges
- Shower head features EasyClean nozzles
- Handshower includes vacuum breaker and 60" hose
- Maximum shower head flow rate: 2.5 GPM at 80 PSI
- Maximum handshower flow rate: 2.0 GPM at 80 PSI
- Shower head swivel: No
- Inlet connection size: 1/2"
- Inlet connection type: Straight pipe with compression fitting


Polished Chrome	US-BEL_BRACKETC	\$2860.94
Polished Nickel	US-BEL_BRACKETN	\$3433.34



BELGRAVIA EXPOSED THERMOSTATIC SHOWER SET WITH 8" RAIN HEAD AND HANDSHOWER ON SLIDER

- Handshower & 8" diameter Easy Clean rain head included
- Two integrated volume controls
- White lever handles
- Vernet thermostatic cartridge and Flühs volume control cartridges
- Shower head features EasyClean nozzles
- Handshower includes vacuum breaker and 60" hose
- Maximum shower head flow rate: 2.5 GPM at 80 PSI
- Maximum handshower flow rate: 2.0 GPM at 80 PSI
- Shower head swivel: No
- Inlet connection size: 1/2"
- Inlet connection type: Straight pipe with compression fitting


Polished Chrome **US-BEL_SLIDERC \$2860.94**
Polished Nickel **US-BEL_SLIDERN \$3433.34**



BELGRAVIA EXPOSED THERMOSTATIC SHOWER SET WITH 8" RAINHEAD AND HANDSHOWER ON CRADLE

- Two integrated volume controls
- White lever handles
- Vernet thermostatic cartridge and Flühs volume control cartridges
- Shower head features EasyClean nozzles
- Handshower includes vacuum breaker and 60" hose
- Maximum shower head flow rate: 2.5 GPM at 80 PSI
- Maximum handshower flow rate: 2.0 GPM at 80 PSI
- Shower head swivel: No
- Inlet connection size: 1/2"
- Inlet connection type: Straight pipe with compression fitting

Polished Chrome **US-BEL_CRADLEC \$2860.94**
Polished Nickel **US-BEL_CRADLEN \$3433.34**



BELGRAVIA 1000 THERMOSTATIC VALVE TRIM

- One water outlet
- Vernet thermostatic cartridge
- Required rough (sold separately) US-WLBP1000R
- Flow rate: 12 GPM at 60 PSI

- Extension kit:
 - US-EK101525C Polished Chrome
 - US-EK101525N Polished Nickel



REQUIRED ROUGH



1000 3/4" thermostatic rough with single integrated volume control


US-WLBP1000R \$528.94

See page 446 for detailed information



- Crosshead
- | | | |
|-----------------|-------------|----------|
| Polished Chrome | US-BL1000RC | \$592.54 |
| Polished Nickel | US-BL1000RN | \$719.74 |

- White Lever
- | | | |
|-----------------|----------------|----------|
| Polished Chrome | US-BL1000RC_LV | \$592.54 |
| Polished Nickel | US-BL1000RN_LV | \$719.74 |



BELGRAVIA 1500 THERMOSTATIC VALVE TRIM

- Two water outlets
- Vernet thermostatic cartridge
- Required rough (sold separately) US-WLBP1500R
- Flow rate: 11 GPM at 60 PSI

- Extension kit:
 - US-EK101525C Polished Chrome
 - US-EK101525N Polished Nickel



REQUIRED ROUGH



1500 3/4" thermostatic rough with single integrated volume control/diverter for independent two outlet use


US-WLBP1500R \$698.54

See page 446 for detailed information



- Crosshead
- | | | |
|-----------------|-------------|----------|
| Polished Chrome | US-BL1500RC | \$592.54 |
| Polished Nickel | US-BL1500RN | \$719.74 |


- White Lever
- | | | |
|-----------------|----------------|----------|
| Polished Chrome | US-BL1500RC_LV | \$592.54 |
| Polished Nickel | US-BL1500RN_LV | \$719.74 |



BELGRAVIA 2000 THERMOSTATIC VALVE TRIM

- Two water outlets
- Vernet thermostatic cartridge
- Required rough (sold separately) US-WLBP2000R
- Flow rate: 13 GPM at 60 PSI

- Extension kit:
- US-EK2000C Polished Chrome
 - US-EK2000N Polished Nickel



- Crosshead**
- Polished Chrome **US-BL2000RC** **\$793.94**
 - Polished Nickel **US-BL2000RN** **\$952.94**

- White Lever**
- Polished Chrome **US-BL2000RC_LV** **\$793.94**
 - Polished Nickel **US-BL2000RN_LV** **\$952.94**



REQUIRED ROUGH



2000 3/4" thermostatic rough with two integrated volume controls

US-WLBP2000R \$793.94


See page 447 for detailed information



BELGRAVIA 2500 THERMOSTATIC VALVE TRIM

- Three water outlets
- Vernet thermostatic cartridge
- Required rough (sold separately) US-WLBP2500R
- Flow rate: 12 GPM at 60 PSI
- Extension kit:
 - US-EK101525C Polished Chrome
 - UK-EK101525N Polished Nickel

- Polished Chrome **US-BL2500RC** **\$613.74**
- Polished Nickel **US-BL2500RN** **\$719.74**




REQUIRED ROUGH



2500 3/4" thermostatic rough with single integrated volume control/three-way diverter

US-WLBP2500R \$952.94

See page 448 for detailed information




BELGRAVIA 3000 THERMOSTATIC VALVE TRIM

Three water outlets	Flow rate: 12 GPM at 60 PSI
Vernet thermostatic cartridge and Flühs volume control cartridge	Extension kit: US-EK2000C Polished Chrome UK-EK2000N Polished Nickel
Required rough (sold separately) US-WLBP3000R	



Crosshead					
Polished Chrome	US-BL3000RC	\$793.94	White Lever	Polished Chrome	US-BL3000RC_LV \$793.94
Polished Nickel	US-BL3000RN	\$952.94	Polished Nickel	US-BL3000RN_LV	\$952.94



REQUIRED ROUGH



3000 3/4" thermostatic rough with integrated volume control and volume control/two-way diverter


US-WLBP3000R \$899.94

See page 448 for detailed information

BELGRAVIA HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

Single spray
Wall bracket includes vacuum breaker
Handshower hose length: 60"
Flange size: 2-1/8" x 2-1/8"
Shower face size: 3"
Maximum flow rate: 2.0 GPM
Inlet connection: 1/2" NPT


Polished Chrome	US-BL964C	\$316.94
Polished Nickel	US-BL964N	\$369.94



BELGRAVIA HANDSHOWER RAIL

Length: 25-3/4"


Polished Chrome	US-BL850C	\$634.94
Polished Nickel	US-BL850N	\$687.94



BELGRAVIA 8" RAIN HEAD

- Solid brass
- Single rain spray
- EasyClean, anti-limescale nozzles
- Can be wall or ceiling mounted using the appropriate shower arm (sold separately)
- Swivel: No
- Maximum flow rate: 2.5 GPM
- Inlet connection size: G 1/2" (compatible with 1/2" NPT)


Polished Chrome	US-FH08C_EC	\$338.14
Polished Nickel	US-FH08N_EC	\$391.14



BELGRAVIA 12" RAIN HEAD

- Solid brass
- Single rain spray
- Can be wall or ceiling mounted using the appropriate shower arm (sold separately)
- Swivel: No
- Maximum flow rate: 2.5 GPM
- Inlet connection size: G 1/2" (compatible with 1/2" NPT)


Polished Chrome	US-FH12C	\$422.94
Polished Nickel	US-FH12N	\$475.94



ELEMENTS 8-JET SHOWER HEAD

- Solid brass
- Adjustable spray - wide to narrow rain
- Anti-limescale nozzles
- Wall-mounted using shower arm (sold separately)
- 3-1/2" diameter
- Swivel: Yes
- Maximum flow rate: 1.75 GPM
- Inlet connection type: 1/2" NPT


Polished Chrome	US-SH08C	\$210.94
Polished Nickel	US-SH08N	\$348.74



8" CEILING-MOUNT SHOWER ARM

- Solid brass
- Projection: 7-3/4"
- Inlet connection size: 1/2" male NPT


Polished Chrome	US-BL684C	\$73.14
Polished Nickel	US-BL684N	\$83.74



TRADITIONAL 12" WALL-MOUNT SHOWER ARM

- Solid brass
- Projection: 11"
- Height: 3-5/8"
- Inlet connection size: 1/2" male NPT


Polished Chrome	US-PRO689C	\$73.14
Polished Nickel	US-PRO689N	\$83.74



BELGRAVIA SHOWER ARM AND FLANGE


- Solid brass
- Round flange
- Projection: 5-3/4"
- Inlet connection type: 1/2" male NPT

Polished Chrome	US-BL664C	\$51.94
Polished Nickel	US-BL664N	\$62.54




BELGRAVIA PAPER HOLDER

Polished Chrome	US-BL029C	\$104.94
Polished Nickel	US-BL029N	\$136.74




BELGRAVIA TOWEL RING

Polished Chrome	US-BL013C	\$83.74
Polished Nickel	US-BL013N	\$94.34



BELGRAVIA ROBE HOOK


Polished Chrome	US-BL022C	\$51.94
Polished Nickel	US-BL022N	\$62.54



BELGRAVIA 24" TOWEL BAR

Polished Chrome	US-BL023C	\$126.14
Polished Nickel	US-BL023N	\$147.34


Note: Bars cannot be cut



BELGRAVIA 24" DOUBLE TOWEL BAR

Polished Chrome	US-BL028C	\$210.94
Polished Nickel	US-BL028N	\$242.74

Note: Bars cannot be cut




BELGRAVIA FRAME 20" X 28" MIRROR

Framed mirror with ball corner details

Size: 19-3/4" x 27-1/2"

Concealed hanging system

Polished Chrome	US-A11C	\$369.94
Polished Nickel	US-A11N	\$380.54






Belgravia exposed thermostatic shower set with 8" rain head in Polished Nickel (US-BEL_SHOWERN)



Belgravia exposed thermostatic shower set with 8" rain head and handshower on slider in Polished Nickel (US-BEL_SLIDERN)



Belgravia exposed tub faucet with handshower and cross handles in Polished Chrome (US-BL422DC)



Belgravia 1000/1500 thermostatic valve trim with white lever handle in Polished Chrome (US-BL1000RC_LV/US-BL1500RC_LV)




Belgravia 12" rain head (US-FH12C) with 8" ceiling-mount shower arm in Polished Chrome (US-PRO689C)



Arcade widespread basin faucet with cross handles
in Polished Chrome (US-ARC15DPC)

A R C A D E



TRANSCENDING TIME, ARCADE DEFINES SPACE WITH A NOD TO BYGONE DESIGN ERAS

Exquisite fittings and ceramics of strong form and graceful lines tell a story of refined elegance. State-of-the-art craftsmanship combines with Belle Époque styling to create masterpiece bath fittings and fixtures for a truly unique decor.

Arcade is the art of the bath.



Arcade widespread basin faucet with black lever handles in Polished Chrome (US-ARC15DPC_BLV)



AVAILABLE FINISHES



HANDLE OPTIONS



ARCADE WIDESPREAD BASIN FAUCET

Cast brass spout and side valves	Spout swivel: Yes
Flühs quarter-turn ceramic disc valves	Handle spread: 4" - 44"
Push drain included	Maximum flow rate: 1.2 GPM
Spout reach: 7"	



Crosshead
Polished Chrome **US-ARC15DPC** **\$698.54**
Polished Nickel **US-ARC15DPN** **\$804.54**



Metal Lever
Polished Chrome **US-ARC15DPC_CLV** **\$698.54**
Polished Nickel **US-ARC15DPN_NLV** **\$804.54**




Black Lever
Polished Chrome **US-ARC15DPC_BLV** **\$698.54**
Polished Nickel **US-ARC15DPN_BLV** **\$804.54**




White Lever
Polished Chrome **US-ARC15DPC_WLV** **\$698.54**
Polished Nickel **US-ARC15DPN_WLV** **\$804.54**


PUSH DRAIN ASSEMBLY INCLUDED



Crossh Handles



Lever



ARCADE WALL-MOUNT BASIN FAUCET TRIM

Trim for wall-mount basin faucet	Spout reach: 9-1/2"
Solid brass construction	Spout swivel: Yes
Flühs quarter-turn ceramic disc valves	Handle spread: 8"
Push drain assembly sold separately	Maximum flow rate: 1.2 GPM
Required rough sold separately (US-130ROUGH)	



Crosshead
Polished Chrome **US-ARC16C** **\$422.94**
Polished Nickel **US-ARC16N** **\$486.54**



Metal Lever
Polished Chrome **US-ARC16C_CLV** **\$422.94**
Polished Nickel **US-ARC16N_NLV** **\$486.54**




Black Lever
Polished Chrome **US-ARC16C_BLV** **\$422.94**
Polished Nickel **US-ARC16N_BLV** **\$486.54**




White Lever
Polished Chrome **US-ARC16C_WLV** **\$422.94**
Polished Nickel **US-ARC16N_WLV** **\$486.54**

Cross Handles



Lever



REQUIRED ROUGH



Rough for three-hole wall-mount basin faucet

US-130ROUGH **\$316.94**

See page 444 for detailed information

RECOMMENDED WASTES



Basin push drain with overflow

US-BSW0103C
Polished Chrome **\$94.34**

US-BSW0103N
Polished Nickel **\$136.74**



Basin push drain without overflow

US-BSW0101C
Polished Chrome **\$94.34**



US-BSW0101N
Polished Nickel **\$136.74**

See page 440 for detailed information

ARCADE SINGLE-HOLE BASIN FAUCET

- Solid brass construction
- Flühs quarter-turn ceramic disc valves
- Push drain assembly included
- Spout reach: 5-1/2"
- Spout swivel: Yes
- Maximum flow rate: 1.2 GPM

Polished Chrome	US-ARC14DPC	\$528.94
Polished Nickel	US-ARC14DPN	\$634.94



ARCADE WALL-MOUNT EXPOSED TUB FAUCET WITH HANDSHOWER


- Solid brass construction
- Flühs quarter-turn ceramic disc valves
- Single-function handshower with vacuum breaker and 60" hose
- Spout reach: 10-1/4"
- Spout swivel: Yes
- Tub filler flow rate: 6 GPM
- Handshower flow rate: 1.75 GPM
- Inlet supply: 3/4" NPSM connectors

Crosshead handles		
Polished Chrome	US-ARC19C	\$1270.94
Polished Nickel	US-ARC19N	\$1461.74

Metal lever handles		
Polished Chrome	US-ARC19C_CLV	\$1270.94
Polished Nickel	US-ARC19N_NLV	\$1461.74

Black lever handles		
Polished Chrome	US-ARC19C_BLV	\$1270.94
Polished Nickel	US-ARC19N_BLV	\$1461.74

White lever handles		
Polished Chrome	US-ARC19C_WLV	\$1270.94
Polished Nickel	US-ARC19N_WLV	\$1461.74




ARCADE DECK-MOUNT EXPOSED TUB FAUCET WITH HANDSHOWER

- Solid brass construction
- Flühs quarter-turn ceramic disc valves
- Single-function handshower with vacuum breaker and 60" hose
- Can be used for floorstanding installation with US-AA002D floor pillar legs and US-AA002ROUGH rough (sold separately)
- Spout reach: 11-3/4"
- Spout swivel: Yes
- Tub filler flow rate: 6 GPM
- Handshower flow rate: 1.75 GPM
- Inlet supply: 3/4" NPSM connectors




Crosshead handles			
Polished Chrome	US-ARC18C		\$1270.94
Polished Nickel	US-ARC18N		\$1461.74
Metal lever handles			
Polished Chrome	US-ARC18C_CLV		\$1270.94
Polished Nickel	US-ARC18N_NLV		\$1461.74
Black lever handles			
Polished Chrome	US-ARC18C_BLV		\$1270.94
Polished Nickel	US-ARC18N_BLV		\$1461.74
White lever handles			
Polished Chrome	US-ARC18C_WLV		\$1270.94
Polished Nickel	US-ARC18N_WLV		\$1461.74



ARCADE FLOOR-STANDING PILLAR LEGS


- | | |
|---|---|
| Floor-mounting legs for Arcade tub filler
US-ARC18 | Height: 29" |
| Solid brass construction | Required rough sold separately
(US-AA002ROUGH) |

Polished Chrome	US-AA002DC	\$422.94
Polished Nickel	US-AA002DN	\$507.74



SUPPORT FOR FREESTANDING PILLAR LEGS (OPTIONAL)

Polished Chrome	US-PLS002C	\$429.00
Polished Nickel	US-PLS002N	\$479.00



REQUIRED ROUGH



Rough for floor standing pillar legs

US-AA002ROUGH
\$210.94

See page 445 for detailed information

ARCADE FLOOR-MOUNT SINGLE-LEVER TUB FILLER WITH HANDSHOWER

Single-handle operation with lever handle	Height to spout: 30-1/2"
Solid brass construction	Spout reach: 7-7/8"
Kerox ceramic disc cartridge	Spout swivel: No
Handshower includes vacuum breaker and 60" hose	Tub filler flow rate: 3.75 GPM at 45 PSI
Required rough sold separately (US-418ROUGH)	Handshower flow rate: 1.75 GPM




Metal Lever
Polished Chrome **US-ARC20C_CLV** **\$1270.94**
Polished Nickel **US-ARC20N_NLV** **\$1461.74**



Black Lever
Polished Chrome **US-ARC20C_BLV** **\$1270.94**
Polished Nickel **US-ARC20N_BLV** **\$1461.74**





White Lever
Polished Chrome **US-ARC20C_WLV** **\$1270.94**
Polished Nickel **US-ARC20N_WLV** **\$1461.74**



REQUIRED ROUGH



Rough for floor-mount single-lever tub filler
US-418ROUGH **\$316.94**
See page 445 for detailed information



ARCADE EXPOSED THERMOSTATIC SHOWER SET WITH 9" RAIN HEAD AND HANDSHOWER ON BAR

Two integrated volume controls	Maximum shower head flow rate: 1.75 GPM at 80 PSI
Available with black, white or metal lever handles	Maximum handshower flow rate: 1.75 GPM at 80 PSI
Vernet thermostatic cartridge and Flühs volume control cartridges	Shower head swivel: Yes
Shower head features EasyClean nozzles	Inlet connection size: 1/2"
Handshower includes vacuum breaker and 60" hose	Inlet connection type: Straight pipe with compression fitting





Metal Lever
Polished Chrome **US-H401-ARCC_CLV** **\$2860.94**
Polished Nickel **US-H401-ARCN_NLV** **\$3496.94**



White Lever
Polished Chrome **US-H401-ARCC** **\$2860.94**
Polished Nickel **US-H401-ARCN** **\$3496.94**



Black Lever
Polished Chrome **US-H401-ARCC_BLV** **\$2860.94**
Polished Nickel **US-H401-ARCN_BLV** **\$3496.94**



ARCADE 1000 THERMOSTATIC VALVE TRIM

One water outlet	Flow rate: 12 GPM at 60 PSI
Vernet thermostatic cartridge	Extension kit: US-EK101525C Polished Chrome US-EK101525N Polished Nickel
Required rough (sold separately) US-WLBP1000R	



REQUIRED ROUGH



1000 3/4" thermostatic rough with single integrated volume control


US-WLBP1000R \$528.94

See page 446 for detailed information

Metal Lever					
Polished Chrome	US-ARCV34C_CLV	\$422.94	White Lever	Polished Chrome	US-ARCV34C \$422.94
Polished Nickel	US-ARCV34N_NLV	\$507.74	Polished Nickel	Polished Nickel	US-ARCV34N \$507.74



Black Lever		
Polished Chrome	US-ARCV34C_BLV	\$422.94
Polished Nickel	US-ARCV34N_BLV	\$507.74



ARCADE 1500 THERMOSTATIC VALVE TRIM

Two water outlets	Flow rate: 11 GPM at 60 PSI
Vernet thermostatic cartridge	Extension kit: US-EK101525C Polished Chrome US-EK101525N Polished Nickel
Required rough (sold separately) US-WLBP1500R	



REQUIRED ROUGH



1500 3/4" thermostatic rough with single integrated volume control/diverter for independent two outlet use


US-WLBP1500R \$698.54

See page 446 for detailed information

Metal Lever					
Polished Chrome	US-ARCV35C_CLV	\$422.94	White Lever	Polished Chrome	US-ARCV35C \$422.94
Polished Nickel	US-ARCV35N_NLV	\$507.74	Polished Nickel	Polished Nickel	US-ARCV35N \$507.74



Black Lever		
Polished Chrome	US-ARCV35C_BLV	\$422.94
Polished Nickel	US-ARCV35N_BLV	\$507.74






ARCADE

Handshowers

ARCADE HANDSHOWER WITH HOSE AND BRACKET WITH OUTLET

- Single spray
- Wall bracket includes vacuum breaker
- Handshower hose length: 60"
- Flange size: 2-1/8" x 2-1/8"
- Shower face size: 4-1/8"
- Maximum flow rate: 1.75 GPM
- Inlet connection: 1/2" NPT

Polished Chrome	US-ARC963C	\$634.94
Polished Nickel	US-ARC963N	\$762.14



ARCADE 9” AIR BOOST RAIN HEAD

Featuring air boost technology which infuses the water with air creating droplets that are dense but light and soft, while maintaining superior pressure

Solid brass

Single rain spray

Can be wall or ceiling mounted using the appropriate shower arm (sold separately)

Swivel: Yes

Maximum flow rate: 1.75 GPM

Inlet connection size: G 1/2”(compatible with 1/2” NPT)



Polished Chrome	US-ARCV17C	\$210.94
Polished Nickel	US-ARCV17N	\$253.34

ARCADE 13” AIR BOOST RAIN HEAD

Featuring air boost technology which infuses the water with air creating droplets that are dense but light and soft, while maintaining superior pressure

Solid brass

Single rain spray

Can be wall or ceiling mounted using the appropriate shower arm (sold separately)

Swivel: Yes

Maximum flow rate: 1.75 GPM

Inlet connection size: G 1/2”(compatible with 1/2” NPT)



Polished Chrome	US-ARCV60C	\$316.94
Polished Nickel	US-ARCV60N	\$380.54

ELEMENTS 8-JET SHOWER HEAD

Solid brass

Adjustable spray - wide to narrow rain

Anti-limescale nozzles


Wall-mounted using shower arm (sold separately)

3-1/2” diameter

Swivel: Yes

Maximum flow rate: 1.75 GPM

Inlet connection type: 1/2” NPT



Polished Chrome	US-SH08C	\$210.94
Polished Nickel	US-SH08N	\$263.94


8” CEILING-MOUNT SHOWER ARM

Solid brass

Projection: 7-3/4”

Inlet connection size: 1/2” male NPT

Polished Chrome	US-BL684C	\$73.14
Polished Nickel	US-BL684N	\$83.74



TRADITIONAL 12” WALL-MOUNT SHOWER ARM


Solid brass

Projection: 11”

Height: 3-5/8”

Inlet connection size: 1/2” male NPT

Polished Chrome	US-PRO689C	\$73.14
Polished Nickel	US-PRO689N	\$83.74



ARCADE SHOWER ARM AND FLANGE

Solid brass

Round flange

Projection: 5-3/4”

Inlet connection type: 1/2” male NPT


Polished Chrome	US-ARC064C	\$51.94
Polished Nickel	US-ARC064N	\$62.54



ARCADE PAPER HOLDER

- Polished Chrome
- US-ARCA5CHR
- \$179.14


- Polished Nickel
- US-ARCA5NKL
- \$210.94



ARCADE SINGLE ROBE HOOK

- Polished Chrome
- US-ARCA14CHR
- \$41.34


- Polished Nickel
- US-ARCA14NKL
- \$51.94



ARCADE DOUBLE ROBE HOOK

- Polished Chrome
- US-ARCA4CHR
- \$51.94


- Polished Nickel
- US-ARCA4NKL
- \$62.54



ARCADE TOWEL RING

- Polished Chrome
- US-ARCA3CHR
- \$83.74


- Polished Nickel
- US-ARCA3NKL
- \$94.34



ARCADE 24" TOWEL BAR

- Polished Chrome
- US-ARCA023CHR
- \$126.14


- Polished Nickel
- US-ARCA023NKL
- \$147.34



ARCADE WALL-MOUNT SOAP DISPENSER

- Polished Chrome
- US-ARCA19CHR
- \$136.74


- Polished Nickel
- US-ARCA19NKL
- \$157.94



ARCADE TOILET BRUSH HOLDER

- Polished Chrome
- US-ARCA8CHR
- \$189.74


- Polished Nickel
- US-ARCA8NKL
- \$210.94



ARCADE WALL BASKET

- Polished Chrome
- US-ARCA23CHR
- \$210.94


- Polished Nickel
- US-ARCA23NKL
- \$242.74



ARCADE CORNER WALL BASKET

- Polished Chrome
- US-ARCA22CHR
- \$210.94

- Polished Nickel
- US-ARCA22NKL
- \$242.74



ARCADE FREESTANDING DOUBLE PAPER HOLDER


- Polished Chrome

US-ARCA42CHR

\$422.94
- Polished Nickel

US-ARCA42NKL

\$507.74



ARCADE FREESTANDING TOWEL HOLDER


- Polished Chrome

US-ARCA43CHR

\$422.94
- Polished Nickel

US-ARCA43NKL

\$528.94



ARCADE ELEMENTS TUB TRAY

Extendable 23-1/4" - 35"

Size: 23-1/4" - 35" x 8-3/8" x 3-1/2"



- Polished Chrome

US-A27CHR

\$422.94
- Polished Nickel

US-A27NKL

\$454.74



ARCADE TUB TRAY

Extendable 25-5/8" - 35-1/4"

Size: 25-5/8" - 35-1/4" x 8" x 2-3/4"



- Polished Chrome

US-ARCA27CHR

\$422.94
- Polished Nickel

US-ARCA27NKL

\$454.74




ARCADE 23" X 20" SQUARE SWIVEL MIRROR

Swivel mirror with beveled glass

Size: 23-1/4" x 19-5/8"

Mounted with decorative swivel wall brackets

Polished Chrome	US-ARCA39CHR	\$348.74
Polished Nickel	US-ARCA39NKL	\$369.94




ARCADE 23" X 24" CURVED SQUARE SWIVEL MIRROR

Swivel mirror with beveled glass

Size: 23-1/4" x 19-5/8"

Mounted with decorative swivel wall brackets

Polished Chrome	US-ARCA40CHR	\$401.74
Polished Nickel	US-ARCA40NKL	\$422.94



Arcade double robe hook in Polished Nickel
(US-ARCA4NKL)



Arcade 36" metal console set in Polished Chrome (US-ARC9003TH, US-ARC23C)
Arcade widespread basin faucet with cross handles in Polished Chrome (US-ARC15DPC)
Contemporary bottle trap in Polished Chrome (US-BTR0402C)
Arcade curved square swivel mirror in Polished Chrome (US-ARCA40CHR)



Arcade 36" pedestal basin (US-ARC9003TH, US-ARC1)
Berea widespread basin faucet in Polished Chrome (11-08-PC)
Berea paper holder in Polished Chrome (11-58-PC)
Berea 24" towel bar in Polished Chrome (11-65-PC)



Arcade 47" double-basin console set
(US-ARC12001TH, US-ARC2)
Arcade single-hole faucet in Polished Nickel
(US-ARC14DPN)



Arcade single-hole basin faucet in Polished Chrome
(US-ARC14DPC)



Arcade 24" console set
(US-ARC6001TH, US-ARC2)
Arcade single-hole basin faucet in Polished Chrome
(US-ARC14DPC)
Contemporary bottle trap in Polished Chrome
(US-BTR0402C)



Wisp single-hole basin faucet in
Polished Chrome (US-WP110DPC)

• NEW •

WISP



MINIMALIST LINES.
MAXIMUM IMPACT.


The Wisp Collection offers a sleek profile in luxuriously smooth finishes for a crisp, cohesive bathroom design. Defining contemporary with simple elegance. Wisp.




WISP WIDESPREAD BASIN FAUCET

Solid brass construction
Flühs quarter-turn ceramic disc valves
Push drain assembly included
Spout reach: 6-3/4"
Spout swivel: Yes
Handle spread: 4" - 32"
Maximum flow rate: 1.2 GPM


Polished Chrome	US-WP130DPC	\$677.34
Polished Nickel	US-WP130DPN	\$815.14
Stainless	US-WP130DPV	\$815.14



AVAILABLE FINISHES





Polished Chrome



Polished Nickel



Stainless





WISP WIDESPREAD BASIN FAUCET (LONG SPOUT)

- Solid brass construction
- Flühs quarter-turn ceramic disc valves
- Push drain assembly included
- Spout reach: 8-5/8"
- Spout swivel: Yes
- Handle spread: 4" - 32"
- Maximum flow rate: 1.2 GPM

Polished Chrome	US-WP135DPC	\$677.34
Polished Nickel	US-WP135DPN	\$815.14
Stainless	US-WP135DPV	\$815.14



PUSH DRAIN ASSEMBLY INCLUDED




WISP WALL-MOUNT SINGLE-LEVER BASIN FAUCET TRIM

- Trim for wall-mount basin faucet
- Right-hand mixer handle (handle orientation cannot be changed)
- Solid brass construction
- Kerox ceramic disc cartridge
- Push drain assembly sold separately

- Required rough sold separately (US-120ROUGH)
- Spout reach: 7"
- Spout swivel: No
- Handle to spout spread: 4-1/32"
- Maximum flow rate: 1.2 GPM

Polished Chrome	US-WP120WNC	\$369.94
Polished Nickel	US-WP120WNN	\$444.14
Stainless	US-WP120WNV	\$444.14



REQUIRED ROUGH



Rough for wall-mount basin faucet

US-120ROUGH-C
Polished Chrome \$316.94

US-120ROUGH-N
Polished Nickel \$316.94

US-120ROUGH-V
Stainless \$316.94

See page 444
for detailed information

RECOMMENDED WASTES



Basin push drain with overflow

US-BSW0103C
Polished Chrome \$94.34

US-BSW0103N
Polished Nickel \$136.74

US-BSW0103V
Stainless \$179.14



Basin push drain without overflow

US-BSW0101C
Polished Chrome \$94.34

US-BSW0101N
Polished Nickel \$136.74



US-BSW0101V
Stainless \$179.14

See page 440
for detailed information

WISP SINGLE-HOLE BASIN FAUCET

- Solid brass construction
- Kerox ceramic disc cartridge
- Push drain assembly included
- Spout reach: 4-3/4"
- Spout swivel: No
- Maximum flow rate: 1.2 GPM



Polished Chrome	US-WP110DPC	\$422.94
Polished Nickel	US-WP110DPN	\$507.74
Stainless	US-WP110DPV	\$507.74



WISP SINGLE-HOLE MINI BASIN FAUCET

- Solid brass construction
- Kerox ceramic disc cartridge
- Push drain assembly included
- Spout reach: 3-3/4"
- Spout swivel: No
- Maximum flow rate: 1.0 GPM

Polished Chrome	US-WP114DPC	\$401.74
Polished Nickel	US-WP114DPN	\$486.54
Stainless	US-WP114DPV	\$486.54





Wisp single-lever vessel faucet in Polished Chrome (US-WP112DNC)

WISP

Basin faucets

WISP VESSEL FAUCET

Solid brass construction
Kerox ceramic disc cartridge
Push drain assembly sold separately
Spout reach: 5-1/2"
Spout swivel: No
Maximum flow rate: 1.2 GPM


Polished Chrome	US-WP112DNC
Polished Nickel	US-WP112DNN
Stainless	US-WP112DNV

\$369.94
\$444.14
\$444.14



RECOMMENDED WASTES


	Basin push drain with overflow	
US-BSW0103C	Polished Chrome	\$94.34
US-BSW0103N	Polished Nickel	\$136.74
US-BSW0103V	Stainless	\$179.14
	Basin push drain without overflow	
US-BSW0101C	Polished Chrome	\$94.34
US-BSW0101N	Polished Nickel	\$136.74
US-BSW0101V	Stainless	\$179.14
See page 440 for detailed information		



WISP DECK-MOUNT TUB FAUCET WITH HANDSHOWER

- Solid brass construction
- Flühs quarter-turn ceramic disc valves
- Single-function handshower with vacuum breaker and 60" hose
- Spout reach: 9"
- Spout swivel: No
- Tub filler flow rate: 6 GPM
- Handshower flow rate: 2.0 GPM
- Inlet supply: 3/4" NPSM connectors


Polished Chrome	US-WP450DC	\$1058.94
Polished Nickel	US-WP450DN	\$1270.94
Stainless	US-WP450DV	\$1270.94



WISP THERMOSTATIC FLOOR-MOUNT TUB FILLER WITH HANDSHOWER

- Single-handle operation with lever handle
- Solid brass construction
- Vernet ceramic disc cartridge
- Handshower includes vacuum breaker and 60" hose
- Required rough sold separately (US-418ROUGH)
- Height to spout: 33-1/4"
- Spout reach: 9-1/2"
- Spout swivel: No
- Tub filler flow rate: 6 GPM at 60 PSI
- Handshower flow rate: 2.0 GPM

Polished Chrome	US-WP418TFC	\$2118.94
Polished Nickel	US-WP418TFN	\$2542.94
Stainless	US-WP418TFV	\$2542.94



REQUIRED ROUGH



Rough for floor-mount single-lever tub filler
US-418ROUGH \$316.94
See page 445 for detailed information



Wisp 1000/1500/2500 thermostatic valve trim in
Polished Chrome
(US-WP1000RC/US-WP1500RC/
US-WP2500RC)

WISP 1000 THERMOSTATIC VALVE TRIM

- One water outlet
- Vernet thermostatic cartridge
- Required rough (sold separately)
US-WLBP1000R
- Flow rate: 12 GPM at 60 PSI
- Extension kit:
US-EK101525C Polished Chrome
US-EK101525N Polished Nickel
US-EK101525V Stainless

Polished Chrome	US-WP1000RC	\$475.94
Polished Nickel	US-WP1000RN	\$571.34
Stainless	US-WP1000RV	\$571.34




REQUIRED ROUGH



1000 3/4" thermostatic rough
with single integrated volume
control

US-WLBP1000R \$528.94

See page 446
for detailed information



WISP 1500 THERMOSTATIC VALVE TRIM

- Two water outlets
- Vernet thermostatic cartridge
- Required rough (sold separately) US-WLBP1500R
- Flow rate: 11 GPM at 60 PSI
- Extension kit:
 - US-EK101525C Polished Chrome
 - US-EK101525N Polished Nickel
 - US-EK101525V Stainless

Polished Chrome	US-WP1500RC	\$475.94
Polished Nickel	US-WP1500RN	\$571.34
Stainless	US-WP1500RV	\$571.34




REQUIRED ROUGH



1500 3/4" thermostatic rough with single integrated volume control/diverter for independent two outlet use

US-WLBP1500R \$698.54


See page 446 for detailed information



WISP 2000 THERMOSTATIC VALVE TRIM

- Two water outlets
- Vernet thermostatic cartridge
- Required rough (sold separately) US-WLBP2000R
- Flow rate: 13 GPM at 60 PSI
- Extension kit:
 - US-EK2000C Polished Chrome
 - US-EK2000N Polished Nickel
 - US-EK2000V Stainless

Polished Chrome	US-WP2000RC	\$793.94
Polished Nickel	US-WP2000RN	\$952.94
Stainless	US-WP2000RV	\$952.94




REQUIRED ROUGH



2000 3/4" thermostatic rough with two integrated volume controls

US-WLBP2000R \$793.94

See page 447 for detailed information



WISP 2500 THERMOSTATIC VALVE TRIM

- Three water outlets
- Vernet thermostatic cartridge
- Required rough (sold separately) US-WLBP2500R
- Flow rate: 12 GPM at 60 PSI
- Extension kit:
 - US-EK101525C Polished Chrome
 - US-EK101525N Polished Nickel
 - US-EK101525V Stainless

Polished Chrome	US-WP2500RC	\$475.94
Polished Nickel	US-WP2500RN	\$571.34
Stainless	US-WP2500RV	\$571.34





REQUIRED ROUGH



2500 3/4" thermostatic rough with single integrated volume control/three-way diverter

US-WLBP2500R \$952.94


See page 448 for detailed information



WISP 3000 THERMOSTATIC VALVE TRIM

- Three water outlets
- Vernet thermostatic cartridge and Flühs volume control cartridge
- Required rough (sold separately) US-WLBP3000R
- Flow rate: 12 GPM at 60 PSI
- Extension kit:
 - US-EK2000C Polished Chrome
 - UK-EK2000N Polished Nickel
 - US-EK2000V Stainless

Polished Chrome	US-WP3000RC	\$793.94
Polished Nickel	US-WP3000RN	\$952.94
Stainless	US-WP3000RV	\$952.94





REQUIRED ROUGH



3000 3/4" thermostatic rough with integrated volume control and volume control/two-way diverter

US-WLBP3000R \$899.94

See page 448 for detailed information



WISP 1701 HORIZONTAL THERMOSTATIC VALVE TRIM WITH HANDSHOWER

- Two water outlets
- Vernet thermostatic cartridge
- Required rough (sold separately) US-WLBP1501R
- Flow rate: 11 GPM at 60 PSI
- Handshower flow rate 2.0 GPM
- Extension kit:
 - US-EK101525C Polished Chrome
 - US-EK101525N Polished Nickel
 - US-EK101525V Stainless

Polished Chrome	US-WP1701RC	\$793.94
Polished Nickel	US-WP1701RN	\$952.94
Stainless	US-WP1701RV	\$952.94




REQUIRED ROUGH



1501 3/4" thermostatic rough with volume control/diverter and integrated hand shower outlet

US-WLBP1501R \$698.54

See page 447 for detailed information




Modern 12" Rain head in Polished Chrome (US-PRO300C)

MODERN ROUND HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

- Single spray
- Wall bracket includes vacuum breaker
- Handshower hose length: 60"
- Flange size: 2"
- Maximum flow rate: 2.0 GPM
- Inlet connection: 1/2" NPT


Polished Chrome	US-PRO963C	\$210.94
Polished Nickel	US-PRO963N	\$253.34
Stainless	US-PRO963V	\$253.34



MODERN SQUARE HANDSHOWER SET WITH HOSE, OUTLET AND BRACKET

- Single spray
- Wall bracket includes vacuum breaker
- Handshower hose length: 60"
- Flange size: 1-1/2" x 1-1/2"
- Maximum flow rate: 2.0 GPM
- Inlet connection: 1/2" NPT


Polished Chrome	US-SK962C	\$263.94
Polished Nickel	US-SK962N	\$316.94
Stainless	US-SK962V	\$316.94



MODERN ROUND HANDSHOWER RAIL

Length: 26-3/4"


Polished Chrome	US-PRO850C	\$242.74
Polished Nickel	US-PRO850N	\$348.74
Stainless	US-PRO850V	\$348.74



MODERN SQUARE HANDSHOWER RAIL

Length: 27-3/4"


Polished Chrome	US-SK850C	\$242.74
Stainless	US-SK850V	\$380.54



WISP WALL TUB SPOUT


- Solid brass construction
- Spout reach: 8"
- Inlet supply: 1/2" NPT

Polished Chrome	US-WP0370WC	\$295.74
Polished Nickel	US-WP0370WN	\$348.74
Stainless	US-WP0370WV	\$348.74



MODERN 8” RAIN HEAD


- Solid brass
- Single rain spray
- EasyClean anti-limescale nozzles
- Can be wall or ceiling mounted using the appropriate shower arm (sold separately)
- Swivel: Yes
- Maximum flow rate: 2.0 GPM
- Inlet connection size: G 1/2” (compatible with 1/2” NPT)



Polished Chrome	US-PRO200C	\$210.94
Polished Nickel	US-PRO200N	\$253.34
Stainless	US-PRO200V	\$253.34

MODERN 12” RAIN HEAD


- Solid brass
- Single rain spray
- EasyClean anti-limescale nozzles
- Can be wall or ceiling mounted using the appropriate shower arm (sold separately)
- Swivel: Yes
- Maximum flow rate: 2.5 GPM
- Inlet connection size: G 1/2” (compatible with 1/2” NPT)



Polished Chrome	US-PRO300C	\$316.94
Polished Nickel	US-PRO300N	\$380.54
Stainless	US-PRO300V	\$380.54

ELEMENTS 8-JET SHOWER HEAD

- Solid brass
- Adjustable spray - wide to narrow rain
- Anti-limescale nozzles
- Wall-mounted using shower arm (sold separately)
- 3-1/2” diameter
- Swivel: Yes
- Maximum flow rate: 1.75 GPM
- Inlet connection type: 1/2” NPT




Polished Chrome	US-SH08C	\$210.94
Polished Nickel	US-SH08N	\$263.94
Stainless	US-SH08S	\$263.94

8” CEILING-MOUNT SHOWER ARM

- Solid brass
- Projection: 7-3/4”
- Inlet connection size: 1/2” male NPT


Polished Chrome	US-PRO689C	\$73.14
Polished Nickel	US-PRO689N	\$83.74
Stainless	US-PRO689V	\$83.74



13” WALL-MOUNT SHOWER ARM

- Solid brass
- Projection: 13”
- Inlet connection size: 1/2” male NPT

Polished Chrome	US-FH684C	\$73.14
Polished Nickel	US-FH684N	\$83.74
Stainless	US-FH684V	\$83.74



MODERN SHOWER ARM AND FLANGE

- Solid brass
- Round flange
- Projection: 5-3/4”
- Inlet connection type: 1/2” male NPT

Polished Chrome	US-PRO664C	\$51.94
Polished Nickel	US-PRO664N	\$62.54
Stainless	US-PRO664S	\$62.54





WISP

Accessories

WISP PAPER HOLDER

Polished Chrome	US-WP029C	\$136.74
Polished Nickel	US-WP029N	\$179.14*
Stainless	US-WP029V	\$179.14*



WISP ROBE HOOK

Polished Chrome	US-WP021C	\$51.94
Polished Nickel	US-WP021N	\$73.14*
Stainless	US-WP021V	\$73.14*



WISP TOWEL HOLDER

Polished Chrome	US-WP013C	\$179.14
Polished Nickel	US-WP013N	\$221.54*
Stainless	US-WP013V	\$221.54*



WISP 24" TOWEL BAR

Polished Chrome	US-WP023C	\$316.94
Polished Nickel	US-WP023N	\$380.54*
Stainless	US-WP023V	\$380.54*



WISP 24" DOUBLE TOWEL BAR

Polished Chrome	US-WP028C	\$422.94
Polished Nickel	US-WP028N	\$528.94*
Stainless	US-WP028V	\$528.94*



*6-WEEK LEADTIME



Wisp single-lever wall-mount basin faucet in
Polished Chrome
(US-WP120WNC, US-120-ROUGH)



Modern 12" Rain head with 8" ceiling-mount
shower arm in Stainless
(US-PRO300V, US-PRO689V)







Wisp single-lever wall-mount basin faucet in
Polished Chrome
(US-WP120WNC, US-120-ROUGH)



• NEW •

MPRO



FIVE DISTINCTIVE FINISHES & NEW KNURLED DETAILING


Combining superb function and precision design, MPRO meets the exacting demand of today's modern bathroom. Two new finishes join the MPRO collection, Brushed Brass and Matte Black, in addition to the introduction of a stunning knurled detail, creating a bathroom that is as beautifully crafted as it is designed. Iconic definition. Versatile style. MPRO.



MPRO WIDESPREAD BASIN FAUCET

Solid brass construction
Flühs quarter-turn ceramic disc valves
Push drain assembly included
Spout reach: 5-1/4"
Spout swivel: Yes
Handle spread: 4" - 32"
Maximum flow rate: 1.2 GPM

Polished Chrome	US-PRO135DPC	\$634.94
Polished Nickel	US-PRO135DPN	\$762.14
Stainless	US-PRO135DPV	\$762.14
Matte Black	US-PRO135DPMB	\$762.14
Brushed Brass	US-PRO135DPBB	\$762.14



AVAILABLE FINISHES



Polished Chrome



Polished Nickel




Stainless



Matte Black



Brushed Brass





MPRO SINGLE-HOLE BASIN FAUCET

- Solid brass construction
- Kerox ceramic disc cartridge
- Push drain assembly included
- Spout reach: 4-5/8"
- Spout swivel: No
- Maximum flow rate: 1.2 GPM

Polished Chrome	US-PRO110DPC	\$422.94
Polished Nickel	US-PRO110DPN	\$507.74
Stainless	US-PRO110DPV	\$507.74
Matte Black	US-PRO110DPMB	\$507.74
Brushed Brass	US-PRO110DPBB	\$507.74



PUSH DRAIN ASSEMBLY INCLUDED





MPRO KNURLED SINGLE-HOLE BASIN FAUCET

- Solid brass construction
- Kerox ceramic disc cartridge
- Push drain assembly included
- Spout reach: 4-5/8"
- Spout swivel: No
- Maximum flow rate: 1.2 GPM

Polished Chrome	US-PRO110DPC-K	\$422.94
Stainless	US-PRO110DPV-K	\$507.74
Matte Black	US-PRO110DPMB-K	\$507.74
Brushed Brass	US-PRO110DPBB-K	\$507.74



PUSH DRAIN ASSEMBLY INCLUDED





MPRO SINGLE-HOLE MINI BASIN FAUCET

- Solid brass construction
- Kerox ceramic disc cartridge
- Push drain assembly included
- Spout reach: 3-5/8"
- Spout swivel: No
- Maximum flow rate: 1.0 GPM

Polished Chrome	US-PRO114DPC	\$401.74
Polished Nickel	US-PRO114DPN	\$486.54
Stainless	US-PRO114DPV	\$486.54




PUSH DRAIN ASSEMBLY INCLUDED



MPRO WALL-MOUNT WIDESPREAD BASIN FAUCET TRIM

- Trim for wall-mount basin faucet
- Solid brass construction
- Flühs quarter-turn ceramic disc cartridges
- Push drain assembly sold separately
- Required rough sold separately (US-130ROUGH)
- Spout reach: 8-5/8"
- Spout swivel: No
- Handle to spout spread: 4"
- Maximum flow rate: 1.2 GPM

Polished Chrome	US-PRO130WNC	\$316.94
Polished Nickel	US-PRO130WNN	\$380.54
Stainless	US-PRO130WNV	\$380.54
Matte Black	US-PRO130WNMB	\$380.54
Brushed Brass	US-PRO130WNBB	\$380.54



REQUIRED ROUGH




Rough for 3-hole wall-mount basin faucet

US-130ROUGH \$316.94

See page 444 for detailed information

RECOMMENDED WASTES




US-BSW0103C Polished Chrome \$94.34

US-BSW0103N Polished Nickel \$136.74

US-BSW0103V Stainless \$179.14

US-BSW0103MB Matte Black \$560.74

US-BSW0103BB Brushed Brass \$560.74



US-BSW0101C Polished Chrome \$94.34

US-BSW0101N Polished Nickel \$136.74

US-BSW0101V Stainless \$179.14

See page 440 for detailed information



MPRO single-lever wall-mount basin faucet in Matte Black (US-PRO120WNMB, US-120ROUGH-MB)


MPRO

Basin faucets

MPRO WALL-MOUNT SINGLE-LEVER BASIN FAUCET TRIM

Trim for wall-mount basin faucet
Right-hand mixer handle (handle orientation cannot be changed)
Solid brass construction
Kerox ceramic disc cartridge
Includes two spouts: 5-1/2" and 8-5/8"
Push drain assembly sold separately
Required rough sold separately (US-120ROUGH)
Spout reach: 5-1/2" or 8-5/8"
Spout swivel: No
Handle to spout spread: 4"
Maximum flow rate: 1.2 GPM

Polished Chrome	US-PRO120WNC	\$316.94
Polished Nickel	US-PRO120WNN	\$380.54
Stainless	US-PRO120WNV	\$380.54
Matte Black	US-PRO120WNMB	\$380.54
Brushed Brass	US-PRO120WNBB	\$380.54



REQUIRED ROUGH



Rough for single-lever wall-mount basin faucet

US-120ROUGH-C
Polished Chrome \$316.94

US-120ROUGH-N
Polished Nickel \$316.94

US-120ROUGH-V
Stainless \$316.94

US-120ROUGH-MB
Matte Black \$316.94

US-120ROUGH-BB
Brushed Brass \$316.94

See page 444
for detailed information

RECOMMENDED WASTES



Basin push drain
with overflow

US-BSW0103C
Polished Chrome \$94.34

US-BSW0103N
Polished Nickel \$136.74

US-BSW0103V
Stainless \$179.14

US-BSW0103MB
Matte Black \$560.74

US-BSW0103BB
Brushed Brass \$560.74



Basin push drain
without overflow

US-BSW0101C
Polished Chrome \$94.34

US-BSW0101N
Polished Nickel \$136.74

US-BSW0101V
Stainless \$179.14

See page 440
for detailed information


MPRO VESSEL FAUCET

- Solid brass construction
- Kerox ceramic disc cartridge
- Push drain assembly sold separately
- Spout reach: 5-1/2"
- Spout swivel: No
- Maximum flow rate: 1.2 GPM

Polished Chrome	US-PRO112DNC	\$369.94
Polished Nickel	US-PRO112DNN	\$444.14
Stainless	US-PRO112DNV	\$444.14



RECOMMENDED WASTES

- 

Basin push drain with overflow

US-BSW0103C
Polished Chrome \$94.34

US-BSW0103N
Polished Nickel \$136.74


US-BSW0103V
Stainless \$179.14
- 

Basin push drain without overflow

US-BSW0101C
Polished Chrome \$94.34

US-BSW0101N
Polished Nickel \$136.74

US-BSW0101V
Stainless \$179.14
- See page 440 for detailed information



MPRO FLOOR-MOUNT TUB FILLER WITH HANDSHOWER

- Single-handle operation with lever handle

Solid brass construction

Kerox ceramic disc cartridge

Handshower includes vacuum breaker and 60" hose

Required rough sold separately (US-418ROUGH)
- Height to spout: 38-3/4"



Spout reach: 9-3/8"

Spout swivel: Yes

Tub filler flow rate: 6.6 GPM at 60 PSI

Handshower flow rate: 2.0 GPM

Polished Chrome	US-PRO416FC	\$1588.94
Polished Nickel	US-PRO416FN	\$1906.94
Stainless	US-PRO416FV	\$1906.94



REQUIRED ROUGH

- 

Rough for floor-mount single-lever tub filler

US-418ROUGH \$316.94
- See page 445 for detailed information



MPRO floor-mount tub filler with handshower in Stainless (US-PRO416V)

MPRO


Tub faucets

MPRO FLOOR-MOUNT THERMOSTATIC TUB FILLER WITH HANDSHOWER

Single-handle operation with lever handle	Height to spout: 33-1/4"
Solid brass construction	Spout reach: 9-3/8"
Vernet ceramic disc cartridge	Spout swivel: Yes
Handshower includes vacuum breaker and 60" hose	Tub filler flow rate: 6.6 GPM at 60 PSI
Required rough sold separately (US-418ROUGH)	Handshower flow rate: 2.0 GPM

Polished Chrome	US-PRO418TFC	\$2118.94
Polished Nickel	US-PRO418TFN	\$2542.94
Stainless	US-PRO418TFV	\$2542.94
Matte Black	US-PRO418TFMB	\$2542.94
Brushed Brass	US-PRO418TFBB	\$2542.94


REQUIRED ROUGH



Rough for floor-mount single-lever tub filler

US-418ROUGH \$316.94


See page 445 for detailed information



MPRO DECK-MOUNT TUB FAUCET WITH HANDSHOWER

- Solid brass construction
- Flühs quarter-turn ceramic disc valves
- Single-function handshower with vacuum breaker and 60" hose
- Spout reach: 7-1/2"
- Spout swivel: Yes
- Tub filler flow rate: 6 GPM
- Handshower flow rate: 2.0 GPM
- Inlet supply: 3/4" NPSM connectors

Polished Chrome	US-PRO450DC	\$1058.94
Polished Nickel	US-PRO450DN	\$1270.94
Stainless	US-PRO450DV	\$1270.94



MPRO 1000 THERMOSTATIC VALVE TRIM

- One water outlet
- Vernet thermostatic cartridge
- Required rough (sold separately) US-WLBP1000R
- Flow rate: 12 GPM at 60 PSI
- Extension kit:
 - US-EK101525C Polished Chrome
 - US-EK101525N Polished Nickel
 - US-EK101525V Stainless
 - US-EK101525MB Matte Black
 - US-EK101525BB Brushed Brass

Polished Chrome	US-PRO1000RC	\$475.94
Polished Nickel	US-PRO1000RN	\$571.34
Stainless	US-PRO1000RV	\$571.34
Matte Black	US-PRO1000RMB	\$571.34
Brushed Brass	US-PRO1000RBB	\$571.34




REQUIRED ROUGH



1000 3/4" thermostatic rough with single integrated volume control

US-WLBP1000R \$528.94

See page 446 for detailed information



MPRO 1500 THERMOSTATIC VALVE TRIM

- Two water outlets
- Vernet thermostatic cartridge
- Required rough (sold separately) US-WLBP1500R
- Flow rate: 11 GPM at 60 PSI
- Extension kit:
 - US-EK101525C Polished Chrome
 - US-EK101525N Polished Nickel
 - US-EK101525V Stainless
 - US-EK101525MB Matte Black
 - US-EK101525BB Brushed Brass

Polished Chrome	US-PRO1500RC	\$475.94
Polished Nickel	US-PRO1500RN	\$571.34
Stainless	US-PRO1500RV	\$571.34
Matte Black	US-PRO1500RMB	\$571.34
Brushed Brass	US-PRO1500RBB	\$571.34




REQUIRED ROUGH



1500 3/4" thermostatic rough with single integrated volume control/diverter for independent two outlet use

US-WLBP1500R \$698.54

See page 446 for detailed information



MPRO 2000 THERMOSTATIC VALVE TRIM

- Two water outlets
- Vernet thermostatic cartridge
- Required rough (sold separately) US-WLBP2000R
- Flow rate: 13 GPM at 60 PSI
- Extension kit:
 - US-EK2000C Polished Chrome
 - US-EK2000N Polished Nickel
 - US-EK2000V Stainless
 - US-EK2000MB Matte Black
 - US-EK2000BB Brushed Brass

Polished Chrome	US-PRO2000RC	\$793.94
Polished Nickel	US-PRO2000RN	\$952.94
Stainless	US-PRO2000RV	\$952.94
Matte Black	US-PRO2000RMB	\$952.94
Brushed Brass	US-PRO2000RBB	\$952.94




REQUIRED ROUGH



2000 3/4" thermostatic rough with two integrated volume controls

US-WLBP2000R \$793.94

See page 447 for detailed information



MPRO 2500 THERMOSTATIC VALVE TRIM

- Three water outlets
- Vernet thermostatic cartridge
- Required rough (sold separately) US-WLBP2500R
- Flow rate: 12 GPM at 60 PSI
- Extension kit:
 - US-EK101525C Polished Chrome
 - US-EK101525N Polished Nickel
 - US-EK101525N Stainless
 - US-EK101525MB Matte Black
 - US-EK101525BB Brushed Brass

Polished Chrome	US-PRO2500RC	\$475.94
Polished Nickel	US-PRO2500RN	\$571.34
Stainless	US-PRO2500RV	\$571.34
Matte Black	US-PRO2500RMB	\$571.34
Brushed Brass	US-PRO2500RBB	\$571.34




REQUIRED ROUGH



2500 3/4" thermostatic rough with single integrated volume control/three-way diverter

US-WLBP2500R \$952.94

See page 448 for detailed information



MPRO 3000 THERMOSTATIC VALVE TRIM

- Three water outlets
- Vernet thermostatic cartridge and Flühs volume control cartridge
- Required rough (sold separately) US-WLBP3000R
- Flow rate: 12 GPM at 60 PSI
- Extension kit:
 - US-EK2000C Polished Chrome
 - US-EK2000N Polished Nickel
 - US-EK2000V Stainless
 - US-EK2000MB Matte Black
 - US-EK2000BB Brushed Brass

Polished Chrome	US-PRO3000RC	\$793.94
Polished Nickel	US-PRO3000RN	\$952.94
Stainless	US-PRO3000RV	\$952.94
Matte Black	US-PRO3000RMB	\$952.94
Brushed Brass	US-PRO3000RBB	\$952.94




REQUIRED ROUGH



3000 3/4" thermostatic rough with integrated volume control and volume control/two-way diverter

US-WLBP3000R \$899.94


See page 448 for detailed information



MPRO 1701 HORIZONTAL THERMOSTATIC VALVE TRIM WITH HANDSHOWER

- Two water outlets
- Vernet thermostatic cartridge
- Required rough (sold separately) US-WLBP1501R
- Flow rate: 11 GPM at 60 PSI
- Handshower flow rate 2.0 GPM
- Extension kit:
 - US-EK101525C Polished Chrome
 - US-EK101525N Polished Nickel
 - US-EK101525V Stainless
 - US-EK101525MB Matte Black
 - US-EK101525BB Brushed Brass

Polished Chrome	US-PRO1701RC	\$793.94
Polished Nickel	US-PRO1701RN	\$952.94
Stainless	US-PRO1701RV	\$952.94
Matte Black	US-PRO1701RMB	\$952.94
Brushed Brass	US-PRO1701RBB	\$952.94




REQUIRED ROUGH



1501 3/4" thermostatic rough with volume control/diverter and integrated hand shower outlet

US-WLBP1501R \$698.54

See page 447 for detailed information




MODERN 8” RAIN HEAD

Solid brass
Single rain spray
EasyClean anti-limescale nozzles
Can be wall or ceiling mounted using the appropriate shower arm (sold separately)

Polished Chrome	US-PRO200C	\$210.94
Polished Nickel	US-PRO200N	\$253.34
Stainless	US-PRO200V	\$253.34
Matte Black	US-PRO200MB	\$253.34
Brushed Brass	US-PRO200BB	\$253.34

Swivel: Yes
Maximum flow rate: 2.0 GPM
Inlet connection size: G 1/2”(compatible with 1/2” NPT)




MODERN 12” RAIN HEAD

Solid brass
Single rain spray
EasyClean anti-limescale nozzles
Can be wall or ceiling mounted using the appropriate shower arm (sold separately)

Polished Chrome	US-PRO300C	\$316.94
Polished Nickel	US-PRO300N	\$380.54
Stainless	US-PRO300V	\$380.54
Matte Black	US-PRO300MB	\$380.54*
Brushed Brass	US-PRO300BB	\$380.54*

Swivel: Yes
Maximum flow rate: 2.5 GPM
Inlet connection size: G 1/2”(compatible with 1/2” NPT)




ELEMENTS 8-JET SHOWER HEAD

Solid brass
Adjustable spray - wide to narrow rain
Anti-limescale nozzles
Wall-mounted using shower arm (sold separately)

Polished Chrome	US-SH08C	\$210.94
Polished Nickel	US-SH08N	\$263.94
Stainless	US-SH08S	\$263.94
Matte Black	US-SH08MB	\$348.74*
Brushed Brass	US-SH08BB	\$348.74*

3-1/2” diameter
Swivel: Yes
Maximum flow rate: 1.75 GPM
Inlet connection type: 1/2” NPT




*6-WEEK LEADTIME

8” CEILING-MOUNT SHOWER ARM

Solid brass
Projection: 7-3/4”
Inlet connection size: 1/2” male NPT


Polished Chrome	US-PRO689C	\$73.14
Polished Nickel	US-PRO689N	\$83.74
Stainless	US-PRO689V	\$83.74
Matte Black	US-PRO689MB	\$83.74
Brushed Brass	US-PRO689BB	\$83.74



13” WALL-MOUNT SHOWER ARM

Solid brass
Projection: 13”
Inlet connection size: 1/2” male NPT

Polished Chrome	US-FH684C	\$73.14
Polished Nickel	US-FH684N	\$83.74
Stainless	US-FH684V	\$83.74
Matte Black	US-FH684MB	\$83.74
Brushed Brass	US-FH684BB	\$83.74



MODERN SHOWER ARM AND FLANGE

Solid brass
Round flange
Projection: 5-3/4”
Inlet connection type: 1/2” male NPT

Polished Chrome	US-PRO664C	\$51.94
Polished Nickel	US-PRO664N	\$62.54
Stainless	US-PRO664S	\$62.54
Matte Black	US-PRO664MB	\$104.94*
Brushed Brass	US-PRO664BB	\$104.94*



*6-WEEK LEADTIME

MODERN ROUND HANDSHOWER SET WITH HOSE, OUTLET AND BRACKET

- Single spray
- Wall bracket includes vacuum breaker
- Handshower hose length: 60"
- Flange size: 2"
- Maximum flow rate: 2.0 GPM
- Inlet connection: 1/2" NPT


Polished Chrome	US-PRO963C	\$210.94
Polished Nickel	US-PRO963N	\$253.34
Stainless	US-PRO963V	\$253.34
Matte Black	US-PRO963MB	\$253.34
Brushed Brass	US-PRO963BB	\$253.34



MODERN SQUARE HANDSHOWER SET WITH HOSE, OUTLET AND BRACKET

- Single spray
- Wall bracket includes vacuum breaker
- Handshower hose length: 60"
- Flange size: 1-9/16" x 1-9/16"
- Maximum flow rate: 2.0 GPM
- Inlet connection: 1/2" NPT


Polished Chrome	US-SK962C	\$253.34
Polished Nickel	US-SK962N	\$316.94
Stainless	US-SK962V	\$316.94



MODERN ROUND HANDSHOWER RAIL

Length: 26-3/4"


Polished Chrome	US-PRO850C	\$242.74
Polished Nickel	US-PRO850N	\$348.74
Stainless	US-PRO850V	\$348.74
Matte Black	US-PRO850MB	\$348.74
Brushed Brass	US-PRO850BB	\$454.74



MODERN SQUARE HANDSHOWER RAIL

Length: 27-3/4"

Polished Chrome	US-SK850C	\$242.74
Stainless	US-SK850V	\$380.54



MPRO WALL TUB SPOUT

- Solid brass construction
- Spout reach: 8"
- Includes both round and square flanges
- 1/2" NPT connection

Polished Chrome	US-PRO0370WC	\$793.94
Polished Nickel	US-PRO0370WN	\$952.94
Stainless	US-PRO0370WV	\$952.94
Matte Black	US-PRO0370WMB	\$952.94
Brushed Brass	US-PRO0370WBB	\$952.94






MPRO towel holder in Polished Chrome
(US-PRO013C)

MPRO

Accessories


MPRO PAPER HOLDER

Polished Chrome	US-PRO029C	\$94.34
Polished Nickel	US-PRO029N	\$115.54
Stainless	US-PRO029V	\$115.54
Matte Black	US-PRO029MB	\$115.54
Brushed Brass	US-PRO029BB	\$115.54




MPRO ROBE HOOK

Polished Chrome	US-PRO021C	\$41.34
Polished Nickel	US-PRO021N	\$51.94*
Stainless	US-PRO021V	\$51.94*
Matte Black	US-PRO021MB	\$51.94
Brushed Brass	US-PRO021BB	\$51.94




MPRO TOWEL HOLDER

Polished Chrome	US-PRO013C	\$94.34
Polished Nickel	US-PRO013N	\$104.94
Stainless	US-PRO013V	\$104.94
Matte Black	US-PRO013MB	\$104.94
Brushed Brass	US-PRO013BB	\$104.94



MPRO 24" TOWEL BAR

Polished Chrome	US-PRO023C	\$126.14
Polished Nickel	US-PRO023N	\$147.34*
Stainless	US-PRO023V	\$147.34
Matte Black	US-PRO023MB	\$147.34*
Brushed Brass	US-PRO023BB	\$147.34*



*6-WEEK LEADTIME



MPRO floor-mount single-lever tub filler with handshower in Stainless (US-PRO416FV)



MRPO 1701 horizontal thermostatic set with integrated handshower in Brushed Brass (US-PRO1701RBB, US-WLBP1501R) Modern 12" rain head (US-PRO300BB) and 13" shower arm (US-FH684BB) in Brushed Brass




MPRO single-lever wall-mount basin faucet in
Stainless (US-PRO120WNV, US-120ROUGHV)



Modern 8" rain head (US-PRO300MB) and
13" shower arm (US-FH684MB) in Matte Black

MPRO 1000/1500/2500 thermostatic valve in
Matte Black (US-PRO1000RMB/
US-WLBP1000R, US-PRO1500RMB/
US-WLBP1500R, US-PRO2500RMB/
US-WLBP2500R)



Dial Central 2000 thermostatic valve with 2 integrated volume controls (US-DIAL-CENT-3C; US-DL2000RC)

DIAL



PUSH BUTTON VALVE TECHNOLOGY

With 11 separate flow positions, this innovation not only looks smart with three designs, it's smart on the inside using pioneering flow control technology and is available in both single and double outlet options. Intuitive, precise control.

Effortless performance. Dial up style with cutting-edge technology.

DIAL VALVES

Dial is the latest in push button shower technology which enables you to precisely control the flow of the water as well as the temperature. This innovation not only looks smart with 3 designs, it's smart on the inside using pioneering flow control technology. This allows for total control over your bathing and showering experience.

ADVANTAGES OF DIAL VALVES

- 11 separate flow positions, which offers the perfect flexibility between eco-friendly showering and a luxurious high pressure power shower
- Intuitively designed with a simple push-button function for all of the family to easily operate
- Responsive controls for instant shut off preventing residual water
- Thermostatic valve technology for precise temperature control
- Clear symbols to easily identify functions
- Three stylish designs to choose from
- Suitable for bath and showering environments
- Single or double outlet options, as well as a bath filler option with an integrated handset
- Double outlet options can be used with individual or both outlets active at the same time

SLICK CONTROLS


SMART DESIGN & EFFORTLESS PERFORMANCE



Push the top dial once to start/stop water flow



Turn to increase/reduce the water flow



Turn the middle dial to adjust the temperature



Push the bottom dial to start/stop water flow of an additional outlet



DIAL CENTRAL 1000 THERMOSTATIC VALVE TRIM

- One water outlet
- Vernet thermostatic cartridge and Flühs volume control cartridge
- Volume control features push-button on/off technology
- Flow rate: 12 GPM at 60 PSI
- Required rough (sold separately) US-DL1000R

Polished Chrome **US-DIAL-CENT-1C** **\$528.94**



REQUIRED ROUGH




Dial 1000 3/4" thermostatic rough with single integrated volume control

US-DL1000RC

Polished Chrome **\$846.94**

See page 449 for detailed information



DIAL CENTRAL 2000 THERMOSTATIC VALVE TRIM

- Two water outlets
- Vernet thermostatic cartridge and Flühs volume control cartridges
- Volume control features push-button on/off technology
- Flow rate: 13 GPM at 60 PSI
- Required rough (sold separately) US-DL2000R

Polished Chrome **US-DIAL-CENT-3C** **\$634.94**



REQUIRED ROUGH




Dial 2000 3/4" thermostatic rough with two integrated volume controls

US-DL2000RC

Polished Chrome **\$952.94**

See page 447 for detailed information



DIAL CENTRAL 2001 HORIZONTAL THERMOSTATIC VALVE TRIM

- Two water outlets
- Vernet thermostatic cartridge and Flühs volume control cartridges
- Volume control features push-button on/off technology
- For horizontal application only
- Flow rate: 13 GPM at 60 PSI
- Required rough (sold separately) US-DL2001R

Polished Chrome **US-DIAL-CENT-4C** **\$634.94**



REQUIRED ROUGH




Dial 2001 horizontal 3/4" thermostatic rough with two integrated volume controls

US-DL2001RC

Polished Chrome **\$952.94**

See page 450 for detailed information



DIAL CENTRAL 2001 HORIZONTAL THERMOSTATIC VALVE TRIM WITH HANDSHOWER

- Two water outlets
- Vernet thermostatic cartridge and Flühs volume control cartridges
- Volume control features push-button on/off technology
- For horizontal application only
- Handshower includes vacuum breaker
- Note: The hose and elbow included with this rough are required for installation at the rough-in stage with trim US-DIAL-CENT-12C
- Flow rate: 13 GPM at 60 PSI
- Handshower flow rate: 2.0 GPM
- Required rough (sold separately) US-DL2001R

Polished Chrome **US-DIAL-CENT-12C** **\$952.94**



REQUIRED ROUGH




Dial 2001 horizontal 3/4" thermostatic rough with two integrated volume controls

US-DL2001RC

Polished Chrome **\$952.94**

See page 450 for detailed information



DIAL BELGRAVIA 1000 THERMOSTATIC VALVE TRIM

- One water outlet
- Vernet thermostatic cartridge and Flühs volume control cartridge
- Volume control features push-button on/off technology
- Flow rate: 12 GPM at 60 PSI
- Required rough (sold separately) US-DL1000R

Polished Chrome **US-DIAL-BEL-1C** **\$740.94**



REQUIRED ROUGH




Dial 1000 3/4" thermostatic rough with single integrated volume control

US-DL1000RC

Polished Chrome **\$846.94**

See page 449 for detailed information



DIAL BELGRAVIA 2000 THERMOSTATIC VALVE TRIM

- Two water outlets
- Vernet thermostatic cartridge and Flühs volume control cartridges
- Volume control features push-button on/off technology
- Flow rate: 13 GPM at 60 PSI
- Required rough (sold separately) US-DL2000R

Polished Chrome **US-DIAL-BEL-3C** **\$846.94**



REQUIRED ROUGH




Dial 2000 3/4" thermostatic rough with two integrated volume controls

US-DL2000RC

Polished Chrome **\$952.94**

See page 449 for detailed information



DIAL MPRO 2000 THERMOSTATIC VALVE TRIM

- Two water outlets
- Vernet thermostatic cartridge and Flühs volume control cartridges
- Volume control features push-button on/off technology
- Flow rate: 13 GPM at 60 PSI
- Required rough (sold separately) US-DL2000R

Polished Chrome **US-DIAL-KAI-3C** **\$634.94**



REQUIRED ROUGH




Dial 2000 3/4" thermostatic rough with two integrated volume controls

US-DL2000RC

Polished Chrome **\$952.94**

See page 449 for detailed information



Dial MPRO thermostatic shower valve with 2 integrated volume controls (US-DIAL-KAI-3C, US-DL2000RC)




Dial Belgravia 1000 thermostatic shower valve with integrated volume control in Polished Chrome (US-DIAL-BEL-1C, US-DL1000RC)



Dial Belgravia thermostatic valve with integrated volume control in Polished Chrome (US-DIAL-BEL1C, US-DL1000RC)
Belgravia 12" rain head in Polished Chrome (US-FH12C)
8" ceiling-mount shower arm in Polished Chrome (US-PRO689C)



Dial Central 2000 thermostatic valve with two
volume controls in Polished Chrome
(US-DIAL-CENT-3C, US-DL2000R)









BEREA

BEREA ANSWERS TRADITION WITH WARMTH AND PRECISION

Shape and texture harmonize in each detail of Bera to complete
a balanced and peaceful space.

AVAILABLE FINISHES




BEREA

Basin faucets

BEREA SINGLE-HOLE BASIN FAUCET

- Solid brass construction
- Kerox ceramic disc cartridge
- Push drain assembly included
- Spout reach: 4-1/2"
- Spout swivel: No
- Maximum flow rate: 1.2 GPM at 60 PSI
- 4" cover plate available (sold separately)


Polished Chrome	11-01-PC	\$316.94
Polished Nickel	11-01-PN	\$316.94
Satin Nickel	11-01-SN	\$316.94
Bronze	11-01-BZ	\$316.94



BEREA WIDESPREAD BASIN FAUCET

- Solid brass construction
- Flühs quarter-turn ceramic disc cartridges
- Push drain assembly included
- Spout reach: 5-1/2"
- Spout swivel: No
- Handle spread: 6" - 12"
- Maximum flow rate: 1.2 GPM at 60 PSI


Polished Chrome	11-08-PC	\$369.94
Polished Nickel	11-08-PN	\$369.94
Satin Nickel	11-08-SN	\$369.94
Bronze	11-08-BZ	\$369.94




BEREA DECK-MOUNT TUB FAUCET TRIM

- Solid brass construction
- Flühs quarter-turn ceramic disc cartridges
- Spout reach: 9"
- Spout swivel: No
- Inlet supply: 3/4" NPT
- Required rough (sold separately): DT-R-RGH

Polished Chrome	11-02-T-PC	\$634.94
Polished Nickel	11-02-T-PN	\$634.94
Satin Nickel	11-02-T-SN	\$634.94
Bronze	11-02-T-BZ	\$634.94



REQUIRED ROUGH



Deck tub set rough

DT-R-RGH **\$212.00**

See page 455
for detailed information

BEREA DECK-MOUNT TUB FAUCET WITH HANDSHOWER TRIM

- Solid brass construction
- Flühs quarter-turn ceramic disc cartridges
- Single-function handshower with vacuum breaker and 60" hose
- Spout reach: 9"
- Spout swivel: No
- Handshower maximum flow rate: 2.5 GPM at 80 PSI
- Inlet supply: 3/4" NPT
- Required rough (sold separately): DTHS-R-RGH

Polished Chrome	11-03-T-PC	\$889.34
Polished Nickel	11-03-T-PN	\$889.34
Satin Nickel	11-03-T-SN	\$889.34
Bronze	11-03-T-BZ	\$889.34




REQUIRED ROUGH



Deck tub set with hand shower rough

DTHS-R-RGH \$275.60


See page 455 for detailed information



BEREA FLOOR-MOUNT TUB FILLER WITH HANDSHOWER

- Dual-handle operation with lever handles
- Solid brass construction
- Flühs quarter-turn ceramic disc cartridges
- Single-function handshower with vacuum breaker and 60" hose
- Includes rough
- Height to spout: 31-1/8" - 32-1/4"
- Spout reach: 8-7/16"
- Spout swivel: No
- Tub filler flow rate: 6.75-8.25 GPM @ 20-40 PSI
- Handshower maximum flow rate: 2.0 GPM at 80 PSI

Polished Chrome	11-04-PC	\$1482.94
Polished Nickel	11-04-PN	\$1482.94
Satin Nickel	11-04-SN	\$1482.94
Bronze	11-04-BZ	\$1482.94



BEREA THERMOSTATIC VALVE TRIM

Temperature control only; volume control(s)
sold separately

Vernet thermostatic cartridge

Flow rate: 10-12 GPM at 45 PSI

Required rough (sold separately): TH-RGH

Extension kit: 9Q1172CP-PC, 9Q1172RN-PN
9Q1172AP-SN, 9Q1172FO-BZ

Polished Chrome	11-16-T-PC	\$263.94
Polished Nickel	11-16-T-PN	\$263.94
Satin Nickel	11-16-T-SN	\$263.94
Bronze	11-16-T-BZ	\$263.94




REQUIRED ROUGH



3/4" thermostatic valve rough

TH-RGH

See page 450
for detailed information



BEREA VOLUME CONTROL AND DIVERTER TRIM

Volume control controls on/off and volume
functions for a single component in a shower
system

Diverter alternates water flow between two or
three water outlets

Flühs quarter-turn ceramic disc cartridge

Required rough (sold separately):

VC-RGH - Volume control

DIV-RGH - Two-way diverter

3DV-RGH - Three-way diverter

Extension Kit: 5T1C0319NT + 5POC0582NT

Polished Chrome	11-17-T-PC	\$200.34
Polished Nickel	11-17-T-PN	\$200.34
Satin Nickel	11-17-T-SN	\$200.34
Bronze	11-17-T-BZ	\$200.34



REQUIRED ROUGH



3/4" volume control rough

VC-RGH \$84.80



Two-way diverter rough


DIV-RGH \$159.00



Three-way diverter rough

3DV-RGH \$159.00

See pages 452-453
for detailed information



BEREA DUAL-CONTROL THERMOSTATIC VALVE TRIM WITH VOLUME CONTROL

- One water outlet
- Vernet thermostatic cartridge
- Flow rate: 10-12 GPM at 45 PSI
- Required rough (sold separately): TH1-RGH
- Extension kit: 9Q24000CP, 9Q24000PN, 9Q24000AP, 9Q24000FO

Polished Chrome	11-19-T-PC	\$369.94
Polished Nickel	11-19-T-PN	\$369.94
Satin Nickel	11-19-T-SN	\$369.94
Bronze	11-19-T-BZ	\$369.94




REQUIRED ROUGH



Dual-control thermostatic valve rough

TH1-RGH \$339.20

See page 451 for detailed information



BEREA DUAL-CONTROL THERMOSTATIC VALVE TRIM WITH VOLUME CONTROL AND DIVERTER

- Two water outlets
- Vernet thermostatic cartridge
- Flow rate: 10-12 GPM at 45 PSI
- Required rough (sold separately): TH2-RGH
- Extension kit: 9Q24000CP, 9Q24000PN, 9Q24000AP, 9Q24000FO

Polished Chrome	11-20-T-PC	\$422.94
Polished Nickel	11-20-T-PN	\$422.94
Satin Nickel	11-20-T-SN	\$422.94
Bronze	11-20-T-BZ	\$422.94




REQUIRED ROUGH



Dual-control thermostatic valve rough

TH2-RGH \$413.40

See page 451 for detailed information



BEREA PRESSURE-BALANCE VALVE TRIM

- One water outlet
- Kerox pressure-balance cartridge
- Flow rate: 3-5 GPM at 45 PSI
- Required rough (sold separately): PBS-RGH
- Extension kit: 5T1C0319NT + 5P0C0582NT

Polished Chrome	11-15P-T-PC	\$147.34
Polished Nickel	11-15P-T-PN	\$147.34
Satin Nickel	11-15P-T-SN	\$147.34
Bronze	11-15P-T-BZ	\$147.34




REQUIRED ROUGH



Pressure-balance shower valve rough

PBS-RGH \$180.20

See page 453 for detailed information



BEREA PRESSURE-BALANCE VALVE WITH DIVERTER TRIM

- Two water outlets
- Diverter alternates water flow between 2 outlets - tub spout/shower head, tub spout/handshower, shower head/handshower
- Kerox pressure-balance cartridge
- Flow rate: 3-5 GPM at 45 PSI
- Required rough (sold separately): PBTS-RGH
- Extension kit: 5T1C0319NT + 5P0C0582NT

Polished Chrome	11-14P-T-PC	\$168.54
Polished Nickel	11-14P-T-PN	\$168.54
Satin Nickel	11-14P-T-SN	\$168.54
Bronze	11-14P-T-BZ	\$168.54




REQUIRED ROUGH



Pressure-balance shower valve with diverter rough

PBTS-RGH \$212.00

See page 454 for detailed information



BEREA PRESSURE-BALANCE SHOWER SET TRIM

Set includes pressure-balance shower valve trim with lever handle and shower head with arm and flange

Kerox pressure-balance cartridge

Shower head features adjustable five-function spray

Flow rate: 3-5 GPM at 45 PSI

Required rough (sold separately): PBS-RGH

Extension kit: 5T1C0319NT + 5P0C0582NT

Polished Chrome	11-15-T-PC	\$242.74
Polished Nickel	11-15-T-PN	\$242.74
Satin Nickel	11-15-T-SN	\$242.74
Bronze	11-15-T-BZ	\$242.74




REQUIRED ROUGH



Pressure-balance shower valve rough

PBS-RGH \$180.20

See page 453 for detailed information



BEREA PRESSURE-BALANCE TUB AND SHOWER SET TRIM

Set includes pressure-balance shower valve with diverter trim with lever handle, shower head with arm and flange and wall tub spout

Kerox pressure-balance cartridge

Shower head features adjustable five-function spray

Flow rate: 3-5 GPM at 45 PSI

Required rough (sold separately): PBTS-RGH

Extension kit: 5T1C0319NT + 5P0C0582NT

Polished Chrome	11-14-T-PC	\$295.74
Polished Nickel	11-14-T-PN	\$295.74
Satin Nickel	11-14-T-SN	\$295.74
Bronze	11-14-T-BZ	\$295.74




REQUIRED ROUGH



Pressure-balance shower valve with diverter rough

PBTS-RGH \$212.00


See page 454 for detailed information



BEREA SHOWER HEAD WITH ARM AND FLANGE

- Adjustable five-function spray
- EasyClean anti-limescale nozzles
- Includes swivel and arm and flange
- Maximum flow rate: 2.0 GPM at 80 PSI
- Inlet connection size: 1/2"


Polished Chrome	11-21-PC	\$83.74
Polished Nickel	11-21-PN	\$83.74
Satin Nickel	11-21-SN	\$83.74
Bronze	11-21-BZ	\$83.74



BEREA HANDSHOWER RAIL SET

- Set includes handshower, hose, slide rail and wall outlet
- Single-function spray
- Handshower features EasyClean anti-limescale nozzles
- Handshower includes vacuum breaker and flow restrictor
- 26" adjustable bar with bracket
- 60" decorative metal hose included
- Maximum flow rate: 2.5 gpm at 80 psi
- Inlet connection size: 1/2" NPT or 3/4" NPT, adapter included

Polished Chrome	11-31-PC	\$422.94
Polished Nickel	11-31-PN	\$422.94
Satin Nickel	11-31-SN	\$422.94
Bronze	11-31-BZ	\$422.94



Bera shower head with arm and flange in Polished Nickel (11-32-PN)

BEREA WALL TUB SPOUT

Spout reach: 7-1/8"

Inlet connection size: 1/2" NPT


Polished Chrome	11-WTS-PC	\$136.74
Polished Nickel	11-WTS-PN	\$136.74
Satin Nickel	11-WTS-SN	\$136.74
Bronze	11-WTS-BZ	\$136.74



COVER PLATE


4" centerset cover plate

Polished Chrome	9Q1169CP-PC	\$30.74
Polished Nickel	9Q1169RN-PN	\$30.74
Satin Nickel	9Q1169AP-SN	\$30.74
Bronze	9Q1169FO-BZ	\$30.74




BEREA PAPER HOLDER / TOWEL RING

Polished Chrome	11-58-PC	\$51.94
Polished Nickel	11-58-PN	\$51.94
Satin Nickel	11-58-SN	\$51.94
Bronze	11-58-BZ	\$51.94




BEREA ROBE HOOK

Polished Chrome	11-51-PC	\$41.34
Polished Nickel	11-51-PN	\$41.34
Satin Nickel	11-51-SN	\$41.34
Bronze	11-51-BZ	\$41.34




BEREA 18" TOWEL BAR

Polished Chrome	11-65-PC	\$62.54
Polished Nickel	11-65-PN	\$62.54
Satin Nickel	11-65-SN	\$62.54
Bronze	11-65-BZ	\$62.54




BEREA 24" TOWEL BAR

Polished Chrome	11-66-PC	\$73.14
Polished Nickel	11-66-PN	\$73.14
Satin Nickel	11-66-SN	\$73.14
Bronze	11-66-BZ	\$73.14



BEREA 30" TOWEL BAR

Polished Chrome	11-67-PC	\$83.74
Polished Nickel	11-67-PN	\$83.74
Satin Nickel	11-67-SN	\$83.74
Bronze	11-67-BZ	\$83.74





Berea dual-control thermostatic valve with volume control in Polished Nickel (11-19-T-PN)



Berea shower head with arm and flange in Polished Nickel (11-32-PN)



Berea widespread basin faucet in Polished Nickel
(11-08-PN)
Classic 25" basin (US-B153TH)



Berea paper holder in Polished Nickel (11-58-PN)



Arcade 36" pedestal basin
(US-ARC9003TH, US-ARC1)
Berea widespread basin faucet in Polished Chrome
(11-58-PC)
Berea paper holder in Polished Chrome
(11-58-PC)
Berea 24" towel bar in Polished Chrome
(11-65-PC)



LEYDEN

NATURE'S BEAUTY AND
POWER INTERPRETED


With bold footings and a tapered design, Leyden expresses the majesty of water and light, movement and reflection. Strong yet simple, Leyden speaks to your aptitude and agility for style and functionality.



AVAILABLE FINISHES



Polished Chrome



Polished Nickel



Satin Nickel



Bronze

HANDLE OPTIONS



Cross Handle




Lever

LEYDEN SINGLE-HOLE BASIN FAUCET


- Solid brass construction
- Kerox ceramic disc cartridge
- Push drain assembly included
- Spout reach: 4-1/2"
- Spout swivel: No
- Maximum flow rate: 1.2 at 60 PSI
- 4" cover plate available (sold separately)

Polished Chrome	14-01-PC	\$316.94
Polished Nickel	14-01-PN	\$316.94
Satin Nickel	14-01-SN	\$316.94
Bronze	14-01-BZ	\$316.94




LEYDEN WIDESPREAD BASIN FAUCET

- Solid brass construction
- Flühs quarter-turn ceramic disc cartridges
- Push drain assembly included
- Spout reach: 5-1/2"
- Spout swivel: No
- Handle spread: 6" - 12"
- Maximum flow rate: 1.2 at 60 PSI




Crosshead		
Polished Chrome	14X-08-PC	\$369.94
Polished Nickel	14X-08-PN	\$369.94
Satin Nickel	14X-08-SN	\$369.94

Cross Handles



Metal Lever		
Polished Chrome	14-08-PC	\$369.94
Polished Nickel	14-08-PN	\$369.94
Satin Nickel	14-08-SN	\$369.94
Bronze	14-08-BZ	\$369.94

Lever



LEYDEN DECK TUB FAUCET TRIM

- Solid brass construction
- Flühs quarter-turn ceramic disc cartridges
- Spout reach: 9"
- Spout swivel: No
- Inlet supply: 3/4" NPT
- Required rough (sold separately): DT-R-RGH


REQUIRED ROUGH



Deck tub set rough

DT-R-RGH \$212.00

See page 455 for detailed information



Crosshead



Polished Chrome	14X-02-T-PC	\$634.94
Polished Nickel	14X-02-T-PN	\$634.94
Satin Nickel	14X-02-T-SN	\$634.94

Metal Lever

Polished Chrome	14-02-T-PC	\$634.94
Polished Nickel	14-02-T-PN	\$634.94
Satin Nickel	14-02-T-SN	\$634.94
Bronze	14-02-T-BZ	\$634.94

Cross Handles

Lever



LEYDEN DECK TUB FAUCET WITH HANDSHOWER TRIM

- Solid brass construction
- Flühs quarter-turn ceramic disc cartridges
- Single-function handshower with vacuum breaker and 60" hose
- Spout reach: 9"
- Spout swivel: No
- Handshower flow rate: 2.5 GPM at 80 PSI
- Inlet supply: 3/4" NPT
- Required rough (sold separately): DTHS-R-RGH


REQUIRED ROUGH



Deck tub set with hand shower rough

DTHS-R-RGH \$275.60

See page 455 for detailed information



Crosshead



Polished Chrome	14X-03-T-PC	\$889.34
Polished Nickel	14X-03-T-PN	\$889.34
Satin Nickel	14X-03-T-SN	\$889.34

Metal Lever

Polished Chrome	14-03-T-PC	\$889.34
Polished Nickel	14-03-T-PN	\$889.34
Satin Nickel	14-03-T-SN	\$889.34
Bronze	14-03-T-BZ	\$889.34

Cross Handles


Lever



LEYDEN FLOOR-MOUNT TUB FILLER WITH HANDSHOWER

- Single-handle operation with lever handle
- Solid brass construction
- Kerox ceramic disc cartridge
- Single-function handshower with vacuum breaker and 60" hose
- Includes rough
- Spout reach: 8-1/2"
- Height to spout: 30-1/2" - 32-3/4"
- Spout swivel: No
- Tub filler flow rate: 2.75-4.25 GPM at 20-45 PSI
- Handshower flow rate: 2.5 GPM at 80 PSI

Polished Chrome	14-05-PC	\$1588.94
Polished Nickel	14-05-PN	\$1588.94
Satin Nickel	14-05-SN	\$1588.94
Bronze	14-05-BZ	\$1588.94



Leyden floor-mount tub filler in Satin Nickel
(14-05-SN)
Vicenza bathtub (US-N7DCS/US-N6DCS)

LEYDEN THERMOSTATIC VALVE TRIM

Temperature control only; volume control(s) sold separately

Vernet thermostatic cartridge

Flow rate: 10-12 GPM at 45 PSI

Required rough (sold separately): TH-RGH

Extension kit:
9Q1172CP-PC
9Q1172RN-PN
9Q1172AP-SN
9Q1172FO-BZ


REQUIRED ROUGH



3/4" thermostatic valve rough

TH-RGH \$318.00


See page 450 for detailed information




Crosshead		
Polished Chrome	14X-16-T-PC	\$263.94
Polished Nickel	14X-16-T-PN	\$263.94
Satin Nickel	14X-16-T-SN	\$263.94

Metal Lever		
Polished Chrome	14-16-T-PC	\$263.94
Polished Nickel	14-16-T-PN	\$263.94
Satin Nickel	14-16-T-SN	\$263.94
Bronze	14-16-T-BZ	\$263.94

Cross Handle



Lever



LEYDEN VOLUME CONTROL AND DIVERTER TRIM

Volume control controls on/off and volume functions for a single component in a shower system

Diverter alternates water flow between two or three water outlets

Flühs quarter-turn ceramic disc cartridge

Required rough (sold separately):
VC-RGH - Volume control
DIV-RGH - Two-way diverter
3DV-RGH - Three-way diverter

Extension kit:
5T1C0319NT + 5POC0582NT

REQUIRED ROUGH



3/4" volume control rough

VC-RGH \$84.80



Two-way diverter rough


DIV-RGH \$159.00



Three-way diverter rough

3DV-RGH \$159.00


See pages 452-453 for detailed information




Crosshead		
Polished Chrome	14X-17-T-PC	\$200.34
Polished Nickel	14X-17-T-PN	\$200.34
Satin Nickel	14X-17-T-SN	\$200.34

Metal Lever		
Polished Chrome	14-17-T-PC	\$200.34
Polished Nickel	14-17-T-PN	\$200.34
Satin Nickel	14-17-T-SN	\$200.34
Bronze	14-17-T-BZ	\$200.34

Cross Handles



Lever




LEYDEN DUAL-CONTROL THERMOSTATIC VALVE TRIM WITH VOLUME CONTROL

One water outlet	Extension kit:
Vernet thermostatic cartridge	9Q24000CP
Flow rate: 10-12 GPM at 45 PSI	9Q24000PN
Required rough (sold separately): TH1-RGH	9Q24000AP
	9Q24000FO




Crosshead			
Polished Chrome	14X-19-T-PC	\$369.94	
Polished Nickel	14X-19-T-PN	\$369.94	
Satin Nickel	14X-19-T-SN	\$369.94	
Metal Lever			
Polished Chrome	14-19-T-PC	\$369.94	
Polished Nickel	14-19-T-PN	\$369.94	
Satin Nickel	14-19-T-SN	\$369.94	
Bronze	14-19-T-BZ	\$369.94	

Cross Handle




Lever




LEYDEN DUAL-CONTROL THERMOSTATIC VALVE TRIM WITH VOLUME CONTROL AND DIVERTER

Two water outlets	Extension kit:
Vernet thermostatic cartridge	9Q24000CP
Flow rate: 10-12 GPM at 45 PSI	9Q24000PN
Required rough (sold separately): TH2-RGH	9Q24000AP
	9Q24000FO




Crosshead			
Polished Chrome	14X-20-T-PC	\$422.94	
Polished Nickel	14X-20-T-PN	\$422.94	
Satin Nickel	14X-20-T-SN	\$422.94	
Metal Lever			
Polished Chrome	14-20-T-PC	\$422.94	
Polished Nickel	14-20-T-PN	\$422.94	
Satin Nickel	14-20-T-SN	\$422.94	
Bronze	14-20-T-BZ	\$422.94	

Cross Handle



Lever



LEYDEN PRESSURE-BALANCE VALVE TRIM

- One water outlet
- Kerox pressure-balance cartridge
- Flow rate: 3-5 GPM at 45 PSI
- Required rough (sold separately): PBS-RGH
- Extension kit:
5T1C0319NT + 5POC0582NT

REQUIRED ROUGH



Pressure-balance shower valve rough

PBS-RGH \$180.20

See page 453 for detailed information





Crosshead	Polished Chrome	14X-15P-T-PC	\$147.34
	Polished Nickel	14X-15P-T-PN	\$147.34
	Satin Nickel	14X-15P-T-SN	\$147.34

Metal Lever	Polished Chrome	14-15P-T-PC	\$147.34
	Polished Nickel	14-15P-T-PN	\$147.34
	Satin Nickel	14-15P-T-SN	\$147.34
	Bronze	14-15P-T-BZ	\$147.34

Cross Handle

Lever



LEYDEN PRESSURE-BALANCE VALVE WITH DIVERTER TRIM

- Two water outlets


Diverter alternates water flow between two outlets - tub spout/shower head, tub spout/handshower, shower head/handshower

Kerox pressure-balance cartridge
- Flow rate: 3-5 GPM at 45 PSI

Required rough (sold separately): PBTS-RGH

Extension kit:
5T1C0319NT + 5POC0582NT

REQUIRED ROUGH



Pressure-balance shower valve with diverter rough

PBTS-RGH \$212.00

See page 454 for detailed information





Crosshead	Polished Chrome	14X-14P-T-PC	\$168.54
	Polished Nickel	14X-14P-T-PN	\$168.54
	Satin Nickel	14X-14P-T-SN	\$168.54

Metal Lever	Polished Chrome	14-14P-T-PC	\$168.54
	Polished Nickel	14-14P-T-PN	\$168.54
	Satin Nickel	14-14P-T-SN	\$168.54
	Bronze	14-14P-T-BZ	\$168.54

Cross Handle

Lever



LEYDEN PRESSURE-BALANCE SHOWER SET TRIM

Set includes pressure-balance shower valve trim and shower head with arm and flange

Kerox pressure-balance cartridge

Shower head features adjustable five-function spray

Flow rate: 3-5 GPM at 45 PSI

Required rough (sold separately): PBS-RGH

Extension kit: 5T1C0319NT + 5POC0582NT

REQUIRED ROUGH



Pressure-balance shower valve rough

PBS-RGH \$180.20

See page 453 for detailed information



Crosshead


Polished Chrome	14X-15-T-PC	\$242.74
Polished Nickel	14X-15-T-PN	\$242.74
Satin Nickel	14X-15-T-SN	\$242.74




Metal Lever

Polished Chrome	14-15-T-PC	\$242.74
Polished Nickel	14-15-T-PN	\$242.74
Satin Nickel	14-15-T-SN	\$242.74
Bronze	14-15-T-BZ	\$242.74

Cross Handle



Lever



LEYDEN PRESSURE-BALANCE TUB AND SHOWER SET TRIM

Set includes pressure-balance shower valve with diverter trim, shower head with arm and flange and wall tub spout

Kerox pressure-balance cartridge

Shower head features adjustable five-function spray

Flow rate: 3-5 GPM at 45 PSI

Required rough (sold separately): PBTS-RGH

Extension kit: 5T1C0319NT + 5POC0582NT

REQUIRED ROUGH



Pressure-balance shower valve with diverter rough

PBTS-RGH \$212.00

See page 454 for detailed information



Crosshead


Polished Chrome	14X-14-T-PC	\$295.74
Polished Nickel	14X-14-T-PN	\$295.74
Satin Nickel	14X-14-T-SN	\$295.74




Metal Lever

Polished Chrome	14-14-T-PC	\$295.74
Polished Nickel	14-14-T-PN	\$295.74
Satin Nickel	14-14-T-SN	\$295.74
Bronze	14-14-T-BZ	\$295.74

Cross Handle



Lever



LEYDEN SHOWER HEAD WITH ARM AND FLANGE

- Adjustable five-function spray
- EasyClean anti-limescale nozzles
- Includes swivel, arm and flange
- Maximum flow rate: 2.0 GPM at 80 PSI
- Inlet connection size: 1/2"


Polished Chrome	14-21-PC	\$83.74
Polished Nickel	14-21-PN	\$83.74
Satin Nickel	14-21-SN	\$83.74
Bronze	14-21-BZ	\$83.74



LEYDEN HANDSHOWER RAIL SET

- Set includes handshower, hose, slide rail and wall outlet
- Single-function spray
- Handshower features EasyClean anti-limescale nozzles
- Handshower includes vacuum breaker and flow restrictor
- 25-1/2" adjustable bar with bracket
- 60" decorative metal hose included
- Maximum flow rate: 2.5 GPM at 80 PSI
- Inlet connection size: 1/2" NPT or 3/4" NPT, adapter included

Polished Chrome	14-31-PC	\$422.94
Polished Nickel	14-31-PN	\$422.94
Satin Nickel	14-31-SN	\$422.94
Bronze	14-31-BZ	\$422.94



LEYDEN HANDSHOWER AND HOSE

- Single-function spray
- Handshower features EasyClean anti-limescale nozzles
- Handshower includes vacuum breaker and flow restrictor
- 60" decorative metal hose included
- Maximum flow rate: 2.5 at 80 PSI


Polished Chrome	14-34-PC	\$104.94
Polished Nickel	14-34-PN	\$104.94
Satin Nickel	14-34-SN	\$104.94
Bronze	14-34-BZ	\$104.94



LEYDEN WALL BRACKET WITH OUTLET

Inlet connection size: 1/2" NPT


Polished Chrome	14-35-PC	\$136.74
Polished Nickel	14-35-PN	\$136.74
Satin Nickel	14-35-SN	\$136.74



LEYDEN WALL TUB SPOUT

Spout reach: 7"
Inlet connection size: 1/2" NPT


Polished Chrome	14-WTS-PC	\$168.54
Polished Nickel	14-WTS-PN	\$168.54
Satin Nickel	14-WTS-SN	\$168.54
Bronze	14-WTS-BZ	\$168.54



COVER PLATE


4" centerset cover plate

Polished Chrome	9Q1170CP-PC	\$30.74
Polished Nickel	9Q1170RN-PN	\$30.74
Satin Nickel	9Q1170AP-SN	\$30.74
Bronze	9Q1170FO-BZ	\$30.74




LEYDEN PAPER HOLDER / TOWEL RING

Polished Chrome	14-58-PC	\$51.94
Polished Nickel	14-58-PN	\$51.94
Satin Nickel	14-58-SN	\$51.94
Bronze	14-58-BZ	\$51.94




LEYDEN ROBE HOOK

Polished Chrome	14-51-PC	\$41.34
Polished Nickel	14-51-PN	\$41.34
Satin Nickel	14-51-SN	\$41.34
Bronze	14-51-BZ	\$41.34




LEYDEN 18" TOWEL BAR

Polished Chrome	14-65-PC	\$62.54
Polished Nickel	14-65-PN	\$62.54
Satin Nickel	14-65-SN	\$62.54
Bronze	14-65-BZ	\$62.54




LEYDEN 24" TOWEL BAR

Polished Chrome	14-66-PC	\$73.14
Polished Nickel	14-66-PN	\$73.14
Satin Nickel	14-66-SN	\$73.14
Bronze	14-66-BZ	\$73.14



LEYDEN 30" TOWEL BAR

Polished Chrome	14-67-PC	\$83.74
Polished Nickel	14-67-PN	\$83.74
Satin Nickel	14-67-SN	\$83.74
Bronze	14-67-BZ	\$83.74





Leyden widespread basin faucet with cross handles in Polished Chrome (14X-08-PC)



Leyden floor-mount tub filler with handshower in Polished Nickel (14-05-PN)



Leyden handshower rail set in Polished Chrome (14-31-PC)



Leyden floor-mount tub (L14-05-PC)
Sottosmo bathtub (L14-08ECS)




DARBY

CLASSIC MEETS ART DECO IN A STATEMENT OF DISTINCTIVE LUXURY

Inspired by the columns of early-Renaissance concert harps, Darby’s solid, barrel-shaped form and clean fluid lines echo Old World elegance with contemporary sophistication.

AVAILABLE FINISHES



Polished Chrome



Polished Nickel



Satin Nickel


DARBY

Basin faucets

DARBY SINGLE-HOLE BASIN FAUCET

- Solid brass construction
- Kerox ceramic disc cartridge
- Push drain assembly included
- Spout reach: 5-1/2"
- Spout swivel: No
- Maximum flow rate: 1.2 GPM at 60 PSI
- 4" cover plate available (sold separately)


Polished Chrome	15-01-PC	\$316.94
Polished Nickel	15-01-PN	\$316.94
Satin Nickel	15-01-SN	\$316.94



DARBY WIDESPREAD BASIN FAUCET

- Solid brass construction
- Flühs quarter-turn ceramic disc cartridges
- Push drain assembly included
- Spout reach: 5-1/2"
- Spout swivel: No
- Handle spread: 6" - 12"
- Maximum flow rate: 1.2 GPM at 60 PSI

Polished Chrome	15-08-PC	\$369.94
Polished Nickel	15-08-PN	\$369.94
Satin Nickel	15-08-SN	\$369.94



Darby floor-mount tub filler in Polished Chrome
(15-05-PC)
Palermo Petite bathtub (US-N4CCS)

DARBY DECK-MOUNT TUB FAUCET WITH HANDSHOWER TRIM

- Solid brass construction
- Flühs quarter-turn ceramic disc cartridges
- Single-function handshower with vacuum breaker and 60" hose
- Spout reach: 9-1/2"
- Spout swivel: No
- Handshower flow rate: 2.0 GPM at 80 PSI
- Inlet supply: 3/4" NPT
- Required rough (sold separately): DTHS-S-RGH

Polished Chrome	15-03-T-PC	\$1037.74
Polished Nickel	15-03-T-PN	\$1037.74
Satin Nickel	15-03-T-SN	\$1037.74


REQUIRED ROUGH



Deck tub set with hand shower rough

DTHS-S-RGH \$275.60


See page 456 for detailed information



DARBY FLOOR-MOUNT TUB FILLER WITH HANDSHOWER

- Single-handle operation with lever handle
- Solid brass construction
- Kerox ceramic disc cartridge
- Single-function handshower with vacuum breaker and 60" hose
- Includes rough
- Height to spout: 29-11/16" - 31-15/16"
- Spout reach: 8-7/16"
- Spout swivel: No
- Tub filler flow rate: 4-5.85 GPM at 20-45 PSI
- Handshower flow rate: 2.5 GPM at 80 PSI

Polished Chrome	15-05-PC	\$2436.94
Polished Nickel	15-05-PN	\$2436.94
Satin Nickel	15-05-SN	\$2436.94



DARBY THERMOSTATIC VALVE TRIM

Temperature control only; volume control(s) sold separately

Vernet thermostatic cartridge

Flow rate: 10-12 GPM at 45 PSI

Required rough (sold separately): TH-RGH

Extension kit:
9Q1172CP-PC
9Q1172RN-PN
9Q1172AP-SN

Polished Chrome	15-16-T-PC	\$263.94
Polished Nickel	15-16-T-PN	\$263.94
Satin Nickel	15-16-T-SN	\$263.94




REQUIRED ROUGH



3/4" thermostatic valve rough

TH-RGH **\$300**

See page 446 for detailed information



DARBY VOLUME CONTROL AND DIVERTER TRIM

Volume control controls on/off and volume functions for a single component in a shower system

Diverter alternates water flow between two or three water outlets

Flühs quarter-turn ceramic disc cartridge

Required rough (sold separately):
VC-RGH - Volume control
DIV-RGH - Two-way diverter
3DV-RGH - Three-way diverter

Extension kit: 5T1C0319NT + 5P0C0582NT

Polished Chrome	15-17-T-PC	\$200.34
Polished Nickel	15-17-T-PN	\$200.34
Satin Nickel	15-17-T-SN	\$200.34



REQUIRED ROUGH



3/4" volume control rough

VC-RGH **\$84.80**



Two-way diverter rough

DIV-RGH **\$159.00**




Three-way diverter rough


3DV-RGH **\$159.00**

See pages 452-453 for detailed information


with VC-RGH valves, volume control



with 3DV-RGH, 3 function diverter



with DIV-RGH, 2 function diverter



DARBY DUAL-CONTROL THERMOSTATIC VALVE TRIM WITH VOLUME CONTROL

- One water outlet
- Vernet thermostatic cartridge
- Required rough (sold separately): TH1-RGH
- Flow rate: 10-12 GPM at 45 PSI
- Extension kit:
 - 9Q242000CP
 - 9Q242000RN
 - 9Q242000AP

Polished Chrome	15-19-T-PC	\$369.94
Polished Nickel	15-19-T-PN	\$369.94
Satin Nickel	15-19-T-SN	\$369.94


REQUIRED ROUGH



Dual-control thermostatic valve rough

TH1-RGH \$339.20

See page 451 for detailed information



DARBY DUAL-CONTROL THERMOSTATIC VALVE TRIM WITH VOLUME CONTROL AND DIVERTER

- Two water outlets
- Vernet thermostatic cartridge
- Flow rate: 10-12 GPM at 45 PSI
- Required rough (sold separately): TH2-RGH
- Extension kit:
 - 9Q242000CP
 - 9Q242000RN
 - 9Q242000AP

Polished Chrome	15-20-T-PC	\$422.94
Polished Nickel	15-20-T-PN	\$422.94
Satin Nickel	15-20-T-SN	\$422.94


REQUIRED ROUGH



Dual-control thermostatic valve rough

TH2-RGH \$413.40

See page 451 for detailed information



DARBY PRESSURE-BALANCE VALVE TRIM

- One water outlet
- Kerox pressure-balance cartridge
- Flow rate: 3-5 GPM at 45 PSI
- Required rough (sold separately): PBS-RGH
- Extension kit: 5T1C0319NT + 5P0C0582NT

Polished Chrome	15-15P-T-PC	\$147.34
Polished Nickel	15-15P-T-PN	\$147.34
Satin Nickel	15-15P-T-SN	\$147.34


REQUIRED ROUGH



Pressure-balance shower valve rough

PBS-RGH \$180.20

See page 453 for detailed information



DARBY PRESSURE-BALANCE VALVE WITH DIVERTER TRIM

- Two water outlets
- Diverter alternates water flow between two outlets - tub spout/shower head, tub spout/handshower, shower head/handshower
- Kerox pressure-balance cartridge
- Flow rate: 3-5 GPM at 45 PSI
- Required rough (sold separately): PBTS-RGH
- Extension kit: 5T1C0319NT + 5P0C0582NT

Polished Chrome	15-14P-T-PC	\$168.54
Polished Nickel	15-14P-T-PN	\$168.54
Satin Nickel	15-14P-T-SN	\$168.54


REQUIRED ROUGH



Pressure-balance shower valve with diverter rough

PBTS-RGH \$212.00

See page 454 for detailed information



DARBY PRESSURE-BALANCE SHOWER SET TRIM

Set includes pressure-balance shower valve trim with lever handle and shower head with arm and flange

- Kerox pressure-balance cartridge
- Shower head features adjustable five-function spray
- Flow rate: 3-5 GPM at 45 PSI
- Required rough (sold separately): PBS-RGH
- Extension kit: 5T1C0319NT + 5P0C0582NT

Polished Chrome	15-15-T-PC	\$295.74
Polished Nickel	15-15-T-PN	\$295.74
Satin Nickel	15-15-T-SN	\$295.74


REQUIRED ROUGH



Pressure-balance shower valve rough

PBS-RGH \$180.20

See page 453 for detailed information



DARBY PRESSURE-BALANCE TUB AND SHOWER SET TRIM

Set includes pressure-balance shower valve with diverter trim with lever handle, shower head with arm and flange and wall tub spout

- Kerox pressure-balance cartridge
- Shower head features adjustable five-function spray
- Flow rate: 3-5 GPM at 45 PSI
- Required rough (sold separately): PBTS-RGH
- Extension kit: 5T1C0319NT + 5P0C0582NT

Polished Chrome	15-14-T-PC	\$422.94
Polished Nickel	15-14-T-PN	\$422.94
Satin Nickel	15-14-T-SN	\$422.94


REQUIRED ROUGH



Pressure-balance shower valve with diverter rough

PBTS-RGH \$212.00

See page 454 for detailed information



DARBY SHOWER HEAD WITH ARM AND FLANGE

- Adjustable five-function spray
- EasyClean anti-limescale nozzles
- Includes swivel and arm and flange
- Maximum flow rate: 2.0 GPM at 80PSI
- Inlet connection size: 1/2" NPT


Polished Chrome	15-21-PC	\$83.74
Polished Nickel	15-21-PN	\$83.74
Satin Nickel	15-21-SN	\$83.74



DARBY HANDSHOWER RAIL SET

- Adjustable two-function spray
- Handshower features EasyClean anti-limescale nozzles
- Handshower includes vacuum breaker and flow restrictor
- 26" adjustable bar with bracket
- 60" decorative metal hose included
- Maximum flow rate: 2.0 GPM at 80 PSI
- Inlet connection size: 1/2" NPT


Polished Chrome	15-31-PC	\$528.94
Polished Nickel	15-31-PN	\$528.94
Satin Nickel	15-31-SN	\$528.94



DARBY HANDSHOWER AND HOSE

- Set includes handshower and hose
- Adjustable two-function spray
- Handshower features EasyClean anti-limescale nozzles
- Handshower includes vacuum breaker and flow restrictor
- 60" decorative metal hose included
- Maximum flow rate: 2.0 GPM at 80 PSI


Polished Chrome	15-34-PC	\$104.94
Polished Nickel	15-34-PN	\$104.94
Satin Nickel	15-34-SN	\$104.94



DARBY HANDSHOWER SLIDE RAIL

- 26" adjustable bar with bracket


Polished Chrome	15-32-PC	\$316.94
Polished Nickel	15-32-PN	\$316.94
Satin Nickel	15-32-SN	\$316.94



DARBY WALL OUTLET

Inlet connection size: 1/2" NPT


Polished Chrome	15-33-PC	\$104.94
Polished Nickel	15-33-PN	\$104.94
Satin Nickel	15-33-SN	\$104.94



DARBY WALL BRACKET WITH OUTLET

Inlet connection size: 1/2" NPT


Polished Chrome	15-35-PC	\$136.74
Polished Nickel	15-35-PN	\$136.74
Satin Nickel	15-35-SN	\$136.74



DARBY WALL TUB SPOUT

Spout reach: 7-1/2"
Inlet connection size: 1/2" NPT


Polished Chrome	15-WTS-PC	\$189.74
Polished Nickel	15-WTS-PN	\$189.74
Satin Nickel	15-WTS-SN	\$189.74



COVER PLATE

4" centerset cover plate


Polished Chrome	9Q1168CP-PC	\$30.74
Polished Nickel	9Q1168RN-PN	\$30.74
Satin Nickel	9Q1168AP-SN	\$30.74



Darby robe hook in Satin Nickel (15-51-SN)


DARBY PAPER HOLDER

Polished Chrome	15-59-PC	\$94.34
Polished Nickel	15-59-PN	\$94.34
Satin Nickel	15-59-SN	\$94.34




DARBY ROBE HOOK

Polished Chrome	15-51-PC	\$51.94
Polished Nickel	15-51-PN	\$51.94
Satin Nickel	15-51-SN	\$51.94



DARBY TOWEL RING


Polished Chrome	15-55-PC	\$94.34
Polished Nickel	15-55-PN	\$94.34
Satin Nickel	15-55-SN	\$94.34



DARBY 18" TOWEL BAR

Polished Chrome	15-65-PC	\$94.34
Polished Nickel	15-65-PN	\$94.34
Satin Nickel	15-65-SN	\$94.34


Note: Bar cannot be cut



DARBY 24" TOWEL BAR

Polished Chrome	15-66-PC	\$104.94
Polished Nickel	15-66-PN	\$104.94
Satin Nickel	15-66-SN	\$104.94


Note: Bar cannot be cut



DARBY 30" TOWEL BAR

Polished Chrome	15-67-PC	\$115.54
Polished Nickel	15-67-PN	\$115.54
Satin Nickel	15-67-SN	\$115.54

Note: Bar cannot be cut





Darby widespread basin faucet in Satin Nickel
(11-08-SN)



Darby floor-mount tub filler in Polished Nickel
(15-05-PC)
Nuvola bathtub (US-N22CS)



Darby floor-mount tub filler in Polished Nickel
(15-05-PC)
Nuvola bathtub (US-N22CS)



Darby widespread basin faucets (15-08)



Darby floor-mount tub filler in Satin Nickel
(11-05-SN)
Florenza bathtub (US-N23CS)




TAOS


ESSENTIAL. PURE. FORM.

Inspired by the mid-century modern classic, Eero Saarinen's Tulip table, Taos embodies a simplistic and organic elegance. With arching, structural curves and clean lines, Taos takes center stage with a heightened yet soft aesthetic.


AVAILABLE FINISHES




Polished Chrome



Polished Nickel



Satin Nickel



Bronze


TAOS

Basin faucets

TAOS SINGLE-HOLE BASIN FAUCET

- Solid brass construction
- Kerox ceramic disc cartridge
- Push drain assembly included
- Spout reach: 5-3/4"
- Spout swivel: Yes
- Maximum flow rate: 1.2 GPM at 60 PSI
- 4" cover plate available (sold separately)


Polished Chrome	17-01-PC	\$316.94
Polished Nickel	17-01-PN	\$316.94
Satin Nickel	17-01-SN	\$316.94
Bronze	17-01-BZ	\$316.94



TAOS WIDESPREAD BASIN FAUCET

- Solid brass construction
- Flühs quarter-turn ceramic disc cartridges
- Push drain assembly included
- Spout reach: 5-1/2"
- Spout swivel: No
- Handle spread: 6" - 12"
- Maximum flow rate: 1.2 GPM at 60 PSI


Polished Chrome	17-08-PC	\$369.94
Polished Nickel	17-08-PN	\$369.94
Satin Nickel	17-08-SN	\$369.94
Bronze	17-08-BZ	\$369.94



TAOS DECK-MOUNT TUB FAUCET TRIM

- Solid brass construction
- Flühs quarter-turn ceramic disc cartridges
- Spout reach: 9"
- Spout swivel: No
- Inlet supply: 3/4" NPT
- Required rough (sold separately): DT-S-RGH

Polished Chrome	17-02-T-PC	\$634.94
Polished Nickel	17-02-T-PN	\$634.94
Satin Nickel	17-02-T-SN	\$634.94
Bronze	17-02-T-BZ	\$634.94



REQUIRED ROUGH

Deck tub set rough

DT-S-RGH **\$212.00**

See page 456 for detailed information

TAOS DECK-MOUNT TUB FAUCET WITH HANDSHOWER TRIM

- Solid brass construction
- Flühs quarter-turn ceramic disc cartridges
- Single-function handshower with vacuum breaker and 60" hose
- Spout reach: 9"
- Spout swivel: No
- Handshower flow rate: 2.5 GPM at 80 PSI
- Inlet supply: 3/4" NPT
- Required rough (sold separately): DTHS-S-RGH

Polished Chrome	17-03-T-PC	\$889.34
Polished Nickel	17-03-T-PN	\$889.34
Satin Nickel	17-03-T-SN	\$889.34
Bronze	17-03-T-BZ	\$889.34


REQUIRED ROUGH



Deck tub set with hand shower rough

DTHS-S-RGH \$275.60


See page 456 for detailed information



TAOS FLOOR-MOUNT TUB FILLER WITH HANDSHOWER

- Single-handle operation with lever handle
- Solid brass construction
- Kerox ceramic disc cartridge
- Single-function handshower with vacuum breaker and 60" hose
- Includes rough
- Height to spout: 33-3/4" - 35-7/8"
- Spout reach: 9"
- Spout swivel: Yes
- Tub filler flow rate: 4-6 GPM at 20-45 PSI
- Handshower flow rate: 2.5 GPM at 80 PSI

Polished Chrome	17-05-PC	\$1164.94
Polished Nickel	17-05-PN	\$1164.94
Satin Nickel	17-05-SN	\$1164.94
Bronze	17-05-BZ	\$1164.94



TAOS THERMOSTATIC VALVE TRIM

Temperature control only; volume control(s) sold separately

Vernet thermostatic cartridge

Flow rate: 10-12 GPM at 45 PSI

Required rough (sold separately): TH-RGH

Extension kit:
9Q1172CP-PC
9Q1172RN-PN
9Q1172AP-SN
9Q1172FO-BZ

Polished Chrome	17-16-T-PC	\$263.94
Polished Nickel	17-16-T-PN	\$263.94
Satin Nickel	17-16-T-SN	\$263.94
Bronze	17-16-T-BZ	\$263.94




REQUIRED ROUGH



3/4" thermostatic valve rough

TH-RGH \$318.00

See page 450 for detailed information



TAOS VOLUME CONTROL AND DIVERTER TRIM

Volume control controls on/off and volume functions for a single component in a shower system

Diverter alternates water flow between two or three water outlets

Flühs quarter-turn ceramic disc volume control cartridge / Kerox diverter cartridge

Required rough (sold separately):

VC-RGH - Volume control
DIV-RGH - Two-way diverter
3DV-RGH - Three-way diverter

Extension kit: 5T1C0319NT + 5P0C0582NT

Polished Chrome	17-17-T-PC	\$200.34
Polished Nickel	17-17-T-PN	\$200.34
Satin Nickel	17-17-T-SN	\$200.34
Bronze	17-17-T-BZ	\$200.34



REQUIRED ROUGH



3/4" volume control rough

VC-RGH \$84.80



Two-way diverter rough


DIV-RGH \$159.00



Three-way diverter rough

3DV-RGH \$159.00

See pages 452-453 for detailed information



TAOS DUAL-CONTROL THERMOSTATIC VALVE TRIM WITH VOLUME CONTROL

- One water outlet
- Vernet thermostatic cartridge
- Flow rate: 10-12 GPM at 45 PSI
- Required rough (sold separately): TH1-RGH
- Extension kit:
 - 9Q242000CP
 - 9Q242000RN
 - 9Q242000AP
 - 9Q242000FO

Polished Chrome	17-19-T-PC	\$369.94
Polished Nickel	17-19-T-PN	\$369.94
Satin Nickel	17-19-T-SN	\$369.94
Bronze	17-19-T-BZ	\$369.94


REQUIRED ROUGH



Dual-control thermostatic valve rough

TH1-RGH \$339.20

See page 451 for detailed information



TAOS DUAL-CONTROL THERMOSTATIC VALVE TRIM WITH VOLUME CONTROL AND DIVERTER

- Two water outlets
- Vernet thermostatic cartridge
- Flow rate: 10-12 GPM at 45 PSI
- Required rough (sold separately): TH2-RGH
- Extension kit:
 - 9Q242000CP
 - 9Q242000RN
 - 9Q242000AP
 - 9Q242000FO

Polished Chrome	17-20-T-PC	\$422.94
Polished Nickel	17-20-T-PN	\$422.94
Satin Nickel	17-20-T-SN	\$422.94
Bronze	17-20-T-BZ	\$422.94


REQUIRED ROUGH



Dual-control thermostatic valve rough

TH2-RGH \$413.40

See page 451 for detailed information



TAOS PRESSURE-BALANCE VALVE TRIM

- One water outlet
- Kerox pressure-balance cartridge
- Flow rate: 3-5 GPM at 45 PSI
- Required rough (sold separately): PBS-RGH
- Extension kit: 5T1C0319NT + 5P0C0582NT

Polished Chrome	17-15P-T-PC	\$147.34
Polished Nickel	17-15P-T-PN	\$147.34
Satin Nickel	17-15P-T-SN	\$147.34
Bronze	17-15P-T-BZ	\$147.34




REQUIRED ROUGH



Pressure-balance shower valve rough

PBS-RGH \$180.20

See page 453 for detailed information



TAOS PRESSURE-BALANCE VALVE WITH DIVERTER TRIM

- Two water outlets
- Diverter alternates water flow between two outlets - tub spout/shower head, tub spout/handshower, shower head/handshower
- Kerox pressure-balance cartridge
- Flow rate: 3-5 GPM at 45 PSI
- Required rough (sold separately): PBTS-RGH
- Extension kit: 5T1C0319NT + 5P0C0582NT

Polished Chrome	17-14P-T-PC	\$168.54
Polished Nickel	17-14P-T-PN	\$168.54
Satin Nickel	17-14P-T-SN	\$168.54
Bronze	17-14P-T-BZ	\$168.54




REQUIRED ROUGH



Pressure-balance shower valve with diverter rough

PBTS-RGH \$212.00

See page 454 for detailed information



TAOS PRESSURE-BALANCE SHOWER SET TRIM

Set includes pressure-balance shower valve trim with lever handle and shower head with arm and flange

Kerox pressure-balance cartridge

Shower head features adjustable five-function spray

Flow rate: 3-5 GPM at 45 PSI

Required rough (sold separately): PBS-RGH

Extension kit: 5T1C0319NT + 5POC0582NT

Polished Chrome	17-15-T-PC	\$242.74
Polished Nickel	17-15-T-PN	\$242.74
Satin Nickel	17-15-T-SN	\$242.74
Bronze	17-15-T-BZ	\$242.74


REQUIRED ROUGH



Pressure-balance shower valve rough

PBS-RGH \$180.20

See page 453 for detailed information



TAOS PRESSURE-BALANCE TUB AND SHOWER SET TRIM

Set includes pressure-balance shower valve with diverter trim with lever handle, shower head with arm and flange and wall tub spout

Kerox pressure-balance cartridge

Shower head features adjustable five-function spray

Flow rate: 3-5 GPM at 45 PSI

Required rough (sold separately): PBTS-RGH

Extension kit: 5T1C0319NT + 5POC0582NT

Polished Chrome	17-14-T-PC	\$295.74
Polished Nickel	17-14-T-PN	\$295.74
Satin Nickel	17-14-T-SN	\$295.74
Bronze	17-14-T-BZ	\$295.74


REQUIRED ROUGH



Pressure-balance shower valve with diverter rough

PBTS-RGH \$212.00


See page 454 for detailed information



TAOS SHOWER HEAD WITH ARM AND FLANGE

- Adjustable five-function spray
- EasyClean anti-limescale nozzles
- Includes swivel and arm and flange
- Maximum flow rate: 2.0 GPM
- Inlet connection size: 1/2" NPT


Polished Chrome	17-21-PC	\$83.74
Polished Nickel	17-21-PN	\$83.74
Satin Nickel	17-21-SN	\$83.74
Bronze	17-21-BZ	\$83.74



TAOS HANDSHOWER RAIL SET

- Set includes handshower, hose, slide rail and wall outlet
- Single-function spray
- Handshower features EasyClean anti-limescale nozzles
- Handshower includes vacuum breaker and flow restrictor
- 24" adjustable bar with bracket
- 60" decorative metal hose included
- Maximum flow rate: 2.5 GPM at 80 PSI
- Inlet connection size: 1/2" NPT or 3/4" NPT, adapter included


Polished Chrome	17-31-PC	\$422.94
Polished Nickel	17-31-PN	\$422.94
Satin Nickel	17-31-SN	\$422.94
Bronze	17-31-BZ	\$422.94



TAOS HANDSHOWER AND HOSE

- Set includes handshower and hose
- Single-function spray
- Handshower features EasyClean anti-limescale nozzles
- Handshower includes vacuum breaker and flow restrictor
- 60" decorative metal hose included
- Maximum flow rate: 2.5 GPM @ 80 PSI


Polished Chrome	17-34-PC	\$104.94
Polished Nickel	17-34-PN	\$104.94
Satin Nickel	17-34-SN	\$104.94
Bronze	17-34-BZ	\$104.94



TAOS WALL BRACKET WITH OUTLET

Inlet connection size: 1/2" NPT

Polished Chrome	17-35-PC	\$136.74
Polished Nickel	17-35-PN	\$136.74
Satin Nickel	17-35-SN	\$136.74



TAOS WALL TUB SPOUT

Spout reach: 7"

Inlet connection size: 1/2" NPT


Polished Chrome	17-WTS-PC	\$136.74
Polished Nickel	17-WTS-PN	\$136.74
Satin Nickel	17-WTS-SN	\$136.74
Bronze	17-WTS-BZ	\$136.74



COVER PLATE


4" centerset cover plate

Polished Chrome	9Q1168CP-PC	\$30.74
Polished Nickel	9Q1168RN-PN	\$30.74
Satin Nickel	9Q1168AP-SN	\$30.74
Bronze	9Q1168FO-BZ	\$30.74




TAOS PAPER HOLDER / TOWEL RING

Polished Chrome	17-58-PC	\$51.94
Polished Nickel	17-58-PN	\$51.94
Satin Nickel	17-58-SN	\$51.94
Bronze	17-58-BZ	\$51.94



TAOS ROBE HOOK


Polished Chrome	17-51-PC	\$41.34
Polished Nickel	17-51-PN	\$41.34
Satin Nickel	17-51-SN	\$41.34
Bronze	17-51-BZ	\$41.34



TAOS 18" TOWEL BAR

Polished Chrome	17-65-PC	\$62.54
Polished Nickel	17-65-PN	\$62.54
Satin Nickel	17-65-SN	\$62.54
Bronze	17-65-BZ	\$62.54


Note: Bar cannot be cut



TAOS 24" TOWEL BAR

Polished Chrome	17-66-PC	\$73.14
Polished Nickel	17-66-PN	\$73.14
Satin Nickel	17-66-SN	\$73.14
Bronze	17-66-BZ	\$73.14


Note: Bar cannot be cut



TAOS 30" TOWEL BAR

Polished Chrome	17-67-PC	\$83.74
Polished Nickel	17-67-PN	\$83.74
Satin Nickel	17-67-SN	\$83.74
Bronze	17-67-BZ	\$83.74

Note: Bar cannot be cut



Taos robe hook in Satin Nickel (17-51-SN)






Taos widespread basin faucet in Satin Nickel
(17-08-SN)
MPRO 39" basin and vanity in Driftwood
(US-PRO393, US-PRO39DDW*)



laos floor-mount tub filler in Polished Chrome
(17-05-PC)
Formoso Grande bathtub (US-N2ACS)



SHOWERING



SOLID BRASS CONSTRUCTION COMBINED WITH EXPERT ENGINEERING

Delivering seamless movement of water in a refined collection. An extensive range of shower heads, shower arms, handsets and hoses ensures the very best in performance and functionality to create a highly luxurious experience that is uniquely tailored to the individual.

WALDORF 8" RAIN HEAD

- Solid brass
- Single rain spray
- EasyClean, anti-limescale nozzles
- Can be wall or ceiling mounted using the appropriate shower arm (sold separately)
- Swivel: No
- Maximum flow rate: 2.5 GPM
- Inlet connection size: G 1/2" (compatible with 1/2" NPT)

Polished Chrome	US-WF08C_EC	\$316.94
Polished Nickel	US-WF08N_EC	\$380.54



WALDORF 12" RAIN HEAD

- Solid brass
- Single rain spray
- Can be wall or ceiling mounted using the appropriate shower arm (sold separately)
- Swivel: No
- Maximum flow rate: 2.5 GPM
- Inlet connection size: G 1/2" (compatible with 1/2" NPT)

Polished Chrome	US-WF12C	\$422.94
Polished Nickel	US-WF12N	\$507.74



Waldorf 8" rain head and 13" shower arm in Polished Chrome (US-WF08C_EC, US-FH684C)


BELGRAVIA 8" RAIN HEAD

Solid brass
Single rain spray
EasyClean, anti-limescale nozzles
Can be wall or ceiling mounted using the appropriate shower arm (sold separately)
Swivel: No
Maximum flow rate: 2.5 GPM
Inlet connection size: G 1/2" (compatible with 1/2" NPT)



Polished Chrome **US-FH08C_EC**
Polished Nickel **US-FH08N_EC**

\$338.14
\$391.14




BELGRAVIA 12" RAIN HEAD

Solid brass
Single rain spray
Can be wall or ceiling mounted using the appropriate shower arm (sold separately)
Swivel: No
Maximum flow rate: 2.5 GPM
Inlet connection size: G 1/2" (compatible with 1/2" NPT)



Polished Chrome **US-FH12C**
Polished Nickel **US-FH12N**

\$422.94
\$475.94




ARCADE 9" AIR BOOST RAIN HEAD

Featuring air boost technology which infuses the water with air creating droplets that are dense but light and soft, while maintaining superior pressure
Solid brass
Single rain spray
Can be wall or ceiling mounted using the appropriate shower arm (sold separately)
Swivel: Yes
Maximum flow rate: 1.75 GPM
Inlet connection size: G 1/2" (compatible with 1/2" NPT)



Polished Chrome **US-ARCV17C**
Polished Nickel **US-ARCV17N**

\$210.94
\$253.34




ARCADE 13" AIR BOOST RAIN HEAD

Featuring air boost technology which infuses the water with air creating droplets that are dense but light and soft, while maintaining superior pressure
Solid brass
Single rain spray
Can be wall or ceiling mounted using the appropriate shower arm (sold separately)
Swivel: Yes
Maximum flow rate: 1.75 GPM
Inlet connection size: G 1/2" (compatible with 1/2" NPT)



Polished Chrome **US-ARCV60C**
Polished Nickel **US-ARCV60N**

\$316.94
\$380.54




MODERN 8" RAIN HEAD

Solid brass
Single rain spray
EasyClean anti-limescale nozzles
Can be wall or ceiling mounted using the appropriate shower arm (sold separately)
Swivel: Yes
Maximum flow rate: 2.0 GPM
Inlet connection size: G 1/2" (compatible with 1/2" NPT)




Polished Chrome **US-PRO200C**
Polished Nickel **US-PRO200N**
Stainless **US-PRO200V**
Matte Black **US-PRO200MB**
Brushed Brass **US-PRO200BB**

\$210.94
\$253.34
\$253.34
\$253.34
\$253.34




MODERN 12" RAIN HEAD

Solid brass
Single rain spray
EasyClean anti-limescale nozzles
Can be wall or ceiling mounted using the appropriate shower arm (sold separately)
Swivel: Yes
Maximum flow rate: 2.5 GPM
Inlet connection size: G 1/2" (compatible with 1/2" NPT)



Polished Chrome **US-PRO300C**
Polished Nickel **US-PRO300N**
Stainless **US-PRO300V**
Matte Black **US-PRO300MB**
Brushed Brass **US-PRO300BB**

\$316.94
\$380.54
\$380.54
\$380.54*
\$380.54*




UNION 5-5/8" SHOWER HEAD

Solid brass
Single rain spray
EasyClean anti-limescale nozzles
Shower arm and flange sold separately (US-SH004)
5-5/8" diameter
Maximum flow rate: 1.75GPM
Inlet connection size: G 1/2" (compatible with 1/2" NPT)
Swivel: Yes



Polished Chrome **US-MA150C**
Brushed Nickel **US-MA150BN**
Brushed Black Chrome **US-MA150BBC**
Unlacquered Brass **US-MA150B**

\$528.94
\$719.74
\$719.74
\$528.94





UNION 10" SHOWER HEAD

Solid brass, single rain spray
EasyClean anti-limescale nozzles
Shower arm and flange sold separately (US-SH004)
9-7/8" diameter
Maximum flow rate: 2.0 GPM
Inlet connection size: G 1/2" (compatible with 1/2" NPT)
Swivel: Yes

Polished Chrome **US-MA250C**
Brushed Nickel **US-MA250BN**
Brushed Black Chrome **US-MA250BBC**
Unlacquered Brass **US-MA250B**

\$528.94
\$719.74
\$719.74
\$528.94




***6-WEEK LEADTIME**

BEREA SHOWER HEAD WITH ARM AND FLANGE

- Adjustable five-function spray
- EasyClean anti-limescale nozzles
- Includes swivel and arm and flange
- Maximum flow rate: 2.0 GPM
- Inlet connection size: 1/2"


Polished Chrome	11-21-PC	\$83.74
Polished Nickel	11-21-PN	\$83.74
Satin Nickel	11-21-SN	\$83.74
Bronze	11-21-BZ	\$83.74



LEYDEN SHOWER HEAD WITH ARM AND FLANGE

- Adjustable five-function spray
- EasyClean anti-limescale nozzles
- Includes swivel and arm and flange
- Maximum flow rate: 2.0 GPM
- Inlet connection size: 1/2"


Polished Chrome	14-21-PC	\$83.74
Polished Nickel	14-21-PN	\$83.74
Satin Nickel	14-21-SN	\$83.74
Bronze	14-21-BZ	\$83.74



DARBY SHOWER HEAD WITH ARM AND FLANGE

- Adjustable five-function spray
- EasyClean anti-limescale nozzles
- Includes swivel and arm and flange
- Maximum flow rate: 2.0 GPM
- Inlet connection size: 1/2"


Polished Chrome	15-21-PC	\$83.74
Polished Nickel	15-21-PN	\$83.74
Satin Nickel	15-21-SN	\$83.74



TAOS SHOWER HEAD WITH ARM AND FLANGE

- Adjustable five-function spray
- EasyClean anti-limescale nozzles
- Includes swivel, arm and flange
- Maximum flow rate: 2.0 GPM
- Inlet connection size: 1/2"


Polished Chrome	17-21-PC	\$83.74
Polished Nickel	17-21-PN	\$83.74
Satin Nickel	17-21-SN	\$83.74
Bronze	17-21-BZ	\$83.74



ELEMENTS 8-JET SHOWER HEAD

- Solid brass
- Adjustable spray - wide to narrow rain
- Anti-limescale nozzles
- Wall-mounted using shower arm (sold separately)
- 3-1/2" diameter
- Swivel: Yes
- Maximum flow rate: 1.75 GPM
- Inlet connection type: 1/2" NPT


Polished Chrome	US-SH08C	\$210.94
Polished Nickel	US-SH08N	\$263.94
Stainless	US-SH08S	\$263.94
Matte Black	US-SH08MB	\$348.74*
Brushed Brass	US-SH08BB	\$348.74*
Brushed Nickel	US-SH08BN	\$348.74*
Brushed Black Chrome	US-SH08BBC	\$348.74*



WALDORF SHOWER ARM AND FLANGE

- Solid brass
- Hexagonal flange
- Projection: 5-3/4"
- Inlet connection type: 1/2" male NPT


Polished Chrome	US-WF664C	\$51.94
Polished Nickel	US-WF664N	\$62.54



BELGRAVIA SHOWER ARM AND FLANGE

- Solid brass
- Round flange
- Projection: 5-3/4"
- Inlet connection type: 1/2" male NPT


Polished Chrome	US-BL664C	\$51.94
Polished Nickel	US-BL664N	\$62.54



ARCADE SHOWER ARM AND FLANGE

- Solid brass
- Round flange
- Projection: 5-3/4"
- Inlet connection type: 1/2" male NPT


Polished Chrome	US-ARC064C	\$51.94
Polished Nickel	US-ARC064N	\$62.54



MODERN SHOWER ARM AND FLANGE

- Solid brass
- Round flange
- Projection: 5-3/4"
- Inlet connection type: 1/2" male NPT

Polished Chrome	US-PRO664C	\$51.94	Brushed Brass	US-PRO664BB	\$104.94*
Polished Nickel	US-PRO664N	\$62.54	Brushed Nickel	US-PRO664BN	\$104.94*
Stainless	US-PRO664S	\$62.54	Brushed Black Chrome	US-PRO664BBC	\$104.94*
Matte Black	US-PRO664MB	\$104.94*			



*6-WEEK LEADTIME



Modern 12" Rain head (US-PRO300N) with
13" shower arm (US-FH684N) in Polished Nickel

SHOWERING

Shower arms

8" CEILING-MOUNT SHOWER ARM

Solid brass
Projection: 7-3/4"
Inlet connection size: 1/2" male NPT


Polished Chrome	US-PRO689C	\$73.14
Polished Nickel	US-PRO689N	\$83.74
Stainless	US-PRO689V	\$83.74
Matte Black	US-PRO689MB	\$83.74
Brushed Brass	US-PRO689BB	\$83.74



13" WALL-MOUNT SHOWER ARM

Solid brass
Projection: 13"
Inlet connection size: 1/2" male NPT


Polished Chrome	US-FH684C	\$73.14
Polished Nickel	US-FH684N	\$83.74
Stainless	US-FH684V	\$83.74
Matte Black	US-FH684MB	\$83.74
Brushed Brass	US-FH684BB	\$83.74



TRADITIONAL 12" WALL-MOUNT SHOWER ARM

Solid brass
Projection: 11"
Height: 3-5/8"
Inlet connection size: 1/2" male NPT


Polished Chrome	US-BL684C	\$73.14
Polished Nickel	US-BL684N	\$83.74



UNION 15-3/4" WALL-MOUNT SHOWER ARM

Solid Brass
Projection: 15-3/4"
Inlet connection size: 1/2" NPT

Polished Chrome	US-SH400C	\$189.74
Brushed Nickel	US-SH400BN	\$263.94
Brushed Black Chrome	US-SH400BBC	\$263.94
Unlacquered Brass	US-SH400B	\$189.74



WALDORF HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

- Single spray
- Wall bracket includes vacuum breaker
- Handshower hose length: 60"
- Flange size: 2-1/8" x 2-1/8"
- Shower face size: 3-1/2"
- Maximum flow rate: 2.0 GPM
- Inlet connection: 1/2" NPT

Metal		
Polished Chrome	US-WF964C	\$454.74
Polished Nickel	US-WF964N	\$528.94

Metal with black insert		
Polished Chrome	US-WF964C_B	\$454.74
Polished Nickel	US-WF964N_B	\$528.94


Metal with white insert		
Polished Chrome	US-WF964C_W	\$454.74
Polished Nickel	US-WF964N_W	\$528.94



BELGRAVIA HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

- Single spray
- Wall bracket includes vacuum breaker
- Handshower hose length: 60"
- Flange size: 2-1/8" x 2-1/8"
- Shower face size: 3"
- Maximum flow rate: 2.0 GPM
- Inlet connection: 1/2" NPT

Polished Chrome	US-BL964C	\$316.94
Polished Nickel	US-BL964N	\$369.94



ARCADE HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

- Single spray
- Wall bracket includes vacuum breaker
- Handshower hose length: 60"
- Flange size: 2-1/8" x 2-1/8"
- Shower face size: 4-1/8"
- Maximum flow rate: 1.75 GPM
- Inlet connection: 1/2" NPT


Polished Chrome	US-ARC963C	\$634.94
Polished Nickel	US-ARC963N	\$762.14



UNION HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

- Single spray
- Wall bracket includes vacuum breaker
- Handshower hose length: 60"
- Flange size: 2"
- Maximum flow rate: 1.75 GPM
- Inlet connection: 1/2" NPT


Polished Chrome	US-UN964C	\$740.94
Brushed Nickel	US-UN964BN	\$846.94
Brushed Black Chrome	US-UN964BBC	\$846.94
Unlacquered Brass	US-UN964B	\$740.94



MODERN ROUND HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

- Single spray
- Wall bracket includes vacuum breaker
- Handshower hose length: 60"
- Flange size: 2"
- Maximum flow rate: 2.0 GPM
- Inlet connection: 1/2" NPT


Polished Chrome	US-PRO963C	\$210.94
Polished Nickel	US-PRO963N	\$253.34
Stainless	US-PRO963V	\$253.34
Matte Black	US-PRO963MB	\$253.34
Brushed Brass	US-PRO963BB	\$253.34



MODERN SQUARE HANDSHOWER SET WITH HOSE AND BRACKET WITH OUTLET

- Single spray
- Wall bracket includes vacuum breaker
- Handshower hose length: 60"
- Flange size: 1-1/2" x 1-1/2"
- Maximum flow rate: 2.0 GPM
- Inlet connection: 1/2" NPT

Polished Chrome	US-SK962C	\$263.94
Polished Nickel	US-SK962N	\$316.94
Stainless	US-SK962V	\$316.94





Arcade handshower in Polished Nickel
(US-ARC963N)


SHOWERING

Handshower rails

BELGRAVIA HANDSHOWER RAIL

Length: 25-3/4"


Polished Chrome	US-BL850C	\$634.94
Polished Nickel	US-BL850N	\$687.94



MODERN ROUND HANDSHOWER RAIL

Length: 26-3/4"


Polished Chrome	US-PRO850C	\$242.74
Polished Nickel	US-PRO850N	\$348.74
Stainless	US-PRO850V	\$348.74
Matte Black	US-PRO850MB	\$348.74
Brushed Brass	US-PRO850BB	\$454.74



MODERN SQUARE HANDSHOWER RAIL

Length: 27-3/4"


Polished Chrome	US-SK850C	\$242.74
Stainless	US-SK850V	\$380.54



BEREA HANDSHOWER RAIL SET

- Set includes handshower, hose, slide rail and wall outlet
- Single-function spray
- Handshower features EasyClean anti-limescale nozzles
- Handshower includes vacuum breaker and flow restrictor
- 26" adjustable bar with bracket
- 60" decorative metal hose included
- Maximum flow rate: 2.5 GPM at 80 PSI
- Inlet connection size: 1/2" NPT or 3/4" NPT, adapter included


Polished Chrome	11-31-PC	\$422.94
Polished Nickel	11-31-PN	\$422.94
Satin Nickel	11-31-SN	\$422.94
Bronze	11-31-BZ	\$422.94



LEYDEN HANDSHOWER RAIL SET

- Set includes handshower, hose, slide rail and wall outlet
- Single-function spray
- Handshower features EasyClean anti-limescale nozzles
- Handshower includes vacuum breaker and flow restrictor
- 25-1/2" adjustable bar with bracket
- 60" decorative metal hose included
- Maximum flow rate: 2.5 GPM at 80 PSI
- Inlet connection size: 1/2" NPT or 3/4" NPT, adaptor included


Polished Chrome	14-31-PC	\$422.94
Polished Nickel	14-31-PN	\$422.94
Satin Nickel	14-31-SN	\$422.94
Bronze	14-31-BZ	\$422.94



DARBY HANDSHOWER RAIL SET

- Adjustable two-function spray
- Handshower features EasyClean anti-limescale nozzles
- Handshower includes vacuum breaker and flow restrictor
- 26" adjustable bar with bracket
- 60" decorative metal hose included
- Maximum flow rate: 2.0 GPM at 80 PSI
- Inlet connection size: 1/2" NPT


Polished Chrome	15-31-PC	\$528.94
Polished Nickel	15-31-PN	\$528.94
Satin Nickel	15-31-SN	\$528.94



TAOS HANDSHOWER RAIL SET

- Set includes handshower, hose, slide rail and wall outlet
- Single-function spray
- Handshower features EasyClean anti-limescale nozzles
- Handshower includes vacuum breaker and flow restrictor
- 24" adjustable bar with bracket
- 60" decorative metal hose included
- Inlet connection size: 1/2" NPT or 3/4" NPT, adaptor included

Polished Chrome	17-31-PC	\$422.94
Polished Nickel	17-31-PN	\$422.94
Satin Nickel	17-31-SN	\$422.94
Bronze	17-31-BZ	\$422.94



BASINS



SINGLE OR DOUBLE. ON A PEDESTAL OR LEGS OF DISTINCTION.

Our basins beckon renewal. Using only the finest vitreous china, Italian fireclay, and brassware components, find long-lasting quality and style in every piece. Your daily ritual met with uncompromising design and beauty.

FIXTURES

Basins

WALDORF 23-5/8" PEDESTAL BASIN

Overall size: W 23-5/8" x D 21-5/8" x H 35-1/2"

Material: Fireclay

Set comprised of basin and pedestal

Basin is pre-drilled with three faucet holes

Basin is suitable for wall-hung installation with or without underside support (mounting hardware for wall-hung installation not supplied).

Required overflow cover sold separately (US-WFOV)

Waldorf 23-5/8" three-hole basin, white
US-WF0613SCW \$634.94

Waldorf pedestal base, white
US-WF0101CW \$422.94


REQUIRED OVERFLOW COVER



Waldorf overflow trim

US-WFOVC
Polished Chrome \$51.94

US-WFOVN
Polished Nickel \$73.14



WALDORF 31-1/2" BASIN CONSOLE SET

Overall size: W 31-1/2" x D 21-5/8" x H 35-1/2"

Material: Fireclay

Set comprised of basin and metal console

Solid brass decorative console with functional bars affixed to the wall

Basin is pre-drilled with three faucet holes

Basin is suitable for wall-hung installation with or without underside support (mounting hardware for wall-hung installation not supplied).

Required overflow cover sold separately (US-WFOV)

- Waldorf 31" three-hole basin, white
US-WF0813SCW **\$740.94**
- Waldorf 31" console legs, polished chrome
US-WF80X81C **\$1376.94**
- Waldorf 31" console legs, polished nickel
US-WF80X81N **\$1482.94**


REQUIRED OVERFLOW COVER



Waldorf overflow trim

US-WFOVC
Polished Chrome **\$51.94**

US-WFOVN
Polished Nickel **\$73.14**



WALDORF 39-1/2" BASIN CONSOLE SET

Overall size: W 39-3/8" x D 21-5/8" x H 35-1/2"

Material: Fireclay

Set comprised of basin and metal console

Solid brass decorative console with functional bars affixed to the wall

Basin is pre-drilled with three faucet holes

Basin is suitable for wall-hung installation with or without underside support (mounting hardware for wall-hung installation not supplied).

Required overflow cover sold separately (US-WFOV)

- Waldorf 39" three-hole basin, white
US-WF1003SCW **\$1058.94**
- Waldorf 39" console legs, polished chrome
US-WF100X81C **\$1484.00**
- Waldorf 39" console legs, polished nickel
US-WF100X81N **\$1590.00**


REQUIRED OVERFLOW COVER



Waldorf overflow trim

US-WFOVC
Polished Chrome **\$51.94**

US-WFOVN
Polished Nickel **\$73.14**



WALDORF 59" DOUBLE BASIN CONSOLE SET

Overall size: W 59" x D 21-5/8" x H 35-1/2"

Material: Fireclay

Set comprised of double basin and metal console

Solid brass decorative console with functional bars affixed to the wall

Basins are pre-drilled with three faucet holes

Basin is suitable for wall-hung installation with or without underside support (mounting hardware for wall-hung installation not supplied).

Required overflow cover sold separately (US-WFOV)

- Waldorf 59" three-hole double basin, white
US-WF1503SCW
- \$1800.94
- Waldorf 59" console legs, polished chrome
US-WF150X81C
- \$1696.00
- Waldorf 59" console legs, polished nickel
US-WF150X81N
- \$1802.00

REQUIRED OVERFLOW COVER




Waldorf overflow trim

US-WFOVC
Polished Chrome

\$51.94

US-WFOVN
Polished Nickel

\$73.14



EDWARDIAN 22" PEDESTAL BASIN

Overall size: W 22" x D 18-1/2" x H 35-1/2"


Material: Vitreous china

Set comprised of basin and pedestal

Basin is pre-drilled for one or three faucet holes

Basin is suitable for wall-hung installation with or without underside support (mounting hardware for wall-hung installation not supplied).

- Edwardian 22" single-hole basin, white
US-B41TH
- \$422.94
- Edwardian 22" three-hole basin, white
US-B43TH
- \$422.94
- Edwardian pedestal base, white
US-P1
- \$210.94



CLASSIC 25" BASIN CONSOLE

Overall size: W 25-5/8" x D 22-3/8" x H 35-1/8"

Material: Vitreous china


Set comprised of basin and metal console

Solid brass decorative console with functional bars affixed to the wall

Basin is pre-drilled for one or three faucet holes

Basin is not suitable for wall-hung installation without underside support

- Classic 25" single-hole basin, white
US-B151TH\$528.94
- Classic 25" three-hole basin, white
US-B153TH\$528.94
- Classic console legs, polished chrome
US-T49ACHR\$634.94
- Classic console legs, polished nickel
US-T49ANKL\$740.94
- Console extension kit
- Classic console 2-3/8" extension kit, polished chrome
US-T49ACHR-EXT\$94.34
- Classic console 2-3/8" extension kit, polished nickel
US-T49ANKL-EXT\$104.94



CLASSIC 25" PEDESTAL BASIN

Overall size: W 25-5/8" x D 22-3/8" x H 36-1/4"


Material: Vitreous china

Set comprised of basin and pedestal

Basin is pre-drilled for one or three faucet holes

Basin is not suitable for wall-hung installation without underside support (mounting hardware for wall-hung installation not supplied).

- Classic 25" single-hole basin, white
US-B151TH\$528.94
- Classic 25" three-hole basin, white
US-B153TH\$528.94
- Classic pedestal base, white
US-P6\$210.94





Arcade widespread basin faucet with white lever handles in Polished Chrome (US-ARC15DPC_WLV)
Arcade 36" basin (US-ARC9003TH)


FIXTURES

Basins

ARCADE 24" PEDESTAL BASIN

- Overall size: W 23-3/4" x D 20-5/8" x H 33"
- Material: Fireclay
- Set comprised of basin and pedestal
- Basin is pre-drilled with one or three faucet holes
- Includes both polished chrome and polished nickel overflow covers
- Basin is suitable for wall-hung installation with or without underside support (mounting hardware for wall-hung installation not supplied)

Arcade 24" single-hole basin, white US-ARC6001TH	\$316.94
Arcade 24" three-hole basin, white US-ARC6003TH	\$316.94
Arcade pedestal, white US-ARC1	\$179.14



ARCADE 24" CONSOLE SET

- Overall size: W 23-3/4" x D 20-5/8" x H 33"
- Material: Fireclay
- Set comprised of basin and pedestal
- Basin is pre-drilled with one or three faucet holes
- Includes both polished chrome and polished nickel overflow covers
- Basin is suitable for wall-hung installation with or without underside support (mounting hardware for wall-hung installation not supplied)

- Arcade 24" single-hole basin, white

US-ARC6001TH


\$316.94
- Arcade 24" three-hole basin, white

US-ARC6003TH

\$316.94
- Arcade console legs (pair), white

US-ARC2

\$210.94



ARCADE 24" CONSOLE SET

- Overall size: W 23-3/4" x D 20-5/8" x H 33"
- Set comprised of fireclay basin and metal console with safety glass shelf
- Basin is pre-drilled with one or three faucet holes
- Includes both polished chrome and polished nickel overflow covers
- Basin is suitable for wall-hung installation with or without underside support (mounting hardware for wall-hung installation not supplied)

- Arcade 24" single-hole basin, white

US-ARC6001TH

\$316.94
- Arcade 24" three-hole basin, white

US-ARC6003TH


\$316.94
- Arcade 24" console base with glass shelf, polished chrome

US-ARC22C

\$1272.00
- Arcade 24" console base with glass shelf, polished nickel

US-ARC22N

\$1272.00





Arcade 36" metal console set in Polished Chrome (US-ARC9003TH, US-ARC23C)
Arcade widespread basin faucet with cross handles in Polished Chrome (US-ARC15DPC)
Contemporary bottle trap in Polished Chrome (US-BTR0402C)
Arcade curved square swivel mirror in Polished Chrome (US-ARCA40CHR)


FIXTURES

ARCADE 36" PEDESTAL BASIN

Overall size: W 35-3/4" x D 21-5/8" x H 33"
Material: Fireclay
Set comprised of basin and pedestal
Basin is pre-drilled with one or three faucet holes
Includes both polished chrome and polished nickel overflow covers
Basin is suitable for wall-hung installation with or without underside support (mounting hardware for wall-hung installation not supplied)



- Arcade 36" single-hole basin, white
US-ARC9001TH \$422.94
- Arcade 36" three-hole basin, white
US-ARC9003TH \$422.94
- Arcade pedestal base, white
US-ARC1 \$179.14



ARCADE 36" BASIN CONSOLE SET

- Overall size: W 35-3/4" x D 21-5/8" x H 33"
- Material: Fireclay
- Set comprised of basin and console legs
- Basin is pre-drilled with one or three faucet holes
- Includes both polished chrome and polished nickel overflow covers
- Basin is suitable for wall-hung installation with or without underside support (mounting hardware for wall-hung installation not supplied)





- Arcade 36" single-hole basin, white
US-ARC9001TH \$422.94
- Arcade 36" three-hole basin, white
US-ARC9003TH \$422.94
- Arcade console legs (pair), white
US-ARC2 \$210.94

ARCADE 36" BASIN CONSOLE SET

- Overall size: W 35-3/4" x D 21-5/8" x H 34"
- Set comprised of fireclay basin and metal console with safety glass shelf
- Basin is pre-drilled with one or three faucet holes
- Includes both polished chrome and polished nickel overflow covers
- Basin is suitable for wall-hung installation with or without underside support (mounting hardware for wall-hung installation not supplied)



- Arcade 36" single-hole basin, white
US-ARC9001TH \$422.94
- Arcade 36" three-hole basin, white
US-ARC9003TH \$422.94
- Arcade 36" console base with glass shelf, polished chrome
US-ARC23C \$1484.00
- Arcade 36" console base with glass shelf, polished nickel
US-ARC23N \$1484.00



ARCADE 47" DOUBLE BASIN CONSOLE SET

- Overall size: W 47-1/2" x D 21-1/2" x H 33"
- Material: Fireclay
- Set comprised of double basin and console legs
- Basins are pre-drilled with one or three faucet holes
- Includes both polished chrome and polished nickel overflow covers
- Basin is suitable for wall-hung installation with or without underside support (mounting hardware for wall-hung installation not supplied)

- Arcade 47" single-hole double basin, white

US-ARC12001TH


\$846.94
- Arcade 47" three-hole double basin, white

US-ARC12003TH

\$846.94
- Arcade console legs (pair), white

US-ARC2

\$210.94



ARCADE 47" DOUBLE BASIN CONSOLE SET

- Overall size: W 47-1/2" x D 21-1/2" x H 34"
- Set comprised of fireclay basin and metal console with safety glass shelf
- Basins are pre-drilled with one or three faucet holes
- Includes both polished chrome and polished nickel overflow covers
- Basin is suitable for wall-hung installation with or without underside support (mounting hardware for wall-hung installation not supplied)

- Arcade 47" single-hole double basin, white

US-ARC12001TH

\$846.94
- Arcade 47" three-hole double basin, white

US-ARC12003TH


\$846.94
- Arcade 47" console base with glass shelf, polished chrome

US-ARC24C

\$1908.00
- Arcade 47" console base with glass shelf, polished nickel

US-ARC24N

\$1908.00






FIXTURES

Basins

ARCADE BICYCLE BASIN

Size: W 70-5/8" x D 22-3/4" x H 43-1/8"

Includes Pashley bicycle, Arcade 24" basin, Arcade widespread basin faucet in polished chrome with cross handles, walnut shelf, push drain and traditional p-trap



US-BICY1 \$5298.94

COMPONENTS

- | | |
|--------------|--|
| BICY1 | Pashley bicycle |
| US-ARC6003TH | Arcade 24" basin with three-hole drilling and polished chrome overflow cover |
| US-ARC15C | Arcade widespread basin faucet (cross handles) in polished chrome |
| US-BICSHELFW | Walnut wood shelf |
| US-BSW0103C | Push drain in polished chrome |
| US-BTW0225C | Traditional p-trap in polished chrome |





Large widespread basin faucet in Satin Nickel (1708-SN)
MPRO 39" basin and vanity in Driftwood (US-PRO393, US-PRO39DDW1)

FIXTURES

Basins

MPRO BASINS

Basin sizes:	Material: Fireclay
W 23-5/8" x D 17-3/4" x H 4"	Basin is available undrilled, or pre-drilled with one or three faucet holes
W 27-1/2" x D 17-3/4" x H 4"	
W 39-3/8" x D 17-3/4" x H 4"	
W 47-1/4" x D 17-3/4" x H 4"	



MPRO 24" Basin

Undrilled	US-PRO240	\$875.00
Single-hole	US-PRO241	\$875.00
Three-hole	US-PRO243	\$875.00

MPRO 28" Basin

Undrilled	US-PRO280	\$995.00
Single-hole	US-PRO281	\$995.00
Three-hole	US-PRO283	\$995.00




MPRO 39" Basin

Undrilled	US-PRO390	\$1,225.00
Single-hole	US-PRO391	\$1,225.00
Three-hole	US-PRO393	\$1,225.00

MPRO 48" Basin

Undrilled	US-PRO480	\$1,635.00
Single-hole	US-PRO481	\$1,635.00
Three-hole	US-PRO483	\$1,635.00





MPRO 39" vanity in American Walnut
(US-PRO39DAW+)
MPRO 39" basin (US-PRO393)
Darby widespread basin faucet in Polished Nickel
(15-08-PN)
Darby towel ring in Polished Nickel (15-55-PN)

BATH FURNITURE



UNDERSTATED LUXURY WITH SPACE FOR ALL THE ESSENTIALS

Meticulous craftsmanship, elegant design, and generous storage
define our modern wall-hung vanities.

Warm wood or sleek finishes combine with the ultimate in functional details to
create style and harmony in the bathroom.



MPRO 39" vanity in Driftwood (USPRO39DDW+)
MPRO 39" basin (US-PRO393)
Taos widespread basin faucet in Satin Nickel
(17-08-SN)

BATH FURNITURE

MPRO vanities

MPRO 24" VANITY

- Space-saving design offers clean, streamlined look
- Two drawers provide ample storage
- SlowClose hardware
- Includes mounting brackets
- Basin size: 23-5/8" W x 17-3/4" D x 4" H
- Vanity size: 23-1/4" W x 17-3/8" D x 20-1/2" H
- Basin material: Fireclay

- Vanity material: Medium-density fiberboard (MDF) with lacquer finish (White Gloss and Storm Grey Matte), veneer finish (American Walnut), melamine finish (Driftwood)
- Basin is available undrilled, or pre-drilled with one or three faucet holes
- Drawer organizers are available (sold separately)



White Gloss
US-PRO24DWG+ \$1,675.00



Storm Grey Matte
US-PRO24DSG+ \$1,675.00



American Walnut
US-PRO24DAW+ \$1,675.00



Driftwood
US-PRO24DDW+ \$1,675.00

REQUIRED BASIN



US-PRO240
Undrilled 24" basin
\$875.00

US-PRO241
Single-hole 24" basin
\$875.00

US-PRO243
Three-hole 24" basin
\$875.00

See page 357
for detailed information

DRAWER ORGANIZERS

US-PROORTANT
Top drawer
7 compartments
\$199.00






US-PROORGB1ANT
Base drawer
1 compartment
\$139.00



US-PROORGB3ANT
Base drawer
3 compartments
\$199.00



US-PROORGB4ANT
Base drawer
4 compartments
\$219.00





MPRO 39" vanity in White Gloss (US-PRO32DWG+)
MPRO 39" basin (US-PRO393)
Large widespread basin faucet in Satin Nickel (17-65-SN)
Large paper holder in Satin Nickel (17-58-SN)
Large towel bar in Satin Nickel (17-65-SN)
MPRO single flush toilet (US-PRO9005C WSN)

BATH FURNITURE

MPRO vanities

MPRO 28" VANITY

- Space-saving design offers clean, streamlined look
- Two drawers provide ample storage
- SlowClose hardware
- Includes mounting brackets
- Basin size: 27-1/2" W x 17-3/4" D x 4" H
- Vanity size: 27-1/8" W x 17-3/8" D x 20-1/2" H
- Basin material: Fireclay

- Vanity material: Medium-density fiberboard (MDF) with lacquer finish (White Gloss and Storm Grey Matte), veneer finish (American Walnut), melamine finish (Driftwood)
- Basin is available undrilled, or pre-drilled with one or three faucet holes
- Drawer organizers are available (sold separately)



White Gloss
US-PRO28DWG+ \$1,875.00



Storm Grey Matte
US-PRO28DSG+ \$1,875.00



American Walnut
US-PRO28DAW+ \$1,875.00



Driftwood
US-PRO28DDW+ \$1,875.00

REQUIRED BASIN



US-PRO280
Undrilled 28" basin
\$995.00

US-PRO281
Single-hole 28" basin
\$995.00

US-PRO283
Three-hole 28" basin
\$995.00

See page 357 for detailed information

DRAWER ORGANIZERS

US-PROORTANT
Top drawer
7 compartments
\$199.00







US-PROORGB1ANT
Base drawer
1 compartment
\$139.00



US-PROORGB3ANT
Base drawer
3 compartments
\$199.00



US-PROORGB4ANT
Base drawer
4 compartments
\$219.00





BATH FURNITURE

MPRO vanities

MPRO 39" VANITY

- Space-saving design offers clean, streamlined look
- Two drawers provide ample storage
- SlowClose hardware
- Includes mounting brackets
- Basin size: 39-3/8" W x 17-3/4" D x 4" H
- Vanity size: 39" W x 17-3/8" D x 20-1/2" H
- Basin material: Fireclay

- Vanity material: Medium-density fiberboard (MDF) with lacquer finish (White Gloss and Storm Grey Matte), veneer finish (American Walnut), melamine finish (Driftwood)
- Basin is available undrilled, or pre-drilled with one or three faucet holes
- Drawer organizers are available (sold separately)



White Gloss
US-PRO39DWG+ \$2,075.00



Storm Grey Matte
US-PRO39DSG+ \$2,075.00



American Walnut
US-PRO39DAW+ \$2,075.00



Driftwood
US-PRO39DDW+ \$2,075.00

REQUIRED BASIN



US-PRO390
Undrilled 39" basin
\$1,225.00

US-PRO391
Single-hole 39" basin
\$1,225.00

US-PRO393
Three-hole 39" basin
\$1,225.00

See page 357 for detailed information

DRAWER ORGANIZERS

US-PROORTANT
Top drawer
7 compartments
\$199.00






US-PROORGB1ANT
Base drawer
1 compartment
\$139.00



US-PROORGB3ANT
Base drawer
3 compartments
\$199.00



US-PROORGB4ANT
Base drawer
4 compartments
\$219.00





MPRO 48" vanity in Storm Grey Matte (USPRO48DSG+)
MPRO 48" basin (US-PRO483)
Leyden basin faucet with cross handles in Polished Nickel (14X-08-PN)

BATH FURNITURE

MPRO vanities

MPRO 48" VANITY

- Space-saving design offers clean, streamlined look
- Two drawers provide ample storage
- SlowClose hardware
- Includes mounting brackets
- Basin size: 47-1/4" W x 17-3/4" D x 4" H
- Vanity size: 46-7/8" W x 17-3/8" D x 20-1/2" H
- Basin material: Fireclay

- Vanity material: Medium-density fiberboard (MDF) with lacquer finish (White Gloss and Storm Grey Matte), veneer finish (American Walnut), melamine finish (Driftwood)
- Basin is available undrilled, or pre-drilled with one or three faucet holes
- Drawer organizers are available (sold separately)



White Gloss
US-PRO48DWG+ \$2,175.00



Storm Grey Matte
US-PRO48DSG+ \$2,175.00



American Walnut
US-PRO48DAW+ \$2,175.00



Driftwood
US-PRO48DDW+ \$2,175.00

REQUIRED BASIN



US-PRO480
Undrilled 48" basin
\$1,635.00

US-PRO481
Single-hole 48" basin
\$1,635.00

US-PRO483
Three-hole 48" basin
\$1,635.00

See page 357 for detailed information

DRAWER ORGANIZERS

US-PROORTANT
Top drawer
7 compartments
\$199.00






US-PROORGB1ANT
Base drawer
1 compartment
\$139.00



US-PROORGB3ANT
Base drawer
3 compartments
\$199.00



US-PROORGB4ANT
Base drawer
4 compartments
\$219.00





MPRO 48" vanity in Storm Grey Matte (USPRO48DSG+)
MPRO 48" basin (US-PRO483)
Leyden basin faucet with cross handles in Polished Nickel (14X-08-PN)

DRAWER ORGANIZERS


MPRO vanities

MPRO DRAWER ORGANIZERS


- Drawer organizers for the MPRO vanities
- Solid beech construction
- Anthracite color to complement the drawer interior
- Dovetail joints for durability




Top Drawer 7 compartments
Size: 14-7/8" W x 12-1/8" D x 2" H
US-PROORTANT **\$199.00**




Base Drawer 1 compartment
Size: 12-3/8" W x 7-7/8" D x 4-3/4" H
US-PROORGB1ANT **\$139.00**



Base Drawer 3 compartments
Size: 12-3/8" W x 11-7/8" D x 4-3/4" H
US-PROORGB3ANT **\$199.00**



Base Drawer 4 compartments
Size: 12-3/8" W x 11-7/8" D x 4-3/4" H
US-PROORGB4ANT **\$219.00**





Wild wall-hung toilet bowl with seat
(US-WI6116CW, US-WI6106CW)

TOILETS



TIMELESS DESIGNS TO SUIT ALL BATHROOM STYLES

From streamline designs to traditional styles, choose from a beautiful selection of sanitaryware products to create your ideal bathroom suite. Manufactured using only the finest materials and the latest production techniques, each product will reflect a sense of inspirational individual style.


MPRO ONE-PIECE SINGLE-FLUSH TOILET

- Size: L 28" x W 14 1/2 x H 29 1/2
- Universal-height, skirted bowl
- Elongated bowl with US-SEATP3 SoftClose, quick release seat
- Chrome-plated left-hand side-mount trip lever
- Concealed, fully-glazed trapway
- Single flushing system
- 1.28 GPF (4.8 LPF)
- MAP flushing performance score: 1,000 grams
- 9-1/4" x 6-1/4" water surface size
- 12" rough-in
- WaterSense and Green cUPC listed



MPRO one-piece single-flush toilet, white
US-PRO9005CW-SF **\$740.94**

Crosswater London toilet bowls are coated with Nanoglaze. Nanoglaze is a special treatment that reduces microscopic pores in the ceramic surface making cleaning a much easier process.




MPRO ONE-PIECE DUAL-FLUSH TOILET

- Size: L 28" x W 14 1/2 x H 29 1/2
- Universal-height, skirted bowl
- Elongated bowl with US-SEATP3 SoftClose, quick release seat
- Chrome-plated top-mount flush button
- Concealed, fully-glazed trapway
- Dual flushing system
- 1.28 GPF (4.8 LPF) / 1.0 GPF (3.8 LPF)
- MAP flushing performance score: 800 grams
- 9-1/4" x 6-1/2" water surface size
- 12" rough-in
- WaterSense and Green cUPC listed



MPRO one-piece dual-flush toilet, white
US-PRO9005CW **\$740.94**

Crosswater London toilet bowls are coated with Nanoglaze. Nanoglaze is a special treatment that reduces microscopic pores in the ceramic surface making cleaning a much easier process.



WISP ONE-PIECE DUAL-FLUSH TOILET

- Size: L 28 1/8" x W 12 3/4" x H 29 1/2"
- Universal-height, skirted bowl
- Elongated bowl with US-SEATP3 Soft close, quick release seat
- Chrome-plated top-mount flush button
- Concealed, fully-glazed trapway
- Dual flushing system
- 1.28 GPF (4.8 LPF) / 1.0 GPF (3.8 LPF)
- MAP flushing performance score: 800 grams
- 9-1/4" x 6-1/2" water surface size
- 12" rough-in
- WaterSense and Green cUPC listed

Wisp one-piece toilet, white
US-WP9005CW **\$740.94**



Crosswater London toilet bowls are coated with Nanoglaze. Nanoglaze is a special treatment that reduces microscopic pores in the ceramic surface making cleaning a much easier process.

BELGRAVIA TWO-PIECE TOILET

- Overall size: L 28 1/8" x W 17 1/8" x H 32 1/8"
- Universal-height, elongated, skirted bowl
- Chrome-plated left-hand side-mount trip lever
- Concealed, fully-glazed trapway
- Single flushing system
- 1.28 GPF (4.8 LPF)
- MAP flushing performance score: 800 grams
- 7" x 5-1/4" water surface size
- 12" rough-in
- WaterSense and Green cUPC listed
- Seat sold separately

Belgravia toilet bowl, white
US-BL6005CW **\$369.94**

Belgravia tank, white
US-BL7005CW **\$189.74**



SEAT OPTIONS



SoftClose, quick-release elongated seat
US-SEATU1 **\$73.14**



SoftClose, quick-release elongated seat
US-SEATP3 **\$94.34**

TRIP LEVER UPGRADES





Polished Chrome
US-ALTANKLEV1C **\$41.34**



Polished Nickel
US-ALTANKLEV1N **\$51.94**

Crosswater London toilet bowls are coated with Nanoglaze. Nanoglaze is a special treatment that reduces microscopic pores in the ceramic surface making cleaning a much easier process.



ARCADE TWO-PIECE TOILET

- Overall size: L 28 1/8" x W 19 5/8" x H 32 7/8"
- Universal-height, elongated, skirted bowl
- Chrome-plated left-hand side-mount trip lever
- Concealed, fully-glazed trapway
- Single flushing system
- 1.28 GPF (4.8 LPF)
- MAP flushing performance score: 800 grams
- 7" x 5-1/4" water surface size
- 12" rough-in
- WaterSense and Green cUPC listed
- Seat sold separately



- Belgravia toilet bowl, white
US-BL6005CW \$369.94
- Arcade tank, white
US-AL7005CW \$189.74

SEAT OPTIONS



SoftClose, quick-release
elongated seat
US-SEATU1 \$73.14



SoftClose, quick-release
elongated seat
US-SEATP3 \$94.34


TRIP LEVER UPGRADES



Polished Chrome
US-ALTANKLEV1C \$41.34

Polished Nickel
US-ALTANKLEV1N \$51.94

Crosswater London toilet bowls are coated with Nanoglaze. Nanoglaze is a special treatment that reduces microscopic pores in the ceramic surface making cleaning a much easier process.



Arcade two-piece toilet
(US-AL7005CW, US-BL6005CW)
Arcade trip lever in polished chrome
(US-ALTANKLEV1C)
Arcade freestanding double paper holder in
polished chrome
(US-ARCA42CHR)

WILD WALL-HUNG TOILET BOWL


- Size: L 20 1/2" x W 13 3/8" x H 13 3/4"
- Material: Vitreous china
- Rimless design
- Fully glazed trapway
- Complete with fixings
- Seat sold separately
- Designed to be used with an in-wall carrier (not supplied)

Wild wall-hung toilet bowl, white
US-WI6116CW

\$634.94

Wild SoftClose seat, white
US-WI6106W

\$210.94



WALDORF WALL-HUNG TOILET BOWL


- Size: L 21 5/8" x W 14 1/2" x H 13 1/4"
- Material: Vitreous china
- Fully glazed trapway
- Complete with fixings
- Seat sold separately
- Designed to be used with an in-wall carrier (not supplied)

Waldorf wall-hung toilet bowl, white
US-WF6006CW

\$740.94

Waldorf SoftClose seat, white
US-WF6105W

\$316.94






PRO one-piece single flush toilet
(US-FRQ900PC) (31)
Levy towel rack in Polished Chrome (14-56-PC)

FIXTURES

Seats


SOFTCLOSE, QUICK RELEASE ELONGATED SEAT

US-SEATU1 \$73.14



SOFTCLOSE, QUICK RELEASE ELONGATED SEAT

US-SEATP3 \$94.34



BATHTUBS



STRIKING AND POLISHED, SET THE STAGE WITH BATHTUBS OF DISTINCTION

At the core of our collection is enduring design and groundbreaking materials. Every Crosswater London bathtub is engineered for long-lasting beauty and exceptional performance. From classic to modern, Crosswater London bathtubs anchor the bathroom in brilliance and style.

DUROCOAT® MATERIAL

The main component of DUROCOAT® material is genuine dolomitic marble, a metamorphic rock of natural transformation estimated to be over 500 million years old. Consisting of 96% calcium magnesium carbonate, a natural mineral, the powder is produced by disintegrating and purifying the marble to create this groundbreaking material.

BEAUTY

The unique physical properties of DUROCOAT® ensure great reliability in manufacturing complex shapes. This is evident in the crisp details of the Waldorf bath. DUROCOAT®'s high-performance material protects the surface and ensures a flawlessly smooth finish for years to come.

CLEARSTONE MATERIAL

ClearStone is a milled sedimentary stone compound with molded polyester polymer coating. The coating is molded onto the bath surface (not painted) thus ensuring long-lasting performance in appearance, color, stability and resistance to scratching or cracking.

BEAUTY

ClearStone allows designers more scope to soften the outlines and details of a space with bathtubs that feature elegantly tapering edge details and an overall softer appearance with

STRENGTH & STYLE

With its unique technological properties, DUROCOAT® demonstrates a 35% increase in durability over comparable materials. Fully de-aerated, this resilient material forms a uniform core structure from layers of identical density.

Made from the finest materials, Crosswater London bathtubs are warm to the touch with brilliant white color and high-gloss sheen. Scratch and stain-resistant with a solid and tough surface, every tub is protected by our exclusive sanitary gelcoat. Extremely hygienic, easy-to-clean surfaces prevent the build-up of bacteria and dirt, resulting in a safer bath environment. Relax and enjoy.

clean, dynamic lines. Each ClearStone tub is hand-polished for over ten hours. ClearStone material has a lustrous finish across modern and classic designs.

STRENGTH & STYLE

The composition of ClearStone creates a tough and hard-wearing compound ideally suited to modern demands for exceptional performance and endurance. Being a molded coating, ClearStone high-gloss bathtubs have the highest resistance to accidental damage or thermal degradation.

PEACE OF MIND

Every ClearStone bath is packaged to ensure safe delivery.

- Protective film is applied to the surface of the bath
- Foam is wrapped around the edges
- A plastic bag is wrapped around the bath
- The bath is placed in a unique carrying bag with handles on each side. This bag allows the bath to be easily carried to place, minimizing risk of damage
- The fully-protected bath is then placed on a thick cardboard surface on a wooden platform

- The bath is encased in a 1/2"-thick cardboard box with reinforced corners and honeycomb insulation which offers outstanding unidirectional compression resistance during transport







WALDORF BACK-TO-WALL BATHTUB

Generous size and center drain position comfortably accommodates two bathers

For installation over a finished floor,
please order ITD5135 Island Tub Drain
(sold separately)

\$7418.94



REQUIRED WASTE & OVERFLOW



Clic clac tub waste & overflow assembly

US-BTW0201C
Polished Chrome **\$157.94**



Cable drive tub waste & overflow assembly

US-BTW0241C
Polished Chrome **\$168.54**

US-BTW0201N
Polished Nickel **\$210.94**

US-BTW0241N
Polished Nickel **\$189.74**

ISLAND TUB DRAIN ADAPTER

For installation over a finished floor: **ITD5135** **\$338.14**

This item is highly recommended for ease of installation.

See pages 441 & 443 for detailed information



FIXTURES

WALDORF FREESTANDING BATHTUB

Size: L 64-3/4" x W 31-3/8" x H 23-5/8"	Weight: 370 lbs
Constructed of DUROCOAT® cast mineral marble	Waste included: polished chrome or polished nickel
Generous size and center drain position comfortably accommodates two bathers	For installation over a finished floor, please order ITD-5135 Island Tub Drain (sold separately)
Water depth: 14"	Winner of the Readers' Choice Award in the Product Design category at the 2018 Hamptons Cottages & Gardens IDA Awards
Displaced capacity: 60 gallons (displaced capacity is the bath's capacity less 18.49 gallons)	

White with polished chrome waste US-WF_FSBATH-C	\$8478.94
White with polished nickel waste US-WF_FSBATH-N	\$8478.94
White without waste US-WF_FSBATH	\$8478.94



INCLUDED WASTE AND OVERFLOW




US-CW15C Polished Chrome	Incl.
US-CW15N Polished Nickel	Incl.

ISLAND TUB DRAIN ADAPTER

For installation over a finished floor: ITD5135 \$338.14

This item is highly recommended for ease of installation.

See pages 442-443 for detailed information





FIXTURES

BALTHAZAR BATHTUB WITH POLISHED STAINLESS EXTERIOR

Size: L 66" x W 30" x H 28"

Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance

Generous size and center drain position comfortably accommodates two bathers

Water depth: 16-1/4"

Displaced capacity: 43.2 gallons (displaced capacity is the bath's capacity less 18.49 gallons)

Weight: 243.1 lbs

Required waste & overflow sold separately

For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

White with polished stainless steel exterior
US-N25CS **\$7418.94**



REQUIRED WASTE AND OVERFLOW



Traditional trim exposed bath waste & overflow

US-CW11C
Polished Chrome **\$422.94**

US-CW11N
Polished Nickel **\$528.94**

US-CW11S
Stainless **\$528.94**

US-CW11BBC
Brushed Black Chrome **\$846.94***

US-CW11BN
Brushed Nickel **\$846.94***

US-CW11BB
Brushed Brass **\$846.94***


***6-WEEK LEADTIME**

ISLAND TUB DRAIN ADAPTER

For installation over a finished floor: ITD5135 **\$338.14**

This item is highly recommended for ease of installation.

See pages 442-443 for detailed information





FIXTURES

Bathtubs

BALTHAZAR BATHTUB WITH POLISHED NICKEL EXTERIOR

Size: L 66" x W 30" x H 28"	Weight: 243.1 lbs.
Constructed of DUROCOAT® cast mineral marble	Required waste & overflow sold separately
Generous size and center drain position comfortably accommodates two bathers	For installation over a finished floor, please order ITD-5135 Island Tub Drain (sold separately)
Water depth: 16-1/4"	
Displaced capacity: 43.2 gallons (displaced capacity is the bath's capacity less 18.49 gallons)	

White with polished nickel exterior
US-N25NCS **\$9008.94**



REQUIRED WASTE AND OVERFLOW



Traditional trim exposed bath waste & overflow

US-CW11C
Polished Chrome **\$422.94**

US-CW11N
Polished Nickel **\$528.94**

US-CW11S
Stainless **\$528.94**

US-CW11BBC
Brushed Black Chrome **\$846.94***

US-CW11BN
Brushed Nickel **\$846.94***

US-CW11BB
Brushed Brass **\$846.94***


***6-WEEK LEADTIME**

ISLAND TUB DRAIN ADAPTER

For installation over a finished floor: ITD5135 **\$338.14**

This item is highly recommended for ease of installation.

See pages 442-443 for detailed information





FIXTURES

BALTHAZAR BATHTUB WITH GOLD EXTERIOR

Size: L 66" x W 30" x H 28"

Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance

Generous size and center drain position comfortably accommodates two bathers

Water depth: 16-1/4"

Displaced capacity: 43.2 gallons (displaced capacity is the bath's capacity less 18.49 gallons)

Weight: 243.1 lbs

Required waste & overflow sold separately

For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

White with gold exterior
US-N25GCS **\$9008.94**



REQUIRED WASTE AND OVERFLOW



Traditional trim exposed bath waste & overflow

US-CW11C
Polished Chrome **\$422.94**

US-CW11N
Polished Nickel **\$528.94**

US-CW11S
Stainless **\$528.94**

US-CW11BBC
Brushed Black Chrome **\$846.94***

US-CW11BN
Brushed Nickel **\$846.94***

US-CW11BB
Brushed Brass **\$846.94***


***6-WEEK LEADTIME**

ISLAND TUB DRAIN ADAPTER

For installation over a finished floor: ITD5135 **\$338.14**

This item is highly recommended for ease of installation.

See pages 442-443 for detailed information





FIXTURES

Bathtubs

BALTHAZAR BATHTUB WITH WHITE EXTERIOR

Size: L 66" x W 30" x H 28"	Displaced capacity: 43.2 gallons (displaced capacity is the bath's capacity less 18.49 gallons)
Constructed of DUROCOAT® cast mineral marble	Weight: 243.1 lbs
Generous size and center drain position comfortably accommodates two bathers	Required waste & overflow sold separately
Water depth: 16-1/4"	For installation over a finished floor, please order ITD-5135 Island Tub Drain (sold separately)

White with white exterior
US-N25WCS **\$9008.94**



REQUIRED WASTE AND OVERFLOW



Traditional trim exposed bath waste & overflow

US-CW11C
Polished Chrome **\$422.94**

US-CW11N
Polished Nickel **\$528.94**

US-CW11S
Stainless **\$528.94**

US-CW11BBC
Brushed Black Chrome **\$846.94***

US-CW11BN
Brushed Nickel **\$846.94***

US-CW11BB
Brushed Brass **\$846.94***


***6-WEEK LEADTIME**

ISLAND TUB DRAIN ADAPTER

For installation over a finished floor: ITD5135 **\$338.14**

This item is highly recommended for ease of installation.

See pages 442-443 for detailed information





FIXTURES

BALTHAZAR BATHTUB WITH BLACK EXTERIOR

Size: L 66" x W 30" x H 28"	Displaced capacity: 43.2 gallons (displaced capacity is the bath's capacity less 18.49 gallons)
Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance	Weight: 243.1 lbs
Generous size and center drain position comfortably accommodates two bathers	Required waste & overflow sold separately
Water depth: 16-1/4"	For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

White with black exterior
US-N25BCS **\$9008.94**



REQUIRED WASTE AND OVERFLOW



Traditional trim exposed bath waste & overflow

US-CW11C
Polished Chrome **\$422.94**

US-CW11N
Polished Nickel **\$528.94**

US-CW11S
Stainless **\$528.94**

US-CW11BBC
Brushed Black Chrome **\$846.94***

US-CW11BN
Brushed Nickel **\$846.94***

US-CW11BB
Brushed Brass **\$846.94***


***6-WEEK LEADTIME**

ISLAND TUB DRAIN ADAPTER

For installation over a finished floor: ITD5135 **\$338.14**

This item is highly recommended for ease of installation.

See pages 442-443 for detailed information





FIXTURES

Bathtubs

DUO BATHTUB

Size: L 61" x W 37-3/8" x H 19-1/4"

Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance

Center drain position comfortably accommodates two bathers

Water depth: 14-7/8"

Displaced capacity: 90.22 gallons (displaced capacity is the bath's capacity less 18.49 gallons)

Weight: 198 lbs

Required waste & overflow sold separately

For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

White US-N26CS \$4238.94



REQUIRED WASTE AND OVERFLOW



Exposed bath waste & overflow (both elliptical and rectangular overflow plates included)

US-CW12C
Polished Chrome \$422.94

US-CW12N
Polished Nickel \$528.94

US-CW12S
Stainless \$528.94

US-CW12MB
Matte Black \$528.94*

US-CW12BB
Brushed Brass \$846.94*

US-CW12BBC
Brushed Black Chrome \$846.94*

US-CW12BN
Brushed Nickel \$846.94*


*6-WEEK LEADTIME

ISLAND TUB DRAIN ADAPTER

For installation over a finished floor: ITD5135 \$338.14

This item is highly recommended for ease of installation.

See pages 442-443 for detailed information





FIXTURES

FLORENZA BATHTUB

Size: L 72" x W 34" x H 22-3/8"

Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance

Generous size and center drain position comfortably accommodates two bathers

Water depth: 15"

Displaced capacity: 60.77 gallons (displaced capacity is the bath's capacity less 18.49 gallons)

Weight: 204.6 lbs

Required waste & overflow sold separately

For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

White US-N23CS \$4238.94



REQUIRED WASTE AND OVERFLOW



Exposed bath waste & overflow (both elliptical and rectangular overflow plates included)

US-CW12C
Polished Chrome \$422.94

US-CW12N
Polished Nickel \$528.94

US-CW12S
Stainless \$528.94

US-CW12MB
Matte Black \$528.94*

US-CW12BB
Brushed Brass \$846.94*

US-CW12BBC
Brushed Black Chrome \$846.94*

US-CW12BN
Brushed Nickel \$846.94*


*6-WEEK LEADTIME

ISLAND TUB DRAIN ADAPTER

For installation over a finished floor: ITD5135 \$338.14

This item is highly recommended for ease of installation.

See pages 442-443 for detailed information





FIXTURES

Bathtubs

FORMOSO GRANDE BATHTUB

Size: L 66-1/2" x W 31-1/2" x H 22-1/2"

Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance

Generous size and center drain position comfortably accommodates two bathers

Water depth: 15"

Displaced capacity: 73.18 gallons (displaced capacity s the bath's capacity less 18.49 gallons)

Weight: 184.8 lbs

Required waste & overflow sold separately

For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

White US-N2ACS \$4238.94



REQUIRED WASTE AND OVERFLOW



Exposed bath waste & overflow (both elliptical and rectangular overflow plates included)

US-CW12C
Polished Chrome \$422.94

US-CW12N
Polished Nickel \$528.94

US-CW12S
Stainless \$528.94

US-CW12MB
Matte Black \$528.94*

US-CW12BB
Brushed Brass \$846.94*

US-CW12BBC
Brushed Black Chrome \$846.94*

US-CW12BN
Brushed Nickel \$846.94*


*6-WEEK LEADTIME

ISLAND TUB DRAIN ADAPTER

For installation over a finished floor: ITD5135 \$338.14

This item is highly recommended for ease of installation.

See pages 442-443 for detailed information





FIXTURES

FORMOSO PETITE BATHTUB

Size: L 59 " x W 31-1/2" x H 22-1/2"

Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance

Center drain position comfortably accommodates two bathers

Water depth: 14-5/8"

Displaced capacity: 57.46 gallons (displaced capacity is the bath's capacity less 18.49 gallons)

Weight: 147.4 lbs

Required waste & overflow sold separately

For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

White US-N1ACS \$4026.94



REQUIRED WASTE AND OVERFLOW



Exposed bath waste & overflow (both elliptical and rectangular overflow plates included)

US-CW12C
Polished Chrome \$422.94

US-CW12N
Polished Nickel \$528.94

US-CW12S
Stainless \$528.94

US-CW12MB
Matte Black \$528.94*

US-CW12BB
Brushed Brass \$846.94*

US-CW12BBC
Brushed Black Chrome \$846.94*

US-CW12BN
Brushed Nickel \$846.94*


*6-WEEK LEADTIME

ISLAND TUB DRAIN ADAPTER

For installation over a finished floor: ITD5135 \$338.14

This item is highly recommended for ease of installation.

See pages 442-443 for detailed information





FIXTURES

NUVOLA BATHTUB

Size: L 66-7/8" x W 29-1/2" x H 20-1/2"

Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance

Generous size and center drain position comfortably accommodates two bathers

Water depth: 16"

Displaced capacity: 66.05 gallons (displaced capacity is the bath's capacity less 18.49 gallons)

Weight: 182.6 lbs

Required waste & overflow sold separately

For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

White US-N22CS \$4238.94



REQUIRED WASTE AND OVERFLOW



Exposed bath waste & overflow (both elliptical and rectangular overflow plates included)

US-CW12C
Polished Chrome \$422.94

US-CW12N
Polished Nickel \$528.94

US-CW12S
Stainless \$528.94

US-CW12MB
Matte Black \$528.94*

US-CW12BB
Brushed Brass \$846.94*

US-CW12BBC
Brushed Black Chrome \$846.94*

US-CW12BN
Brushed Nickel \$846.94*


*6-WEEK LEADTIME

ISLAND TUB DRAIN ADAPTER

For installation over a finished floor: ITD5135 \$338.14

This item is highly recommended for ease of installation.

See pages 442-443 for detailed information





FIXTURES

Bathtubs

PALERMO GRANDE BATHTUB

Size: L 70-1/2" x W 29-1/2" x H 22-1/2"

Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance

Generous size and center drain position comfortably accommodates two bathers

Water depth: 14-7/8"

Displaced capacity: 68.96 gallons (displaced capacity is the bath's capacity less 18.49 gallons)

Weight: 217.8 lbs

Required waste & overflow sold separately

For installation over a finished floor, please order TD5135 Island Tub Drain (sold separately)

White US-N5CCS \$4238.94



REQUIRED WASTE AND OVERFLOW



Exposed bath waste & overflow (both elliptical and rectangular overflow plates included)

US-CW12C
Polished Chrome \$422.94

US-CW12N
Polished Nickel \$528.94

US-CW12S
Stainless \$528.94

US-CW12MB
Matte Black \$528.94*

US-CW12BB
Brushed Brass \$846.94*

US-CW12BBC
Brushed Black Chrome \$846.94*

US-CW12BN
Brushed Nickel \$846.94*


*6-WEEK LEADTIME

ISLAND TUB DRAIN ADAPTER

For installation over a finished floor: ITD5135 \$338.14

This item is highly recommended for ease of installation.

See pages 442-443 for detailed information






FIXTURES

PALERMO PETITE BATHTUB

Size: L 60" x W 29-1/2" x H 22-1/2"	Displaced capacity: 56.14 gallons (displaced capacity is the bath's capacity less 18.49 gallons)
Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance	Weight: 191.4 lbs
End drain position	Required waste & overflow sold separately
Water depth: 14-7/8"	For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

WhiteUS-N4CCS\$4026.94



REQUIRED WASTE AND OVERFLOW



Exposed bath waste & overflow (both elliptical and rectangular overflow plates included)

US-CW12C
Polished Chrome\$422.94

US-CW12N
Polished Nickel\$528.94

US-CW12S
Stainless\$528.94

US-CW12MB
Matte Black\$528.94*

US-CW12BB
Brushed Brass\$846.94*

US-CW12BBC
Brushed Black Chrome\$846.94*

US-CW12BN
Brushed Nickel\$846.94*


*6-WEEK LEADTIME

ISLAND TUB DRAIN ADAPTER

For installation over a finished floor: ITD5135\$338.14

This item is highly recommended for ease of installation.

See pages 442-443 for detailed information





FIXTURES

PATINATO GRANDE BACK-TO-WALL TUB

Size: L 66-1/2" x W 31-1/2" x H 21-5/8"	Generous size and center drain position comfortably accommodates two bathers
Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance	Water depth: 14"
Sits flush against the wall	Displaced capacity: 53.76 gallons (displaced capacity is the bath's capacity less 18.49 gallons)
Ledge provides platform for deck-mount tub filler	Weight: 200.2 lbs
Ledge can be drilled for two, three, four or five holes for tub filler (supplied undrilled)	Required waste & overflow sold separately
Note: Ledge is not suitable for mounting US-PRO450 or US-WP450	For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

White US-N3BCS \$4238.94



REQUIRED WASTE AND OVERFLOW



Exposed bath waste & overflow


- US-BTW0231C Polished Chrome \$147.34
- US-BTW0231N Polished Nickel \$179.14
- US-BTW0231V Stainless \$179.14
- US-BTW0231MB Matte Black \$1164.94*
- US-BTW0231BB Brushed Brass \$1164.94*
- US-BTW0231BBC Brushed Black Chrome \$1164.94*
- US-BTW0231BN Brushed Nickel \$1099*
*6-WEEK LEADTIME

ISLAND TUB DRAIN ADAPTER

For installation over a finished floor: ITD5135 \$338.14

This item is highly recommended for ease of installation.

See page 443 for detailed information





FIXTURES

PATINATO PETITE BACK-TO-WALL BATHTUB

Size: L 60" x W 31-1/2" x H 21-5/8"

Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance

Sits flush against the wall

Ledge provides platform for deck-mount tub filler

Ledge can be drilled for two, three, four or five holes for tub filler (supplied undrilled)

Note: Ledge is not suitable for mounting US-PRO450 or US-WP450

Generous size and center drain position comfortably accommodates two bathers

Water depth: 13-7/8"

Displaced capacity: 43.99 gallons (displaced capacity is the bath's capacity less 18.49 gallons)

Weight: 187 lbs

Required waste & overflow sold separately

For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

White US-N3ACS \$4026.94



REQUIRED WASTE AND OVERFLOW



Exposed bath waste & overflow

US-BTW0231C
Polished Chrome \$147.34

US-BTW0231N
Polished Nickel \$179.14

US-BTW0231V
Stainless \$179.14

US-BTW0231MB
Matte Black \$1164.94*

US-BTW0231BB
Brushed Brass \$1164.94*

US-BTW0231BBC
Brushed Black Chrome \$1164.94*

US-BTW0231BN
Brushed Nickel \$1099*


*6-WEEK LEADTIME

ISLAND TUB DRAIN ADAPTER

For installation over a finished floor: ITD5135 \$338.14

This item is highly recommended for ease of installation.

See page 443 for detailed information





FIXTURES

PURO BATHTUB

Size: L 66-7/8" x W 29-1/2" x H 19-1/4"	Displaced capacity: 53.5 gallons (displaced capacity is the bath's capacity less 18.49 gallons)
Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance	Weight: 140.08 lbs
Generous size and center drain position comfortably accommodates two bathers	Required waste & overflow sold separately
Water depth: 15"	For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

White	US-N15CS	\$4238.94
STEEL PLINTH (optional)		
Polished Stainless	US-N16P	\$740.94



REQUIRED WASTE AND OVERFLOW



Exposed bath waste & overflow (both elliptical and rectangular overflow plates included)

US-CW12C Polished Chrome \$422.94

US-CW12N Polished Nickel \$528.94

US-CW12S Stainless \$528.94

US-CW12MB Matte Black \$528.94*

US-CW12BB Brushed Brass \$846.94*

US-CW12BBC Brushed Black Chrome \$846.94*

US-CW12BN Brushed Nickel \$846.94*


*6-WEEK LEADTIME

ISLAND TUB DRAIN ADAPTER

For installation over a finished floor: ITD5135 \$338.14

This item is highly recommended for ease of installation.

See pages 442-443 for detailed information





FIXTURES

SONTUOSO BATHTUB

Size: L 66-1/2" x W 27-1/2" x H 23"

Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance

Generous size and center drain position comfortably accommodates two bathers

Water depth: 15-3/8"

Displaced capacity: 47.16 gallons (displaced capacity is the bath's capacity less 18.49 gallons)

Weight: 155.1 lbs

Required waste & overflow sold separately

For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

White US-N8ECS \$4238.94



REQUIRED WASTE AND OVERFLOW



Exposed bath waste & overflow (both elliptical and rectangular overflow plates included)

US-CW12C
Polished Chrome \$422.94

US-CW12N
Polished Nickel \$528.94

US-CW12S
Stainless \$528.94

US-CW12MB
Matte Black \$528.94*

US-CW12BB
Brushed Brass \$846.94*

US-CW12BBC
Brushed Black Chrome \$846.94*

US-CW12BN
Brushed Nickel \$846.94*


*6-WEEK LEADTIME

ISLAND TUB DRAIN ADAPTER

For installation over a finished floor: ITD5135 \$338.14

This item is highly recommended for ease of installation.

See pages 442-443 for detailed information





FIXTURES

TEARDROP GRANDE BATHTUB

Size: L 75-1/4" x W 32-1/4" x H 18-7/8"

Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance

Generous size and center drain position comfortably accommodates two bathers

Water depth: 14-5/8"

Displaced capacity: 55.75 gallons (displaced capacity is the bath's capacity less 18.49 gallons)

Weight: 152.9 lbs

Required waste & overflow sold separately

For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

White US-M11FCS \$4238.94



REQUIRED WASTE AND OVERFLOW



Exposed bath waste & overflow (both elliptical and rectangular overflow plates included)

US-CW12C
Polished Chrome \$422.94

US-CW12N
Polished Nickel \$528.94

US-CW12S
Stainless \$528.94

US-CW12MB
Matte Black \$528.94*

US-CW12BB
Brushed Brass \$846.94*

US-CW12BBC
Brushed Black Chrome \$846.94*

US-CW12BN
Brushed Nickel \$846.94*


*6-WEEK LEADTIME

ISLAND TUB DRAIN ADAPTER

For installation over a finished floor: ITD5135 \$338.14

This item is highly recommended for ease of installation.

See pages 442-443 for detailed information





FIXTURES

TEARDROP PETITE BATHTUB

Size: L 66-1/2" x W 32-1/4" x H 18-7/8"

Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance

Generous size and center drain position comfortably accommodates two bathers

Water depth: 14-5/8"

Displaced capacity: 50.07 gallons (displaced capacity is the bath's capacity less 18.49 gallons)

Weight: 147.4 lbs


Required waste & overflow sold separately

For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

White US-M10FCS \$4026.94



REQUIRED WASTE AND OVERFLOW



Exposed bath waste & overflow (both elliptical and rectangular overflow plates included)

US-CW12C
Polished Chrome **\$422.94**

US-CW12N
Polished Nickel **\$528.94**

US-CW12S
Stainless **\$528.94**

US-CW12MB
Matte Black **\$528.94***

US-CW12BB
Brushed Brass **\$846.94***

US-CW12BBC
Brushed Black Chrome **\$846.94***

US-CW12BN
Brushed Nickel **\$846.94***


***6-WEEK LEADTIME**

ISLAND TUB DRAIN ADAPTER

For installation over a finished floor: ITD5135 **\$338.14**

This item is highly recommended for ease of installation.

See pages 442-443 for detailed information





FIXTURES

VICENZA GRANDE BATHTUB

Size: L 70-7/8" x W 31-1/2" x H 22-1/2"

Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance

Generous size and center drain position comfortably accommodates two bathers

Water depth: 15"

Displaced capacity: 77.81 gallons (displaced capacity is the bath's capacity less 18.49 gallons)

Weight: 235.4 lbs

Required waste & overflow sold separately

For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

White US-N7DCS \$4238.94



REQUIRED WASTE AND OVERFLOW



Exposed bath waste & overflow (both elliptical and rectangular overflow plates included)

US-CW12C
Polished Chrome \$422.94

US-CW12N
Polished Nickel \$528.94

US-CW12S
Stainless \$528.94

US-CW12MB
Matte Black \$528.94*

US-CW12BB
Brushed Brass \$846.94*

US-CW12BBC
Brushed Black Chrome \$846.94*

US-CW12BN
Brushed Nickel \$846.94*


*6-WEEK LEADTIME

ISLAND TUB DRAIN ADAPTER

For installation over a finished floor: ITD5135 \$338.14

This item is highly recommended for ease of installation.

See pages 442-443 for detailed information





FIXTURES

VICENZA PETITE BATHTUB

Size: L 60" x W 31-1/2" x H 22-1/2"

Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance

End drain position

Water depth: 14-7/8"

Displaced capacity: 62.75 gallons (displaced capacity is the bath's capacity less 18.49 gallons)

Weight: 203.5 lbs

Required waste & overflow sold separately

For installation over a finished floor, please order ITD5135 Island Tub Drain (sold separately)

White US-N6DCS \$4026.94



REQUIRED WASTE AND OVERFLOW



Exposed bath waste & overflow (both elliptical and rectangular overflow plates included)

US-CW12C
Polished Chrome \$422.94

US-CW12N
Polished Nickel \$528.94

US-CW12S
Stainless \$528.94

US-CW12MB
Matte Black \$528.94*

US-CW12BB
Brushed Brass \$846.94*

US-CW12BBC
Brushed Black Chrome \$846.94*

US-CW12BN
Brushed Nickel \$846.94*


*6-WEEK LEADTIME

ISLAND TUB DRAIN ADAPTER

For installation over a finished floor: ITD5135 \$338.14

This item is highly recommended for ease of installation.

See pages 442-443 for detailed information





FIXTURES

CLASSICO GRANDE CLAWFOOT BATHTUB

Size: L 66-1/2" x W 31-1/2" x H 26-1/8"	Displaced capacity: 45.65 gallons (displaced capacity is the bath's capacity less 18.49 gallons)
Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance	Weight: 151.8 lbs
Center drain position comfortably accommodates two bathers	Not suitable for rim mounting faucet
Water depth: 15-1/2"	Required claw feet sold separately
	Required waste & overflow sold separately

White US-N9CS \$2860.94



FEET OPTIONS



US-L1C
Polished Chrome \$318.00

US-L1N
Polished Nickel \$424.00

US-L1W
White \$318.00

REQUIRED WASTE AND OVERFLOW




Traditional trim exposed bath waste & overflow

US-BTW0222C
Polished Chrome \$528.94

US-BTW0222N
Polished Nickel \$634.94

See page 441 for detailed information





FIXTURES

BATELLO GRANDE DOUBLE SLIPPER CLAWFOOT BATHTUB

Size: L 66-1/2" x W 31-1/2" x H 27-1/8"	Displaced capacity: 39.89 gallons (displaced capacity is the bath's capacity less 18.49 gallons)
Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance	Weight: 145.64 lbs
Center drain position comfortably accommodates two bathers	Not suitable for rim mounting faucet
Water depth: 14-5/8"	Required claw feet sold separately
	Required waste & overflow sold separately

White US-N10CS \$2860.94



FEET OPTIONS



US-L1C
Polished Chrome \$318.00

US-L1N
Polished Nickel \$424.00

US-L1W
White \$318.00

REQUIRED WASTE AND OVERFLOW




Traditional trim exposed bath waste & overflow

US-BTW0222C
Polished Chrome \$528.94

US-BTW0222N
Polished Nickel \$634.94

See page 441 for detailed information





FIXTURES

ROMANO GRANDE SLIPPER CLAWFOOT BATHTUB

Size: L 66-1/2" x W 29-1/2" x H 31-5/8"	Displaced capacity: 44.12 gallons (displaced capacity is the bath's capacity less 18.49 gallons)
Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance	Weight: 164.34 lbs
End drain position	Not suitable for rim mounting faucet
Water depth: 15-1/2"	Required claw feet sold separately
	Required waste & overflow sold separately

White US-N11BCS \$2860.94



FEET OPTIONS



US-L1C
Polished Chrome \$318.00

US-L1N
Polished Nickel \$424.00

US-L1W
White \$318.00

REQUIRED WASTE AND OVERFLOW




Traditional trim exposed bath waste & overflow

US-BTW0222C
Polished Chrome \$528.94

US-BTW0222N
Polished Nickel \$634.94

See page 441 for detailed information





FIXTURES

ROMANO PETITE SLIPPER CLAWFOOT BATHTUB

Size: L 60" x W 31" x H 31-5/8"	Displaced capacity: 33.95 gallons (displaced capacity is the bath's capacity less 18.49 gallons)
Constructed of ClearStone material which is engineered to resist stain, retain heat and minimize maintenance	Weight: 145.64 lbs
Center drain position comfortably accommodates two bathers	Not suitable for rim mounting faucet
Water depth: 15-1/2"	Required claw feet sold separately
	Required waste & overflow sold separately

White US-N11ACS \$2860.94



FEET OPTIONS



US-L1C
Polished Chrome \$318.00

US-L1N
Polished Nickel \$424.00

US-L1W
White \$318.00

REQUIRED WASTE AND OVERFLOW




Traditional trim exposed bath waste & overflow

US-BTW0222C
Polished Chrome \$528.94


US-BTW0222N
Polished Nickel \$634.94

See page 441 for detailed information






WASTES, TRAPS AND ROUGHS



QUALITY PERFORMANCE COMES
FROM WITHIN

QUALITY COMES FROM WITHIN

Endurance, quality, economy and safety lay at the core of every Crosswater London thermostatic shower valve.



PRECISION TECHNOLOGY

THE PERFORMANCE ‘HEART’ OF THE VALVE

‘Vernet CA43’ is the world’s leading thermostatic cartridge due to its advanced technology in smooth and precise temperature control.

The thermostatic mixers (single or multiple outlet), will maintain their pre-set water temperature, so whether you switch from one water outlet to another or turn off the water to shampoo your hair, the thermostat will automatically find the exact pre-set temperature when you recommence your shower, allowing you to relax and enjoy the ultimate showering experience.



RELIABILITY

LIMITED LIFETIME WARRANTY

The key element of the valve technology is the ingenious ‘thermo-brain’ feature. The high-quality materials used for this thermo-brain greatly minimize potential of lime scale settling on working parts, which extends the lifetime and performance of the valve. The lifespan is a minimum 50,000 cycles, which equates to a family of four showering twice per day for up to 17 years! (dependent upon water quality and delivery conditions).

By installing a Crosswater London thermostatic shower valve you can start to save water and energy from the first day of use. Thanks to the superior shower technology and operation efficiency, a Crosswater London thermostatic shower valve will pay for itself over a short period of time.



DURABILITY

QUALITY CERAMIC DISC CARTRIDGE

The basis for all high-quality shower valves is the performance of the internal turning parts - even after it has been used thousands of times. All Crosswater London thermostatic shower valves use Flühs ceramic disc technology inside the Vernet cartridges - the leading innovator, producer and supplier in the world of water supply products. Each valve is marked with a Flühs symbol as a sign of quality and compliance.

Silky smooth operation and precise water control are characteristic of Flühs products. All raw materials are highly resistant to acidic and alkaline solutions in the bathroom (soap, shampoo, etc). The ceramic discs themselves provide the very best operation and are highly reliable, even when you have wet and soapy hands. The strength of the ceramic discs is extremely durable to prevent the usual wear and tear, even after years of prolonged use.



SAFETY


PRECISION IN TEMPERATURE & WATER FLOW CONTROL

Once you have selected your preferred water temperature it will remain unchanged for the duration of your shower, so there’s no risk of scalding from a sudden temperature increase and no surprising shocks should the temperature plummet. The Vernet cartridge has precise temperature control and automatic shutdown should a cold water failure occur, and the anti-scald function is individually checked on each cartridge prior to leaving the factory to give you peace of mind.

The Vernet CA43 cartridge provides the best temperature regulation and safety measures possible. The thermostatic mixer valve blends the hot and cold water together and reacts instantly to any changes in the water pressure. For example, when a toilet is flushed, the cartridge ensures that the temperature is maintained within 1°C below/above the set temperature.


BASIN PUSH DRAIN WITH OVERFLOW

Unlacquered Brass	US-BSW906B	\$94.34
Brushed Nickel	US-BSW906BN	\$104.94
Brushed Black Chrome	US-BSW906BBC	\$104.94




BASIN PUSH DRAIN WITH OVERFLOW

Polished Chrome	US-BSW0103C	\$94.34
Polished Nickel	US-BSW0103N	\$136.74
Stainless	US-BSW0103V	\$179.14
Matte Black	US-BSW0103MB	\$199.00
Brushed Brass	US-BSW0103BB	\$199.00




BASIN PUSH DRAIN WITHOUT OVERFLOW

Polished Chrome	US-BSW0101C	\$94.34
Polished Nickel	US-BSW0101N	\$136.74
Stainless	US-BSW0101V	\$179.14




CONTEMPORARY BOTTLE TRAP

Polished Chrome	US-BTR0402C	\$136.74
Polished Nickel	US-BTR0402N	\$189.74
Stainless	US-BTR0402V	\$210.94
Matte Black	US-BTR0402MB	\$369.94*
Brushed Brass	US-BTR0402BB	\$369.94*
Brushed Black Chrome	US-BTR0402BBC	\$369.94*
Brushed Nickel	US-BTR0402BN	\$369.94*



TRADITIONAL P-TRAP


Polished Chrome	US-BTW0225C	\$83.74
Polished Nickel	US-BTW0225N	\$126.14
Stainless	US-BTW0225V	\$189.74
Matte Black	US-BTW0225MB	\$232.14*
Brushed Brass	US-BTW0225BB	\$232.14*
Brushed Black Chrome	US-BTW0225BBC	\$232.14*
Brushed Nickel	US-BTW0225BN	\$232.14*



*6-WEEK LEADTIME


CLIC CLAC BATH WASTE & OVERFLOW

Polished Chrome	US-BTW0201C	\$157.94
Polished Nickel	US-BTW0201N	\$210.94
Stainless	US-BTW0201V	\$242.74




CABLE DRIVE BATH WASTE & OVERFLOW

Polished Chrome	US-BTW0241C	\$168.54
Polished Nickel	US-BTW0241N	\$189.74
Stainless	US-BTW0241V	\$210.94




EXPOSED BATH WASTE & OVERFLOW

Polished Chrome	US-BTW0222C	\$528.94
Polished Nickel	US-BTW0222N	\$634.94
Stainless	US-BTW0222V	\$740.94




EXPOSED BATH WASTE AND OVERFLOW

Polished Chrome	US-CW11C	\$422.94
Polished Nickel	US-CW11N	\$528.94
Stainless	US-CW11S	\$528.94
Matte Black	US-CW11MB	\$846.94*
Brushed Brass	US-CW11BB	\$846.94*
Brushed Black Chrome	US-CW11BBC	\$846.94*
Brushed Nickel	US-CW11BN	\$846.94*



EXPOSED BATH WASTE AND OVERFLOW
(both elliptical and rectangular overflow plates included)

Polished Chrome	US-CW12C	\$422.94
Polished Nickel	US-CW12N	\$528.94
Stainless	US-CW12S	\$528.94
Matte Black	US-CW12MB	\$846.94*
Brushed Brass	US-CW12BB	\$846.94*
Brushed Black Chrome	US-CW12BBC	\$846.94*
Brushed Nickel	US-CW12BN	\$846.94*



EXPOSED BATH WASTE AND OVERFLOW
(both elliptical and rectangular overflow plates included)


Polished Chrome	US-CW14C	\$422.94
Polished Nickel	US-CW14N	\$528.94
Stainless	US-CW14S	\$528.94
Matte Black	US-CW14MB	\$846.94*
Brushed Brass	US-CW14BB	\$846.94*
Brushed Black Chrome	US-CW14BBC	\$846.94*
Brushed Nickel	US-CW14BN	\$846.94*



*6-WEEK LEADTIME

EXPOSED BATH WASTE & OVERFLOW
For use with Patinato Grande and Patinato Petite bathtubs

Polished Chrome	US-BTW0231C	\$147.34
Polished Nickel	US-BTW0231N	\$179.14
Stainless	US-BTW0231V	\$179.14
Matte Black	US-BTW0231MB	\$1164.94*
Brushed Brass	US-BTW0231BB	\$1164.94*
Brushed Black Chrome	US-BTW0231BBC	\$1164.94*
Brushed Nickel	US-BTW0231BN	\$1164.94*



EXPOSED BATH WASTE


Polished Chrome	US-CW15C	\$62.54
Polished Nickel	US-CW15N	\$83.74



ISLAND TUB DRAIN

Allows for freestanding tub to be installed over finished floor (before tile installation). This item is highly recommended for ease of installation.

ITD5135	\$338.14
---------	----------





*6-WEEK LEADTIME

ROUGH FOR WALL-MOUNT THREE-HOLE BASIN FAUCET

Flühs quarter-turn ceramic disc cartridges
Flow rate: 1.2 GPM at 30 PSI
Extension kit: US-130ROUGH-EXT


US-130ROUGH \$316.94
US-130ROUGH-EXT \$62.54



ROUGH FOR WALL-MOUNT SINGLE-LEVER BASIN FAUCET

Right-hand mixer handle (handle orientation cannot be changed)
Kerox ceramic disc cartridge
Flow rate: 1.2 GPM at 80 PSI


Polished Chrome US-120ROUGH-C \$316.94
Polished Nickel US-120ROUGH-N \$316.94
Stainless US-120ROUGH-V \$316.94
Matte Black US-120ROUGH-MB \$316.94
Brushed Brass US-120ROUGH-BB \$316.94



ROUGH FOR FLOOR-MOUNT SINGLE-HOLE TUB FILLER

Minimum depth into the floor: 2-1/8"
Maximum depth into the floor: 3-1/2"
Water pressure maximum: 60 PSI
Water pressure minimum: 20 PSI


US-418ROUGH \$316.94



ROUGH FOR FLOORSTANDING PILLAR LEGS

Easy-install floor rough
Minimum depth into the floor: 1-3/4"
Maximum depth into the floor: 2-3/4"
Water pressure maximum: 60 PSI
Water pressure minimum: 20 PSI


US-AA002ROUGH \$210.94



ROUGH FOR UNION FLOOR-MOUNT TUB FILLER

Minimum depth into the floor: 1-3/4"
Maximum depth into the floor: 2-3/4"
Water pressure minimum: 20 PSI
Water pressure maximum: 60 PSI


US-399ROUGH \$422.94



1000 3/4" THERMOSTATIC ROUGH WITH SINGLE INTEGRATED VOLUME CONTROL

- One water outlet
- Vernet thermostatic cartridge and Flühs volume control cartridge
- Integral shut-off non-return valves with filters to prevent cross flow
- Built-in service stops
- Flow rate: 12 GPM at 60 PSI
- Rough-in depth minimum: 3-1/8"
- Rough-in depth maximum: 4-1/8"
- Extension kit:
 - US-EK101525C Polished Chrome
 - US-EK101525N Polished Nickel
 - US-EK101525V Stainless
 - US-EK101525MB Matte Black
 - US-EK101525BB Brushed Brass
 - US-EK101525B Unlacquered Brass
 - US-EK101525BBC Brushed Black Chrome
 - US-EK101525BN Brushed Nickel


US-WLBP1000R \$528.94



1500 3/4" THERMOSTATIC ROUGH WITH VOLUME CONTROL/DIVERTER

- Two independent water outlets
- Vernet thermostatic cartridge
- Integral shut-off non-return valves with filters to prevent cross flow
- Built-in service stops
- Flow rate: 11 GPM at 60 PSI
- Rough-in depth minimum: 3-1/8"
- Rough-in depth maximum: 4-1/8"
- Extension kit:
 - US-EK101525C Polished Chrome
 - US-EK101525N Polished Nickel
 - US-EK101525V Stainless
 - US-EK101525MB Matte Black
 - US-EK101525BB Brushed Brass
 - US-EK101525B Unlacquered Brass
 - US-EK101525BBC Brushed Black Chrome
 - US-EK101525BN Brushed Nickel

US-WLBP1500R \$698.54





1501 3/4" THERMOSTATIC ROUGH WITH VOLUME CONTROL/DIVERTER AND INTEGRATED HANDSHOWER OUTLET

- Two water outlets
 - Vernet thermostatic cartridge
 - Integral shut-off non-return valves with filters to prevent cross flow
 - Built-in service stops
 - Flow rate: 11 GPM at 60 PSI
 - Rough-in depth minimum: 3-1/8"
 - Rough-in depth maximum: 4-1/8"
 - Extension kit:
 - US-EK2000C Polished Chrome
 - US-EK2000N Polished Nickel
 - US-EK2000V Stainless
 - US-EK2000MB Matte Black
 - US-EK2000BB Brushed Brass
 - US-EK2000B Unlacquered Brass
 - US-EK2000BBC Brushed Black Chrome
 - US-EK2000BN Brushed Nickel
- Note: The hose and elbow included with this rough are required for installation at the rough-in stage with trims US-PRO1701 and US-WP1701

US-WLBP1501R \$698.54

- 2 FUNCTIONS, NON-SHARED
- A - Volume control / two-way diverter
- B - Temperature
- C - Integrated handshower




2000 3/4" THERMOSTATIC ROUGH WITH TWO INTEGRATED VOLUME CONTROLS

- Two water outlets
- Vernet thermostatic cartridge and Flühs volume control cartridges
- Integral shut-off non-return valves with filters to prevent cross flow
- Built-in service stops
- Flow rate: 13 GPM at 60 PSI
- Rough-in depth minimum: 3-1/8"
- Rough-in depth maximum: 4-1/8"
- Extension kit:
 - US-EK2000C Polished Chrome
 - US-EK2000N Polished Nickel
 - US-EK2000V Stainless
 - US-EK2000MB Matte Black
 - US-EK2000BB Brushed Brass
 - US-EK2000B Unlacquered Brass
 - US-EK2000BBC Brushed Black Chrome
 - US-EK2000BN Brushed Nickel

US-WLBP2000R \$793.94

- 2 FUNCTIONS, SHARED
- A - Volume control
- B - Temperature
- C - Volume control




DIAL 2001 3/4" THERMOSTATIC ROUGH WITH TWO INTEGRATED VOLUME CONTROLS

- Two water outlets
- For horizontal installation
- Volume controls feature push-button on/off technology
- Vernet thermostatic cartridge and Flühs volume control cartridge
- Integral shut-off non-return valves with filters to prevent cross flow
- Built-in service stops
- Flow rate: 13 GPM at 60 PSI
- Rough-in depth minimum: 3-1/8"
- Rough-in depth maximum: 4-1/8"
- Note: The hose and elbow included with this rough are required for installation at the rough-in stage with trim US-DIAL-CENT-12C**

2 FUNCTIONS,
SHARED

- Volume control
- Temperature
- Volume control




US-DL2001RC \$952.94

3/4" THERMOSTATIC VALVE ROUGH

- Temperature control only; volume control/diverters sold separately
- Vernet thermostatic cartridge
- Cartridge restricts water supply should the hot or cold supply fail, to prevent scalding or thermal shock
- Integral shut-off non-return valves with filters to prevent cross flow
- Flow rate: 10-12 GPM at 45 PSI
- Rough-in depth minimum: 2-1/2"
- Rough-in depth maximum: 3-1/4"
- Extension kit:
9Q1172CP-PC
9Q1172RN-PN
9Q1172AP-SN
9Q1172FO-BZ

TEMPERATURE
CONTROL ONLY




TH-RGH \$318.00

DUAL-CONTROL 3/4" THERMOSTATIC VALVE WITH VOLUME CONTROL ROUGH

- One water outlet
- Vernet thermostatic cartridge
- Cartridge restricts water supply should the hot or cold supply fail, to prevent scalding or thermal shock
- Integral shut-off return valve with filters to prevent cross flow
- Flow rate: 10-12 GPM at 45 PSI
- Rough-in depth minimum: 2-3/4"
- Rough-in depth maximum: 3-1/4"
- Extension kit:
9Q242000CP
9Q242000RN
9Q242000AP
9Q242000FO

1 FUNCTION

- Volume control
- Temperature




TH1-RGH \$339.20

DUAL-CONTROL 3/4" THERMOSTATIC VALVE WITH VOLUME CONTROL AND DIVERTER ROUGH

- Two water outlets
- Vernet thermostatic cartridge
- Cartridge restricts water supply should the hot or cold supply fail, to prevent scalding or thermal shock
- Integral shut-off return valve with filters to prevent cross flow
- Flow rate: 10-12 GPM at 45 PSI
- Rough-in depth minimum: 2-1/2"
- Rough-in depth maximum: 3-1/4"
- Extension kit:
9Q242000CP
9Q242000RN
9Q242000AP
9Q242000FO

2 FUNCTIONS,
NON-SHARED

- Volume control /
two-way diverter
- Temperature



TH2-RGH \$413.40

3/4" VOLUME CONTROL ROUGH

Volume control controls on/off and volume functions for a single component in a shower system


Flühs quarter-turn ceramic disc cartridge

Rough-in depth minimum: 1-7/8"

Rough-in depth maximum: 2-5/8"

Extension kit:
5T1C0319NT + 5POC0582NT

VOLUME
CONTROL ONLY



VC-RGH \$84.80

3/4" TWO-WAY DIVERTER ROUGH

Diverter alternates water flow between two water outlets


Kerox diverter cartridge

Rough-in depth minimum: 1-7/8"

Rough-in depth maximum: 2-5/8"

Extension kit:
5T1C0319NT + 5POC0582NT

2 FUNCTION
DIVERTER



DIV-RGH \$159.00

1/2" THREE-WAY DIVERTER ROUGH

Diverter alternates water flow between three water outlets


Kerox diverter cartridge

Rough-in depth minimum: 2-1/8"

Rough-in depth maximum: 2-7/8"

Extension kit:
5T1C0319NT + 5POC0582NT

3 FUNCTION
DIVERTER



3DV-RGH \$159.00

PRESSURE-BALANCE VALVE ROUGH

One water outlet

Kerox pressure-balance cartridge

Pressure-balance cartridge maintains constant temperature in response to changes to hot and cold supply


Flow rate: 3-5 GPM at 45 PSI

Rough-in depth minimum: 2-1/8"

Rough-in depth maximum: 3"

Extension kit:
5T1C0319NT + 5POC0582NT

1FUNCTION
with temperature control



PBS-RGH \$180.20

PRESSURE-BALANCE VALVE WITH DIVERTER ROUGH

Diverter alternates water flow between two outlets
- tub spout/shower head, tub spout/handshower, shower head/handshower

Kerox pressure-balance cartridge

Pressure-balance cartridge maintains constant temperature in response to changes to hot and cold supply

Flow rate: 3-5 GPM at 45 PSI

Rough-in depth minimum: 2-7/8"



Rough-in depth maximum: 3-7/8"

Extension kit:
5T1C0319NT + 5POC0582NT

2 FUNCTIONS,
NON-SHARED

- Two-way diverter

- Temperature



PBTS-RGH \$212.00

DECK-MOUNT TUB FAUCET ROUGH

Rough valve for deck tub sets 11-02-T and 14-02-T


Flühs volume control cartridges

Inlet connection: 3/4" NPT

Deck thickness maximum: 2-1/8"

Handle spread maximum: 19"

DT-R-RGH \$275.60



DECK-MOUNT TUB FAUCET WITH HANDSHOWER ROUGH

Rough valve for deck tub sets with handshower
11-03-T and 14-03-T


Flühs volume control cartridges

Inlet connection: 3/4" NPT

Deck thickness maximum: 2-1/8"

Handle spread maximum: 19"


DTHS-R-RGH \$275.60



DECK-MOUNT TUB FAUCET ROUGH

- Rough valve for deck tub set 17-02-T
- Flühs volume control cartridges
- Inlet connection: 3/4" NPT
- Deck thickness maximum: 2-1/8"
- Handle spread maximum: 19"


DT-S-RGH \$212.00



DECK-MOUNT TUB FAUCET WITH HANDSHOWER ROUGH

- Rough valve for deck tub sets with handshower 15-03-T and 17-03-T
- Flühs volume control cartridges
- Inlet connection: 3/4" NPT
- Deck thickness maximum: 2-1/8"
- Handle spread maximum: 19"

DTHS-S-RGH \$275.60




COMPLIANCE

At Crosswater London we pride ourselves on our track record of exceeding the industry’s most exacting standards. In the UK, we hold more WRAS (Water Regulation Advisory Scheme) listings than any other British faucet manufacturer. In order to obtain a WRAS listing we have to show that our products not only exceed British standards but that the quality of the product we supply to our customers is maintained.

This is also the ethos we have followed in North America. All our basin faucets comply with low lead standards. We have faucets, shower heads and toilets that meet the water saving requirements of both WaterSense and the California Energy Commission.

Not content with simply meeting the relevant ASME standards, we have chosen to seek IAPMO listing so we can apply the cUPC mark to our products. Again, we do this to assure our customers that we not only comply with the relevant legislation but that we maintain the highest possible quality standards throughout our product range.

In order to achieve this we use the best components from top European suppliers such as Flühs, Neoperl, Vernet and Kerox. We have our own Research and Development team, our own product designers and a dedicated quality and compliance team who ensure that every product we make adheres to strict quality controls.



THE CROSSWATER LONDON WARRANTY

Our commitment to quality & excellence

CROSSWATER LIMITED WARRANTY

The following are the terms and conditions of Crosswater London USA's ("Crosswater London's") exclusive written warranty. No warranty by any person in addition to or different from those made in this limited warranty shall be binding on Crosswater London.

LIMITED COMMERCIAL WARRANTY

Crosswater London products used commercially are warranted by Crosswater London to be free from manufacturing defects for a period of one (1) year from the date of acquisition by original purchaser. This limited warranty is subject to the "warranty exclusions and disclaimers" set forth opposite.

LIMITED RESIDENTIAL WARRANTY

Crosswater London warrants that it will, at its election, repair, replace or make appropriate adjustment for any product that proves defective in materials and/or workmanship under normal residential installation, use and service within the warranty period for that product as stated in the "Residential Warranty Periods" set forth below. This limited warranty is limited to normal domestic use only and excludes damage resulting from reasonable wear and tear, misuse, abuse, neglect, or improper installation, maintenance and repair. This limited warranty is provided to the original purchaser only and is not transferable. Labor charges incurred by the purchaser to repair, replace, install or remove any product are not covered by this warranty.

This limited warranty is subject to the "warranty exclusions and disclaimers" set forth opposite.

RESIDENTIAL WARRANTY PERIODS

All Crosswater London products are covered by a Limited Lifetime warranty except mechanical parts of toilets and ITD-5135 (5 years), and toilet seats (1 year).

FINISHES AND DRAINS

Limited Lifetime warranty on all finishes except living finishes and drains which are excluded from the warranty. Due to the nature of drain usage, there is no finish warranty on any drain product (including lavatory and bathtub drains).

WARRANTY EXCLUSIONS AND DISCLAIMERS

To the maximum extent permitted by law, Crosswater London makes no other warranty, express or implied. To the maximum extent permitted by law, Crosswater London expressly disclaims the implied warranties of merchantability and of fitness for a particular purpose, and all other obligations or liabilities on the part of Crosswater London. Under no circumstances shall Crosswater London's liability to buyer or any third party, whether in contract, in tort, under any warranty, in negligence or otherwise, exceed the purchase price paid for the product. In no event (including with respect to any implied warranties that may not be waived or disclaimed as a matter of law) will Crosswater London be liable for any economic, special, incidental, indirect or consequential damages, whether based on breach of warranty, breach of contract, negligence, strict

liability, or any other legal theory or otherwise. Without limitation to the foregoing sentence, damages that Crosswater London will not be responsible for include, but are not limited to: loss of profits, loss of savings or revenue; loss of use of the product or any associated equipment; cost of capital; cost of any substitute equipment, facilities, or services; downtime; the claims of third parties, including customers; loss of goodwill, loss of business opportunities and/or damages on account of personal injury, physical harm or injury to property.

To the maximum extent permitted by law, Crosswater London is providing this limited warranty in lieu of all other warranties, expressed or implied. To the maximum extent permitted by law, any implied warranty, including the implied warranties of merchantability or fitness for a particular purpose, are limited in duration to the duration of this warranty, or the applicable limitations period set by your state or province, whichever is shorter.

WARRANTY CLAIMS

Warranty claims may be made by calling (844) 992-8371 or by writing to:

Crosswater London
393 Fortune Boulevard
Milford, MA 01757

info@crosswaterlondon.com

Proof of purchase (original sales receipt) from the original purchaser must be made available to Crosswater London for all warranty claims. This Limited Warranty applies only to products that are installed in the United States of America and Canada.

Crosswater London USA is a trade name of Bathroom Brands US, LLC, which is solely responsible for this warranty. Effective: September 2018

THE CROSSWATER LONDON

TERMS & CONDITIONS

DELIVERY RECEIPTS

On receipt of delivery please inspect goods to ensure all items are in satisfactory condition.

Any missing items or damaged goods must be reported within 5 days of delivery and prior to installation. Any claims made outside of this time frame will not be accepted.

To submit a claim for damaged or missing goods, please send an email with details of the issue, purchase order number, and images to returns@crosswaterlondon.com.

Crosswater London will not accept claims relating to goods that have been delivered to a third party forwarding agent for onward shipment.

Please note that all delivery dates are given in good faith. While every effort is made to deliver orders as promptly as possible Crosswater London cannot be held liable for any associated costs relating to a late delivery.

INCORRECT ITEMS AND DEFECTIVE PRODUCTS

If incorrect item(s) have been received, please contact Crosswater London as soon as possible. The correct item(s) will be shipped promptly and the incorrect item(s) will be picked up at the expense of Crosswater London.

If a product fault has been identified following installation please contact Crosswater London technical support for assistance. Please do not remove the installed product until instructed by Crosswater London as the issue may need assessment. Similarly, if a part is missing, please do

not reorder the complete item and request a RGA unless instructed by Crosswater London. In many instances, part(s) will be provided to resolve the issue, eliminating the need for a return.

If it is determined that a product is faulty and needs to be returned, a return label will be issued and full credit will be given once the product is received in our warehouse. Return labels expire 30 days after issue and if allowed to expire Crosswater London is no longer responsible for return shipping.

Any labor costs relating to a defective Crosswater London product may be submitted for review and will be reimbursed at the sole discretion of Crosswater London. All labor compensations will be in the form of a Crosswater London dealer account credit. Please refer to the guarantee for full warranty terms and conditions.

RETURNS

Crosswater London offers the opportunity to return an item that is no longer required (consumer has changed mind/specification). In these instances, the item should be uninstalled and in perfect condition (including packaging) and notification of the request must be received by Crosswater London within 30 days of receipt. A 25% restocking charge will be applied to all returns unless the item is being exchanged, in which case the restocking fee will be reduced to 12.5%. This does not apply to items that are marked special order/non-returnable. Customers are responsible for return shipping unless the

product is deemed faulty. Please send all RGA requests to returns@crosswaterlondon.com.

RGA paperwork must be included with all returns or the return will not be accepted.

Local returns/drop-offs will require a signature to indicate Crosswater London has received the return.

If returned goods are damaged or not in the original packaging, credit will be denied and the option offered for Crosswater London to dispose of the item(s) or for the item(s) to be returned.

Returns will be kept open for 6 weeks at which time they will be closed. Any returns received after this time will not be processed.

Please allow 5-7 business days from the date the return is received by Crosswater London for credit to be issued to accounts.

Book revised June 2019.

COMPANY DIRECTORY

Main: 508-381-0433

Toll Free: 844-992-8371

Fax: 508-381-6068

Crosswater London
393 Fortune Boulevard
Milford, MA 01757

info@crosswaterlondon.com
www.crosswaterlondon.com

General inquiries & stock inquiries:
info@crosswaterlondon.com

Order and shipping inquiries:
orders@crosswaterlondon.com

Marketing and collateral inquiries:
marketing@crosswaterlondon.com

Replacement requests and technical inquiries:
technical@crosswaterlondon.com


RGA requests and return inquiries:
returns@crosswaterlondon.com



UNION 11




WALDORF 41



BELGRAVIA 75




ARCADE 107



BERA 220



LEYDEN 244



DARBY 270



TAOS 296



WISP 137



MPRO 169



DIAL 203



SHOWERING 321



BASINS 336



BATH FURNITURE 359



TOILETS 371



BATHTUBS 382

OUR COLLECTIONS


From the quintessentially British to the sleek and modern, we are proud to offer a range of exquisitely designed products to suit all bathroom requirements.



BASIN TRAPS 440

WASTES 442

ROUGHS 444



FINISHES 6

WARRANTY & DIRECTORY 460





crosswater^x
— LONDON —

393 Fortune Boulevard, Milford MA 01757

Tel: 1-844-992-8371

Email: info@crosswaterlondon.com

crosswaterlondon.com

June 2019